Centon

PASSION | INTERGRITY | COLLABORATION | SERVICE



Contents

STANDARD OFFERING 4

UPGRADE OFFERING 20

DELTA KITCHEN 20

BRIZO KITCHEN 40

HANSGROHE KITCHEN **54**

AXOR KITCHEN 62

KINDRED SINKS 68

FRANKE SINKS 74

DELTA BATH 98

BRIZO BATH **132**

HANSGROHE BATH 168

AXOR BATH **180**

MIROLIN 190

CONTRAC 200

AVENUE 204

CENTOCO 210

DIMPLEX 212

COMMERCIAL OFFERING 226

SANIFLO 250

HEATLINK **252**

SUNDRIES 254

OATEY **256**

BRASSCRAFT 264

PLUMBSHOP 266

MASTER PLUMBER **268**

Introduction

At Centon, we are passionate about our customers, our services and our products.

We are proud to be the leading professional plumbing sales and customer service agency in Ontario. Our team members have a wealth of industry expertise — many of them have been with us for a decade or two—and they are eager to work with you. This means you can trust our capacity, experience, expertise, and integrity to offer a curated collection of products that meet all your needs.

Apart from providing our customers with outstanding product solutions, we also pride ourselves on delivering exceptional customer service. Our service extends well beyond the regular 9 to 5 workday. Our team is passionate about supporting you, when and where you need us -24 hours a day.

With a 30+ year track record in the plumbing supply industry, we are privileged to be the sales force for some of the highest rated plumbing products - from top quality commercial faucets, and the best kitchen sinks, to the most luxurious of tubs - we offer it all.

Our Customers

Our focus is always on our customer. You are ever top of mind. When you have a question or problem, we are here to help.

Our team members live in and are part of the communities they support, which means all of our reps have a deep understanding of the particular market they serve. We build strong relationships with our customers, so we're not just your trusted supplier, we are your friend. We enjoy dinners, family gatherings, sports events and community celebrations with many of our customers, because our customers matter... it's just how we roll.

Our Manufacturers

Not only are we proud of our skilled, knowledgeable and dedicated Centon team, we are also immensely proud of the superior manufactures we have chosen to represent. The products these companies offer the plumbing market, and their customer service are second to none.

- A.O. Smith
- Avenue
- Axor
- Brasscraft
- Brizo
- Centoco
- Contrac
- Delta
- Delta Commercial
- Dimplex
- Franke Kindred
- Hansgrohe
- Heatlink
- Master Plumber
- Mirolin
- Oatey
- Plumbshop
- Saniflo





Our Publication

We know we won't always be with you when you are looking for an innovative, exciting or just necessary product solution, so as solution experts we have come up with a resource to support you at any time.

We have curated, on the following pages, a unique collection of product solutions designed to inspire and capture your imagination. As a privileged customer, we are pleased to offer you this innovative publication for your review and use.

0

This exclusive publication incorporates our years of expertise in compiling and packaging offerings based on the needs of our customers. It is an extension of our team — so you are able to access our expertise even when we're not with you.

We invite you to experience and enjoy this beautiful publication, and when you become inspired by a product ... give us a call, we will help you to bring your inspiration to life.

Sincerely,
The Centon Team



Our Valued Partners & Manufactures'

This inspiration guide would not be possible without the generous support of our manufacturing partners.







BRIZO











hansgrohe























KITCHEN FAUCETS | Available Finishes











WALTEC CARAQUET Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.5 gpm W28213



WALTEC CARAQUET Single Handle Deck Mount Kitchen Faucet Flow Rate: 1.5 gpm W24212



WALTEC LANDRY Single Handle Pull-Out Kitchen Faucet Flow Rate: 1.5 gpm W26214



DELTA OSLER Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm Available in Chrome only*



DELTA BANTING Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 981LF



DELTA CLASSIC Single Handle Kitchen Pull Out Flow Rate: 1.8 gpm 469LF Available in Chrome only*

KITCHEN SINKS



KINDRED – REGINOX Stainless Steel, Undermount 19 3/4" L X 16" W X 9" D NS1820UA-9



KINDRED – REGINOX Stainless Steel, Undermount 17 3/4" L X 19 3/4" W X 7" D RSU1820-7



KINDRED – REGINOX Stainless Steel, Topmount 20 9/16" L x 20 1/8" W X 7" D RSL2020-3 (3 faucet holes) RSL2020-1 (1 faucet hole)



KINDRED – REGINOX Stainless Steel, Undermount 17 3/4" L X 30 7/8" W X 7" D RDU1831-7



KINDRED – REGINOX Stainless Steel, Undermount 17 3/4" L X 30 7/8" W X 8 ½" D ND1831UA-9



KINDRED – REGINOX Stainless Steel, Topmount 20 ½" L x 31 ½" W X 7" D RDL2031-3 (3 faucet holes) RDL2031-1 (1 faucet hole)



KINDRED – REGINOX Stainless Steel, Dualmount 20 1/2" FB x 31 1/4" LR x 7" D RDL2031-3 (3 faucet holes) RDL2031-1 (1 faucet hole)



KINDRED – BROOKMORE Stainless Steel, Undermount 19 1/2" L X 18 1/8" W X 9" 1/16" D BSU1820-9



KINDRED – BROOKMORE Stainless Steel, Undermount 24 5/8" L X 18 1/8" W X 9" D BSU1825-9



KINDRED – BROOKMORE Stainless Steel, Undermount 30 1/2" L X 18 1/8" W X 9" D BDU1831-9



KINDRED – BROOKMORE Stainless Steel, Undermount 32 1/2" L X 18 1/8" W X 9" D BSU1832-9



KINDRED – BROOKMORE Stainless Steel, Topmount 32 ½" L X 18 1/8" W X 9" D BSU1832-90W

BATH | Available Finishes Chrome











WALTEC CARAQUET Single Handle Deck Mount Lavatory Faucet Flow Rate: 1.0 gpm W22216



WALTEC CARAQUET Shower Trim Only Flow Rate: 1.75 gpm W14228 / R10000-UN Rough Included



WALTEC LANDRY Tub / Shower Trim Flow Rate: 1.75 gpm W14218 / R10000-UN Rough Included



WALTEC LANDRY Single Handle Deck Mount Lavatory Faucet Flow Rate: 1.0 gpm W22215 Available in Chrome only*



WALTEC LANDRY Shower Trim Only Flow Rate: 1.5 gpm W14227 / R10000-UN Rough Included Available in Chrome only*



WALTEC LANDRY Tub / Shower Trim Flow Rate: 1.5 gpm W14217 / R10000-UN Rough Included Available in Chrome only*

BATH | Available Finishes Chrome









CANADIAN CLASSIC Monitor® 13 Series Tub/Shower Trim Flow Rate: 1.5 npm

Flow Rate: 1.5 gpm T13420 / R10000-UN Rough Included



CANADIAN CLASSIC Monitor® 13 Series Tub/Shower Trim Flow Rate: 1.75 gpm

T13420-SOS-CDN / R10000-UN Rough Included



CANADIAN CLASSIC Monitor® 13 Series Shower Only Trim Flow Rate: 1.75 gpm T13220-CDN / R10000-UN

Rough Included



CANADIAN CLASSIC Monitor® 13 Series Shower Trim Flow Rate: 1.5 gpm

Flow Rate: 1.5 gpm T13220 / R10000-UN Rough Included



CANADIAN CLASSIC Roman Tub Trim

T2705-H20 / R2709-PX Rough Included



CANADIAN CLASSIC Single Handle Lavatory Faucet Flow Rate: 1.2 gpm 536-TP-DST



CANADIAN CLASSIC Single Handle Lavatory FaucetFlow Rate: 1.20 gpm
B510LF-20

9

BATH | Available Finishes









WYNNE Single Handle Lavatory Faucet Flow Rate: 1.2 gpm 534LF



WYNNE Widespread Lavatory Faucet Flow Rate: 1.2 gpm 3534LF



WYNNE Three Hole Roman Tub with Hand Shower Flow Rate: 1.75 gpm T3734/R3716



WYNNE Monitor® 14 Series Shower Only Trim Flow Rate: 1.75 gpm T14234/ R10000-UN Rough Included



WYNNE Monitor® 14 Series Tub/Shower Trim Flow Rate: 1.75 gpm T14434/ R10000-UN Rough Included



Chrome



Available Finishes



TOMMY Single Handle Lavatory Faucet Flow Rate: 1.2 gpm 691LF



TOMMY Monitor® 14 Series Shower Only Trim Flow Rate: 1.75 gpm T14291 / R10000-UN Rough Included



TOMMY Monitor® 14 Series Tub/Shower Trim Flow Rate: 1.75 gpm T14491 / R10000-UN Rough Included

BATH | Available Finishes











MODERN CYLINDRICAL Single Handle Lavatory Faucet Flow Rate: 1.2 gpm 560LF-PP



MODERN CYLINDRICAL Monitor® 14 Series Shower Only Trim Flow Rate: 1.75 gpm T14259-PP / R10000-UN Rough Included



MODERN CYLINDRICAL Monitor® 14 Series Tub/Shower Trim Flow Rate: 1.75 gpm T14459-PP / R10000-UN Rough Included



MODERN ANGULAR Single Handle Lavatory Faucet Flow Rate: 1.0 gpm 567LF-PP



MODERN ANGULAR
Monitor® 14 Series Shower Only Trim
Flow Rate: 1.75 gpm
T14267-PP / R10000-UN
Rough Included



MODERN ANGULAR
Monitor® 14 Series Tub/Shower Trim
Flow Rate: 1.75 gpm
T14467-PP / R10000-UN
Rough Included

BATH ACCESSORIES | Available Finishes











WALTEC CARAQUET 18" or 24" Towel Bar W74118 W74124



WALTEC CARAQUET Robe Hook W74135



WALTEC CARAQUET Towel Ring W74146



WALTEC CARAQUET Tissue Holder W74150



TWO PIECE FREE STANDING BATH TUBS



BEACON CF2001 - 67" x 36" x 23"




BROOKE CF2002 - 68" x 36" x 23"



CARI CF2006 - 60" x 32" x 22"



CRUZ CF2005 - 60" x 32" x 22"




DEMI CF2007 - 60" x 32" x 22"



SABLE CF2012 - 59 ¾" x 31 ¾" x 22"

SKIRTED BATHS





AUSTIN B060L/R - 60" x 30" x 20"



AUSTIN 16 B070L/R - 60" x 30" x 16"



ADORA B062L/R - 60" x 32" x 20"



PHOENIX PA6030L/R - 60" x 30" x 20"

For ABS Waste and Overflow Kit please visit page 258.

DROP-IN BATHS



BLISS B0672 - 60" x 32" x 20"



MARLOWE B0612 - 60" x 36" x 20"



HUDSON 5 H6042 - 60" x 42" x 20"



HUDSON 6 H7242 - 72" x 42" x 20"

For ABS Waste and Overflow Kit please visit page 258.

SHOWER BASES



REFER TO SPEC SHEET FOR CONFIGURATION OPTIONS



STRADA SQC4836A - 48" x 36" x 3" 3-Sided Alcove Flange



STRADA SQC6030LA/RA - 60" x 30" x 3" 3-Sided Alcove Flange



STRADA SQC6032LA/RA - 60" x 32" x 3" 3-Sided Alcove Flange



STRADA SQC6036A - 60" x 36" x 3" 3-Sided Alcove Flange



STRADA SQD3636A - 36" x 36" x 3" 3-Sided Alcove Flange



STRADA SQD4242A - 42" x 42" x 3" 3-Sided Alcove Flange

PEDESTAL SINKS



CAPRICE PEDESTAL SINK 22¾" W x 19" D x 34" H 4313DMX SINGLE HOLE 4343DMX 4" CENTER 4344DMX PEDESTAL LEG



PINEVIEW PEDESTAL SINK 22" W x 18½" D x 33 7/8" H 4313DSX SINGLE HOLE 4343DSX 4" CENTER 4344DMX PEDESTAL LEG

DROP-IN SINKS



CATALINA - OVAL DROP-IN SINK 2014" W x 17" D x 7%" H 4110BGW Single Hole 4140BGW 4" Center



REAVES - RECTANGULAR DROP-IN SINK 20¼" W x 17¾" D x 7½" H 6410STZ Single Hole 6440STZ 4" Center



LOLAND - RECTANGULAR DROP-IN SINK 21¼" W x 18½" D x 7½" H 4410BST Single Hole 4440BST 4" Center



UNDERMOUNT SINKS



CALVIN - OVAL UNDERMOUNT SINK 19¼" W x 16½" D x 75½" H 4220CFY



CATENA - RECTANGULAR UNDERMOUNT SINK 20" W x 153%" D x 71/2" H 4210CIY



CATENA PETTITE 17" W x 11 5/8" D x 7½" H 4210CLY



EMERY - RECTANGULAR UNDERMOUNT SINK 21½" W x 14" D x 8¼" H 4220CGY Undermount Sink, Soft White



EMERY PETITE 18½" W x 13¾" D x 7½" H 4220CJY



TWO PIECE TOILETS FOR SEAT SELECTIONS, PLEASE VISIT THE CENTOCO SECTION ON PAGE 211.



CARLIN

17¼" W x 26¾" D x 30½" H Bowl Height: 15 1/2" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Not Included, Also available as lined 4722BFV / 4721BFVU



CODY

17¼" W x 28½" D x 30" H Bowl Height: 15 1/2" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Not Included, Also available as lined 4722BEV / 4721BFVU



CRISTA

17¼" W x 29½" D x 31" H Bowl Height: 17" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Not Included, Also available as lined 4722BHV Bowl / 4721BFV



SUT0

161/2" W x 271/4" D x 311/4" H Bowl Height: 17" Ultra High Efficiency 3.0Lpf / 0.8Gpf Seat Not Included 4740B0XU



CATO

17¼" W x 29¼" D x 31½" H Bowl Height: 15 1/2" Ultra high efficiency toilet 3.5Lpf / 0.92Gpf Seat Not Included 5730BEXU



CADELL

17¼" W x 27½" D x 31¾" H Bowl Height: 15 1/2" High efficiency toilet 3.5Lpf / 0.92Gpf Seat Not Included 5730BFXU



AVENAL

15 7/8" W x 28 3/8" D x 31 3/8" H Bowl Height: 16 5/8" High efficiency dual flush toilet 4.8LPF / 1.28GPF or 3.0LPF / 0.8GPF Seat Included 4772HNW / 4771HNWU



CARSON

17%" W x 271/8" D x 315/8" H Bowl Height: 15 1/2" High efficiency dual flush toilet 4.8Lpf / 1.28Gpf or 3Lpf / 0.8Gpf Seat Not Included 4720BPWU



CAMRI

173/8" W x 291/4" D x 315/8" H Bowl Height: 15 1/2" High efficiency dual flush toilet 4.8Lpf / 1.28Gpf or 3Lpf / 0.8Gpf Seat Not Included 4720BLWU

ONE PIECE TOILETS



CALI

15½" W x 28½" D x 30½" H Bowl Height: 17" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Included, Also available as lined 4710BOVU



CILA

15%" W x 28½" D x 301%" H Bowl Height: 17" Ultra high efficiency toilet 3.5Lpf / 0.92Gpf Seat Included 4710B0XU



KIERA

15½" W x 28½" D x 30½" H Bowl Height: 17" High efficiency dual flush toilet 4.8Lpf / 1.28Gpf or 3Lpf / 0.8Gpf Seat Included 4710BNWU




CARLAW

15½" W x 26¾" D x 30¾" H Bowl Height: 16 1/3" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Included 4710BAVU

























Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 9190-DST Available In Touch



Two Handle Pull-Down Bridge Faucet Flow Rate: 1.8 gpm 2390L-DST



Single Handle Pull-Down Spring Spout Kitchen Faucet Flow Rate: 1.8 gpm 9690-DST



Single Handle Pull-Down Bar/Prep Faucet Flow Rate: 1.8 gpm 9990-DST



True Bar Kitchen Faucet Flow Rate: 1.5 gpm 1990LFC



Wall Mount Pot Filler Flow Rate: 4.0 gpm 1190LFL



Beverage Faucet Flow Rate: 1.5 gpm 1920-DST Compatible with:

FRANKE: The Little Butler Chiller CT-200 Filtration Canister: FRCNSTR100



Instant Hot Water Dispenser

Flow Rate: 1.5 gpm 1960LF-H Not available in Black Stainless Compatible with:


FRANKE: Heating Tank: HT-400 Filtration Canister: FRCNSTR100



Metal Glass Rinser Flow Rate: 1.2 gpm GR250



Soap Dispenser 2 1/2" max. deck thickness RP100632









Arctic® Stainless Lumicoat™



Black Stainless



Champagne Bronze® Lumicoat™



Polished Nickel Lumicoat™







Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 9197-CZ-PR-DST Available In Touch



Single Handle Pulldown Bar/Prep FaucetFlow Rate: 1.8 gpm
9997-CZ-PR-DST
Available In Touch



Single Handle Pull-Out Kitchen Faucet Flow Rate: 1.8 gpm 4197-CZ-DST



Single Handle Bar / Prep Faucet Flow Rate: 1.5 gpm 1997LF-CZ



Wall Mount Pot Filler Flow Rate: 4.0 gpm 1177LF-CZ



Beverage Faucet Flow Rate: 1.5 gpm 1960-CZ-DST FRANKE: Chiller CT-200 Filtration Canister: FRCNSTR100



Instant Hot Water Dispenser Flow Rate: 1.5 gpm 1960LF-H-CZ Compatible with: FRANKE: Heating Tank: HT-400 Filtration Canister: FRCNSTR100



Metal Glass Rinser Flow Rate: 1.2 gpm GR250-CZ



Soap Dispenser 2 1/2" max. deck thickness RP100735CZ

















Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 9179-DST Available In Touch



Single Handle Bar/Prep Faucet Flow Rate: 1.8 gpm 9979-DST Available In Touch



Beverage Faucet
Flow Rate: 1.5 gpm
1920-DST
Compatible with:
FRANKE: Chiller CT-200
Filtration Canister: FRCNSTR100



Instant Hot Water Dispenser Flow Rate: 1.5 gpm 1930LF-H Compatible with: FRANKE: Heating Tank: HT-400

Filtration Canister: FRCNSTR100



Wall Mount Pot Filler Flow Rate: 4.0 gpm 1165LF



Metal Glass Rinser Flow Rate: 1.2 gpm GR250



Soap Dispenser 2 1/2" max. deck thickness RP100734









Black









Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 9182-BL-DST Available In Touch



Single Handle Bar/Prep Faucet Flow Rate: 1.8 gpm 9982-BL-DST Available In Touch



Beverage Faucet
Flow Rate: 1.5 gpm
1920-BL-DST
Compatible with:
FRANKE: The Little Butler Chiller CT-200
Filtration Canister: FRCNSTR100



Instant Hot Water Dispenser Flow Rate: 1.5 gpm 1930LF-H-BL Compatible with: FRANKE: Heating Tank: HT-400 Filtration Canister: FRCNSTR100



Wall Mount Pot Filler Flow Rate: 4.0 gpm 1165LF-BL



Metal Glass Rinser Flow Rate: 1.2 gpm GR250-BL



Soap Dispenser 2 1/2" max. deck thickness RP101188BL



Available Finishes Chrome















Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 9113-DST Available In Touch



Single Handle Pull Down Bar/Prep Faucet Flow Rate: 1.8 gpm 9913-DST Available In Touch



Beverage Faucet
Flow Rate: 1.5 gpm
1920-DST
Compatible with:
FRANKE: Chiller CT-200
Filtration Canister: FRCNSTR100



Instant Hot Water Dispenser Flow Rate: 1.5 gpm 1930LF-H Compatible with: FRANKE: Heating Tank: HT-400

Filtration Canister: FRCNSTR100



Wall Mount Pot Filler Flow Rate: 4.0 gpm 1165LF



Metal Glass Rinser Flow Rate: 4.0 gpm 1165LF



Soap Dispenser 2 1/2" max. deck thickness RP100736





Arctic® Stainless













Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 9183-DST Available In Touch



Single Handle Pull Down Bar/Prep Faucet Flow Rate: 1.8 gpm 9983-DST Available In Touch



Beverage Faucet
Flow Rate: 1.5 gpm
1940-DST
Compatible with:
FRANKE: Chiller CT-200
Filtration Canister: FRCNSTR100



Instant Hot Water Dispenser Flow Rate: 1.5 gpm 1940LF-H Compatible with: FRANKE: Heating Tank: HT-400

Filtration Canister: FRCNSTR100



Wall Mount Pot Filler Flow Rate: 4.0 gpm 1165LF



Metal Glass Rinser Flow Rate: 1.2 gpm 9191-PR-DST



Soap Dispenser 2 1/2" max. deck thickness RP1001





Arctic[®] Stainless Lumicoat[™]











Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 9183-DST Available In Touch



Single Handle Pull Down Bar/Prep Faucet Flow Rate: 1.8 gpm 9991-PR-DST Available In Touch



Beverage Faucet
Flow Rate: 1.5 gpm
1920-DST
Compatible with:
FRANKE: Chiller CT-200
Filtration Canister: FRCNSTR100



Hot Water Dispenser
Flow Rate: 1.5 gpm
1930LF-H
Compatible with:
FRANKE: Heating Tank: HT-400
Filtration Canister: FRCNSTR100



Wall Mount Pot Filler Flow Rate: 4.0 gpm 1165LF



Metal Glass Rinser Flow Rate: 1.2 gpm GR250



Metal Soap Dispenser 2 1/2" max. deck thickness RP101850PCPR





Arctic[®] Stainless Lumicoat™



Champagne Bronze® Lumicoat™











Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 9176-BL-DST Available In Touch



Single Handle Pull Down Bar/Prep Faucet Flow Rate: 1.8 gpm 9976-BL-DST Available In Touch



Beverage Faucet
Flow Rate: 1.5 gpm
1920-BL-DST
Compatible with:
FRANKE: Chiller CT-200
Filtration Canister: FRCNSTR100



Instant Hot Water Dispenser Flow Rate: 1.5 gpm 1930LF-H-BL Compatible with: FRANKE: Heating Tank: HT-400

Filtration Canister: FRCNSTR100



Wall Mount Pot Filler Flow Rate: 4.0 gpm 1165LF-BL



Metal Glass Rinser Flow Rate: 1.2 gpm GR250-BL



Soap Dispenser 2 1/2" max. deck thickness RP100736BL





Arctic® Stainless















Single Handle Pull-Down Kitchen Faucet with Spring Spout

Flow Rate: 1.8 gpm 9659-KS-DST Available In Touch Only available in CH, AR & KS



Single Handle Pull-Down Kitchen Faucet

Flow Rate: 1.8 gpm 9159-BL-DST Available In Touch



Single Handle Pull-Out Kitchen Faucet Flow Rate: 1.8 gpm

4159-BL-DST



Single Handle Pull Down Bar/Prep Faucet

Flow Rate: 1.8 gpm 9959-BL-DST Available In Touch



Beverage Faucet

Flow Rate: 1.5 gpm 1930-BL-DST Compatible with: FRANKE: Chiller CT-200 Filtration Canister: FRCNSTR100



Instant Hot Water Dispenser

Flow Rate: 1.5 gpm 1930LF-H-BL Compatible with:

FRANKE: Heating Tank: HT-400 Filtration Canister: FRCNSTR100



Wall Mount Pot Filler

Flow Rate: 4.0 gpm 1165LF-BL



Metal Glass Rinser

Flow Rate: 1.2 gpm GR250-BL



Soap Dispenser

2 1/2" max. deck thickness RP100734BL









Single Handle Articulating Kitchen Faucet Flow Rate: 1.8 gpm 63225LF-PC Available In Touch



Articulating Faucet with Finished Hose Flow Rate: 1.8 gpm 63125LF-PC Available In Touch



Single Handle Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 63025LF-PC Available In Touch

Available Finishes Polished Chrome



Brilliance® Luxe Gold



Brilliance® Brilliance®
Stainless Polished Nickel



Matte Black



Venetian Bronze®





Bridge Faucet with Side Sprayer Flow Rate: 1.8 gpm 62525LF-PC



Pull-Down Prep Faucet Flow Rate: 1.8 gpm 63925LF-PC Available In Touch



Bar Faucet Flow Rate: 1.8 gpm 61025LF-PC



Beverage Faucet
Flow Rate: 1.0 gpm
61325LF-C-PC
Compatible with:
FRANKE: Chiller CT-200
Filtration Canister: FRCNSTR100



Flow Rate: 1.0 gpm 61325LF-H-PC Compatible with: FRANKE: Heating Tank: HT-400 Filtration Canister: FRCNSTR100

Instant Hot Faucet



Wall Mount Pot Filler Flow Rate: 4.0 gpm 62825LF-PC



Soap Dispenser Accommodates up to 3" deck thickness RP75675PC











Brilliance® Luxe Gold



Brilliance® Stainless



Matte Black / Brilliance^{®n}Luxe Gold



Brilliance® Polished Nickel





Spout Options

Three spout options—Angled, Arc or Square.



ANGLE SPOUT



ARC SPOUT



SQUARE SPOUT

Handle Options

All faucets are available with either an Industrial or Knurled handle.



INDUSTRIAL HANDLE



KNURLED HANDLE



Articulating Faucet with Knurled Handle

Flow Rate: 1.8 gpm 63243LF-GL Available In Touch



Articulating Faucet with Finished Hose and Industrial Handle

Flow Rate: 1.8 gpm 63144LF-GL Available In Touch



Pull-Down Faucet with Arc Spout and Knurled Handle

Flow Rate: 1.8 gpm 63043LF-GL Available In Touch



Pull-Down Faucet with Square Spout and Industrial Handle

Flow Rate: 1.8 gpm 63054LF- GL Available In Touch



Pull-Down Faucet with Angled Spout and Knurled Handle

Flow Rate: 1.8 gpm 63063LF- GL Available In Touch



Bridge Faucet with Arc Spout and Knurled Handle

Flow Rate: 1.8 gpm 62543LF-GL



Bridge Faucet with Square Spout and Industrial Handle

Flow Rate: 1.8 gpm 62554LF- GL



Bar Faucet with Arc Spout and Knurled Handle Kit

Flow Rate: 1.8 gpm 61043LF-GL



Bar Faucet with Angled Spout and Knurled Handle Kit

Flow Rate: 1.8 gpm 61063LF-GL



Bar Faucet with Square Spout and Industrial Handle Kit

Flow Rate: 1.8 gpm 61054LF-GL



Beverage Faucet with Arc Spout and Knurled Handle

Flow Rate: 1.5 gpm 61343LF-C-GL Compatible with: FRANKE: Chiller CT-200 Filtration Canister: FRCNSTR100



Instant Hot Faucet with Arc Spout and Knurled Handle

Flow Rate: 1.0 gpm 61343LF-H-GL Compatible with:

FRANKE: Heating Tank: HT-400 Filtration Canister: FRCNSTR100



Wall Mount Pot Filler with Knurled Handle Kit

Flow Rate: 4.0 gpm 62843LF-GL



Soap Dispenser

Accommodates up to 3" deck thickness RP79275GL























Brilliance® Luxe Gold Brilliance® Stainless

Brilliance® Polished Nickel Matte Black

Brilliance® Luxe Steel

Brilliance® Polished Gold



Spout Options

Two spout options—Arc or Square—are available throughout the collection.



ARC SPOUT

SQUARE SPOUT

Handle Options

Tailor the look of each faucet with a Metal or Wood handle in a matching finish.



WOOD LEVER



Pull-Down Faucet with Arc Spout and Wood Handle

Flow Rate: 1.8 gpm 63075LF-BLLHP / HLK177-BLWD Available In Touch



Pull-Down Prep Faucet With Arc Spout and Wood Handle

Flow Rate: 1.8 gpm 63975LF-BLLHP / HLK177-BLWD Available In Touch



Instant Hot Faucet with Square Spout

Flow Rate: 1.0 gpm 61365LF-H-BL Compatible with:

FRANKE: The Little Butler Heating Tank: HT-400

Filtration Canister: FRCNSTR100



Pull-Down Faucet with Square Spout and Metal Handle

Flow Rate: 1.8 gpm 63065LF-BLLHP / HLK175-BL Available In Touch



Bar Faucet With Square Spout with Metal Handle

Flow Rate: 1.8 gpm 61065LF-BLLHP / HLB175-BL Available In Touch



Wall Mount Pot Filler

Flow Rate: 4.0 gpm 62820LF-BL



Semi-Professional Kitchen Faucet with Metal Handle

Flow Rate: 1.8 gpm 63375LF-BLLHP / HLK175-BL Available In Touch



Beverage Faucet with Arc Spout Flow Rate: 1.5 gpm


61320LF-C-BL Compatible with:

FRANKE: The Little Butler Chiller CT-200 Filtration Canister: FRCNSTR100



Soap Dispenser

Accommodates up to 3" deck thickness RP79275BL





Pull-Down Faucet Flow Rate: 1.8 gpm 63074LF-PC Available In Touch



Articulating Bridge Faucet Flow Rate: 1.8 gpm 62274LF-PC



Articulating Bridge Faucet with Finished Hose Flow Rate: 1.8 gpm 62174LF-PC







Luxe Gold

Brilliance® Stainless



Matte Black

Brilliance®

Luxe Steel



Brilliance® Polished Gold







Pull-Down Prep Faucet Flow Rate: 1.8 gpm 63974LF-PC Available In Touch



Bar Faucet Flow Rate: 1.5 gpm 61074LF-PC



Beverage Faucet Flow Rate: 1.5 gpm 61374LF-C-PC Compatible with: FRANKE: Chiller CT-200 Filtration Canister: FRCNSTR100



Instant Hot Faucet with Arc Spout Flow Rate: 1.0 rpm 61374LF-H-PC

Compatible with: FRANKE: Heating Tank: HT-400

Filtration Canister: FRCNSTR100



Wall Mount Pot Filler Flow Rate: 4.0 gpm 62874LF-PC



Soap Dispenser Accommodates up to 3" deck thickness RP100487PC





Polished Chrome



Luxe Gold/Brilliance

Polished Gold

Brilliance® Stainless



Brilliance®

Black Onyx

Brilliance® Polished Nickel

Brilliance®



Luxe Steel







Pull-Down Kitchen Faucet Flow Rate: 1.8 gpm 63058LF-BLBNX Available In Touch



Pull-Down Prep Kitchen Faucet Flow Rate: 1.8 gpm 63958LF-BLBNX Available In Touch



Bar Faucet Flow Rate: 1.8 gpm 61058LF-BLBNX



Beverage Faucet
Flow Rate: 1.5 gpm
61358LF-C-BLBNX
Compatible with:
FRANKE: The Little Butler Chiller CT-200
Filtration Canister: FRCNSTR100



Instant Hot Faucet
Flow Rate: 1.0 gpm
61358LF-H-BLBNX
Compatible with:
FRANKE: The Little Butler Heating Tank: HT-400
Filtration Canister: FRCNSTR100



Wall Mount Pot Filler Flow Rate: 4.0 gpm 62858LF-BLBNX



Soap Dispenser Accommodates up to 3" deck thickness RP101658BLBNX

















HighArc Kitchen Faucet, 2-Spray Pull-Down Flow Rate: 1.75 gpm 04505000




Prep Kitchen Faucet, 2-Spray Pull-Down Flow Rate: 1.75 gpm 04506001



Bar Faucet Flow Rate: 1.5 gpm 04507001



Soap Dispenser 40438001









Matte Black







Semi-Pro Kitchen Faucet, 2-Spray Flow Rate: 1.75 gpm 04792000




HighArc Kitchen Faucet, 2-Spray Pull-Down Flow Rate: 1.75 gpm 04793000



Bar Kitchen Faucet Flow Rate: 1.5 gpm 04795000



Soap Dispenser 04796000

















Semi-Pro Kitchen Faucet, 2-Spray Pull-Out Flow Rate: 1.75 gpm 04851670



HighArc Kitchen Faucet, 2-Spray Pull-Down Flow Rate: 1.75 gpm 04852670



Select® HighArc Kitchen Faucet, 2-Spray Pull-Out Flow Rate: 1.75 gpm 04855670



Prep Kitchen Faucet, 2-Spray Pull-Down Flow Rate: 1.75 gpm 04853670



Bar Kitchen Faucet Flow Rate: 1.5 gpm 04854670



Soap Dispenser 04857670





















HighArc Kitchen Faucet, O-Style 2-Spray Pull-Down Flow Rate: 1.75 gpm 72800001



HighArc Kitchen Faucet, A-Style 2-Spray Pull-Down Flow Rate: 1.75 gpm 72846001



Kitchen Faucet, U-Style 1-Spray Flow Rate: 1.75 gpm 72806001



Soap Dispenser 04539000















72823001



Talis Select S Prep Kitchen Faucet, 2-Spray Pull-Out Flow Rate: 1.75 gpm 72824001



2-Spray Pull-DownFlow Rate: 1.75 gpm
14877001
Also available in Brushed Gold Optic and Brushed Black Chrome

Talis S2 HighArc Kitchen Faucet,



Talis S HighArc Kitchen Faucet, 2-Spray Pull-DownFlow Rate: 1.75 gpm
72813001



Talis S Prep Kitchen Faucet, 2-Spray Pull-Down Flow Rate: 1.75 gpm 72815001



Talis S Kitchen Faucet, 2-Spray Pull-Out Flow Rate: 1.75 gpm 06462000





Talis S2 Prep Kitchen Faucet, 2-Spray Pull-Down Flow Rate: 1.75 gpm 04286000

Also available in Brushed Gold Optic and Brushed Black Chrome



Talis S Bar Faucet

Flow Rate: 1.5 gpm 04287000



Talis S Beverage Faucet Flow Rate: 1.5 gpm 04301000



Talis S Pot Filler, Wall-Mounted Flow Rate: 2.5 gpm 04057000



Soap Dispenser 40448001

Also available in Matte Black and Polished Nickel







Available Finishes Brushed Gold Optic









Citterio Higharc Kitchen Faucet 2-Spray Pull-DownFlow Rate: 1.75 gpm 39835251



Citterio Select 2-Spray Kitchen Faucet Pull-Out Flow Rate: 1.75 gpm 39836251



Citterio Semi-Pro Kitchen Faucet 2-Spray Flow Rate: 1.75 gpm 39840251



Citterio Kitchen Faucet 1-Spray Flow Rate: 1.5 gpm 39850251



Citterio Bar Faucet Flow Rate: 1.5 gpm 39851251



Citterio Prep Kitchen Faucet 2-Spray Pull-Down Flow Rate: 1.75 gpm 39863251









Steel Optic



Axor Starck Semi-Pro Kitchen Faucet 2-Spray

Flow Rate: 1.75 GPM Chrome only 10820001



Axor Starck Higharc Kitchen Faucet 2-Spray Pull-Down

Flow Rate: 1.75 GPM 10821001



Axor Starck Prep Kitchen Faucet

Flow Rate: 1.5 GPM 10826001




Axor Starck Pot Filler, Wallmounted

Flow Rate: 2.5GPM 10859001



Contemporary Soap Dispenser

04539000







Brookmore Collection

Crafted from premium 18-gauge stainless steel enriched with a high chromium content, Brookmore sinks are designed to resist corrosion and inhibit bacterial growth. With a streamlined look and sleek satin finish, these sinks add a touch of elegance to your space.









SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
BSU1816-9	18 1/8" FB x 15 9/16" LR	16 1/2" FB x 13 15/16" LR x 9" DP	18"

Accessories

Bottom Grid - BG514S

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
BSU1820-9	18 1/8" FB x 19 1/2" LR	16 1/2" FB x 17 15/16" LR x 9" DP	21"

Accessories

Bottom Grid - BG518S

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
BSU1825-9	18 1/8" FB x 24 5/8" LR	16 1/2" FB x 23" LR x 9" DP	27"

Accessories

Bottom Grid - BG523S

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
BSU1831-9	18 1/8" FB x 30 1/2" LR	16 1/2" FB x 28 15/16" LR x 9" DP	33"

Accessories

Bottom Grid - BG529S

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
BSU1832-9	18 1/8" FB x 32 1/2" LR	16 1/2" FB x 30 7/8" LR x 9" DP	33"

Accessories

Bottom Grid - BG531S

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
BSU1832-90W	18 1/8" FB x 32 1/2" LR	16 1/2" FB x 30 7/8" LR x 9" DP	33"

Accessories

Bottom Grid - BG5310S





DOUBLE BOWL UNDERMOUNT SINK

SKU	Outside Sink Rim Dimensions	Equal Size Bowl Dimensions	Minimum Cabinet Size
BDU1831-9	18 1/8" FB x 30 1/2" LR	16 1/2" FB x 13 15/16" LR x 9" DP	33"

Accessories

Bottom Grid - BG514S

DOUBLE BOWL UNDERMOUNT SINK

SKU	Outside Sink Rim Dimensions	Large Bowl Dimensions	Small Bowl Dimensions	Minimum Cabinet Size
BCU1835R-9	18 1/8" FB x 34 1/2" LR	16 1/2" FB x 17 15/16" LR x 9" DP	16 1/2" FB x 13 15/16" LR x 9" DP	36"

Accessories

Bottom Grid - BG514S

Bottom Grid - BG518S

DOUBLE BOWL UNDERMOUNT SINK

SKU	Outside Sink Rim Dimensions	Large Bowl Dimensions	Small Bowl Dimensions	Minimum Cabinet Size
BCU1836R-9	18 1/8" FB x 35 9/16" LR	16 1/2" FB x 23" LR x 9" DP	16 1/2" FB x 10" LR x 7 7/8" DP	36"

Accessories


Bottom Grid - BG510S

Bottom Grid - BG523S

INCLUDED ACCESSORIES OPTIONAL ACCESSORIES



#7 Bamboo Cutting Board MB517



#8 Roller Mat RM55S



#9 Colander C417P

Steel Queen Collection

Count on Kindred for casual elegance in every room. Easy to install and made to work, these durable sinks can effortlessly handle any cleaning task. Their durability ensures they can withstand heavy use while retaining their beauty for years.









SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
QSU1820-10	18 1/8" FB x 20 1/8" LR	16" FB x 18" LR x 10" DP	21"

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
QS1820-10	18 1/8" FB x 20 1/8" LR	16" FB x 18" LR x 10" DP	24"

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
RSL2020-10-3 (3 faucet holes)	20 9/16" FB x 20 1/8" LR	16" FB x 18" LR x 10" DP	24"
RSL2020-10-1 (1 faucet hole)	20 9/16" FB x 20 1/8" LR	16" FB x 18" LR x 10" DP	24"

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
QSLF2020-12-3 (3 faucet holes)	20 9/16" FB x 20 1/8" LR	16" FB x 18" LR x 12" DP	24"
QSLF2020-12-1 (1 faucet hole)	20 9/16" FB x 20 1/8" LR	16" FB x 18" LR x 12" DP	24"

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
QSLF2020-10-3 (3 faucet holes)	20 9/16" FB x 20 1/8" LR	16" FB x 18" LR x 10" DP	24"
QSLF2020-10-1 (1 faucet hole)	20 9/16" FB x 20 1/8" LR	16" FB x 18" LR x 10" DP	24"







SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
QSL2225-12-3 (3 faucet holes)	22 1/16" FB x 25 5/8" LR	17 1/2" FB x 23 1/2" LR x 12" DP	27"
QSL2225-12-1 (1 faucet hole)	22 1/16" FB x 25 5/8" LR	17 1/2" FB x 23 1/2" LR x 12" DP	27"

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
QSLA2225-10-4 (4 faucet holes)	22" FB x 25 1/4" LR	17" FB x 23" LR x 10" DP	27"
QSLA2225-10-3 (3 faucet holes)	22" FB x 25 1/4" LR	17" FB x 23" LR x 10" DP	27"
QSLA2225-10-1 (1 faucet hole)	22" FB x 25 1/4" LR	17" FB x 23" LR x 10" DP	27"

SINGLE BOWL UNDERMOUNT

SKU	Outside Sink Rim Dimensions	Single Bowl Dimensions	Minimum Cabinet Size
QSL2020-10-3 (3 faucet holes)	20 9/16" FB x 20 1/8" LR	16" FB x 18" LR x 10" DP	24"
QSL2020-10-1 (1 faucet hole)	20 9/16" FB x 20 1/8" LR	16" FB x 18" LR x 10" DP	24"







Peak

Precise and elegant in style, this premium range of sinks will compliment those with a flair for contemporary and minimalist design. Peak delivers everything a modern cook requires: attention to detail and absolute elegance.









SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PKX11021-S	215/8" x 16½" x 95/8"	22 13/16" x 17¾"	24"

Accessories

Bottom/Shelf Grid - PX-21S

SINGLE BOWL DUALMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PKX11025-S	25" x 16½" x 95⁄8"	26 3/16" x 17¾"	27"

Accessories

Bottom/Shelf Grid - PX-25S

SINGLE BOWL DUALMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PKX11028-S	27 3/16" x 16½" x 95⁄8"	28 ¾" x 17¾"	30"

Accessories

Bottom/Shelf Grid - PX-28S





Drain Cover 4%" x 4%" Stainless PKXCVR



Cutting Board 143/8" x 171/8" Solid Wood PX-40S



Universal Roller Mat 18 7 / 16" x 20" Stainless UV-36RM



Inox Cream Stainless Steel Polish 903



Colander 61/8" x 175/16" x 21/8" Stainless PX-70S



Centinox CEN-SP-304

PEAK GRANITE COLLECTION







SINGLE BOWL DUALMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PKG110-14	14 9 / 16" x 16 ½" x 7 1/8"	16 1/8" x 18 1/8"	21"

Accessories

Bottom Roller Mat - PKG14-36RM

Colour Options

Polar White PKG110-14PWT

Stone Grey PKG110-14SG Onyx PKG110-140N Matte Black PKG110-14MBK

Champagne PKG110-14CH Oyster PKG110-140YS Mocha PKG110-14ES

SINGLE BOWL DUALMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PKG110-20	20.7/16" x 16 ½" x 7 ¾"	22 1/16" x 18 1⁄8"	27"

Accessories

Bottom Roller Mat - PKG20-36RM

Colour Options

Polar White PKG110-20PWT Stone Grey PKG110-20SG Onyx PKG110-200N Matte Black PKG110-20MBK

Champagne PKG110-20CH

Oyster PKG110-200YS Mocha PKG110-20ES

SINGLE BOWL DUALMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PKG110-31	31" x 17 ¾" x 9 ½"	32" x 18 ¾"	36"

Accessories

Bottom Roller Mat - PKG31-36RM Bottom Grid - PKG31-36S

Colour Options

Polar White PKG110-31PWT

Stone Grey PKG110-31SG Onyx PKG110-310N

Matte Black PKG110-31MBK

Champagne PKG110-31CH Oyster PKG110-310YS

Mocha PKG110-31ES



Drain Cover 4%" x 4%" Stainless PKXCVR



Cutting Board 14 %" x 18 %" Solid Wood PG-40S



Colorline Strainer Basket 900-PWT 900-SHG 900-MBK 900-CHA 900-OYS 900-MOC



Colorline
Disposer Flange Kit
WD-900-PWT
WD-900-SHG
WD-900-MBK
WD-900-CHA
WD-900-OYS
WD-900-MOC



Icon Matte Black ICN-PO-MBK











SINGLE BOWL UNDERMOUNT WITH 3 MM REVEAL

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PTX110-14-CA	13 ½" x 17" x 8"	14 11 /16" x 18 3/16"	18"

Accessories

Bottom Grid - PT14-36S

SINGLE BOWL UNDERMOUNT WITH 3 MM REVEA

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PTX110-17-CA	16 9/16" x 17" x 8½"	17 ¾" x 18 3/16"	21"

Accessories

Bottom Grid - PT17-36S

SINGLE BOWL UNDERMOUNT WITH 3 MM REVEA


SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PTX110-20-CA	19 ½" x 17" x 9"	20 5/8" x 18 3/16"	24"

Accessories

Bottom Grid - PT20-36S







SINGLE BOWL UNDERMOUNT WITH 3 MM REVEA

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PTX110-22-CA	22 1⁄8" x 17" x 91⁄2"	23 5⁄8" x 18 ½"	27"

Accessories

Bottom Grid - PT22-36S

SINGLE BOWL UNDERMOUNT WITH 3 MM REVEA

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PTX110-25-CA	25" x 17" x 9 ½"	26 ½" x 18 ½"	30"

Accessories

Bottom Grid - PT25-36S

SINGLE BOWL UNDERMOUNT WITH 3 MM REVEA

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
PTX110-31-CA	31" x 17" x 9 ½"	32 ½" x 18 9/16"	36"

Accessories

Bottom Grid - PT31-36S



Shelf Grid 14" x 161/4" Stainless PT14-31S



Cutting Board 10%" x 18½" Tempered Glass PT-40S



Drain Cover Stainless PKGCVR



Self-Healing Cutting Mat 913/16" x 14 1/8" Silicone SP-40S



Cutting Board 11" x 18 ½" Solid Wood PT-41S




Colander 61/8" x 175/8" x 21/8" Stainless PE-70S



Universal Roller Mat 187/16" x 20" Stainless UV-36RM



Pescara Stainless PES-SPX-304









SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
CUX110-15-CA	15" x 161⁄s" x 9"	16½" x 17¾"	18"

Accessories

Bottom Grid - CU15-36S

SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
CUX110-19-CA	18" x 161⁄8" x 9"	19 9/16" x 17¾"	21"

Accessories

Bottom Grid - PT17-36S

SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
CUX110-21-CA	21¼" x 16½" x 9"	22¾" x 17¾"	24"

Accessories

Bottom Grid - CU21-36S









SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
CUX110-25-CA	25" x 16 1⁄8" x 9"	26 %" x 17 ¾"	27"

Accessories

Bottom Grid - CU25-36S

SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
CUX110-27-CA	27" x 16 1⁄8" x 9"	28 ½" x 17 ¾"	30"

Accessories

Bottom Grid - CU27-36S

SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
CUX110-30-CA	30" x 16 1/s" x 9"	31 ½" x 17 ¾"	33"

Accessories

Bottom Grid - CU30-36S

CUBE COLLECTION







SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
CUX160-CA	30" x 161/s" x 9"	31 ½" x 17 ¾"	33"

Accessories

Bottom Grid - CU11-36S Bottom Grid - CU18-36S

SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
CUX120-CA	30" x 161/s" x 9"	31 ½" x 17 ¾"	33"

Accessories


Bottom Grid - CU15-36S

SINGLE BOWL UNDERMOUNT


SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
CUX160-32-CA	30%" x 161/s" x 9"	32 9/16" x 17 11/16"	33"

Accessories

Bottom Grid - CU13-36S Bottom Grid - CU17-36S



All-In Accessory System 1 AIUS100



All-In Accessory System 2 AIUS200



All-In Accessory System 3 AIUS300



Eos Neo Stainless EOS-PD-304



Maris

We've entered a new era of living, where balance means everything-we don't just hope for harmony, we create it. Through clever features, unparalleled function and elegant design, Maris granite sinks are created to empower your idea of balance.







SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG11023-S	23 7/16" x 16 11/16" x 9 1/2"	25" x 18 15/16"	27"

Accessories

Bottom Grid - MA-23-36S

Colour Options

Polar White MAG11023-PWT-S

Champagne

MAG11023-SHG-S

Stone Grev

Onyx MÁG11023-0NY-S

Matte Black MAG11023-MBK-S

Oyster MAG11023-CHA-S MAG11023-0YS-S

Mocha

MAG11023-MOC-S

SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG11025-S	25 1/2" x 16 11/16" x 9 1/2"	27" x 19"	30"

Accessories

Bottom Grid - MA-25-36S

Colour Options

Polar White MAG11025-PWT-S



Stone Grey MAG11025-SHG-S



Matte Black MAG11025-MBK-S

Champagne MAG11025-CHA-S

Oyster MAG11025-0YS-S Mocha MAG11025-MOC-S



SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG11028-S	28 7/16" x 16 5/8" x 9 1/2"	30" x 19"	33"

Accessories

Bottom Grid - MA-28-36S

Colour Options

Polar White MAG11028-PWT-S

Stone Grey MAG11028-SHG-S Onyx MAG11028-ONY-S Matte Black MAG11028-MBK-S

Champagne MAG11028-CHA-S

Oyster MAG11028-OYS-S Mocha MAG11028-MOC-S





SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG11029-S	29 1/2" x 15 9/16" x 9 1/2"	31" x 17 13/16"	33"

Accessories

Bottom Grid - MA-29-36S

Colour Options

Polar White MAG11029-PWT-S Stone Grey MAG11029-SHG-S Onyx MAG11029-ONY-S Matte Black MAG11029-MBK-S

Champagne MAG11029-CHA-S

Oyster MAG11029-OYS-S Mocha MAG11029-MOC-S

SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG11031-S	31 1/2" x 16 5/8" x 9 1/2"	33" x 18 15/16"	36"

Accessories

Bottom Grid - MA2-31-36S

Colour Options

Polar White MAG11031-PWT-S

Stone Grey MAG11031-SHG-S Onyx MAG11031-ONY-S Matte Black MAG11031-MBK-S

Champagne MAG11031-CHA-S

Oyster MAG11031-OYS-S Mocha MAG11031-MOC-S

MARIS COLLECTION







SINGLE BOWL TOPMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG61023L-S	23 1/2" x 16 11/16" x 9 ½"	25" x 22"	27"

Colour Options

Polar White MAG61023-PWT-S

Champagne MAG61023-CHA-S Stone Grey MAG61023-SHG-S

Oyster MAG61023-0YS-S Onyx MAG61023-ONY-S

Mocha MAG61023-MOC-S



MAG61023-MBK-S

SINGLE BOWL DUALMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG61029-S	29 1/2" x 15 9/16" x 9 1/2"	31" x 20 7/8"	33"

Accessories

Bottom Grid - MA-29-36S

Colour Options

Polar White MAG61029-PWT-S

Champagne MAG61029-CHA-S Stone Grey MAG61029-SHG-S

Oyster MAG61029-0YS-S Onyx MAG61029-ONY-S

Mocha MAG61029-MOC-S



SINGLE BOWL DUALMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG61031-S	31 1/2" x 16 11/16" x 9 1/2"	33" x 22"	36"

Accessories

Bottom/Shelf Grid - MA2-31-36S

Colour Options

Polar White MAG61031-PWT-S

Champagne MAG61031-CHA-S Stone Grey MAG61031-SHG-S

Oyster MAG61031-0YS-S Onyx MAG61031-ONY-S

Mocha MAG61031-MOC-S Matte Black MAG61031-MBK-S







SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG1201414-S	29 1/2" x 15 9/16" x 9 ½"	31" x 17 13/16"	33"

Accessories

Bottom Grid - MA-14-36S

Colour Options

Polar White MAG1201414-PWT-S

Stone Grey MAG1201414-SHG-S MÁG1201414-0NY-S

Matte Black MAG1201414-MBK-S

Champagne MAG1201414-CHA-S Oyster MAG1201414-0YS-S

Mocha MAG1201414-MOC-S

SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG1601611LD-S	29 1/2" x 15 9/16" x 9½"	31" x 17 13/16"	33"

Accessories

Bottom Grid - MA-16-36S

Colour Options

Polar White MAG1601611LD-PWT-S

Stone Grey MAG1601611LD-SHG-S Onyx MAG1601611LD-ONY-S

Matte Black MAG1601611LD-MBK-S

Champagne

Oyster MAG1601611LD-CHA-S MAG1601611LD-0YS-S MAG1601611LD-MOC-S

SINGLE BOWL UNDERMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG1601812LD-S	31 1/2" x 16 11/16" x 9 ½"	33" x 18 15/16"	36"

Accessories

Bottom Grid - MA-18-36S

Colour Options

Polar White MAG1601812LD-PWT-S

Stone Grey MAG1601812LD-SHG-S Onyx MAG1601812LD-ONY-S

Matte Black MAG1601812LD-MBK-S

Champagne MAG1601812LD-CHA-S

Oyster MAG1601812LD-0YS-S

Mocha MAG1601812LD-MOC-S

MARIS COLLECTION





DOUBLE BOWL TOPMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG6601611LD	29 1/2" x 15 9/16" x 9 1/2"	31" x 20 7/8"	33"

Stone Grey

MAG6601611LD-SHG-S

Accessories

Bottom Grid - MA-16-36S

Colour Options

Polar White MAG6601611LD-PWT-S

Champagne Oyster MAG6601611LD-CHA-S MAG6601611LD-0YS-S

MAG6601611LD-MOC-S

Mocha

Matte Black MÁG6601611LD-ONY-S MAG6601611LD-MBK-S

DOUBLE BOWL TOPMOUNT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MAG6201414	29 1/2" x 15 9/16" x 9 1/2"	31" x 20 7/8"	33"

Accessories

Bottom Grid - MA-14-36S

Colour Options

Polar White MAG6201414-PWT-S

Champagne MAG6201414-CHA-S Stone Grey MAG6201414-SHG-S

Oyster MAG6201414-0YS-S MAG6201414-0NY-S


Mocha MAG6201414-MOC-S











Colander 6 1/8" x 17 5/16" x 2 1/8" Stainless PX-70S



Maple Cutting Board 11 5/8" x 18" Solid Wood MA2-40S




Colorline Strainer Basket 900-PWT 900-SHG 900-MBK 900-CHA 900-OYS 900-MOC



Colorline Disposer Flange Kit WD-900-PWT WD-900-SHG WD-900-MBK WD-900-CHA WD-900-OYS WD-900-MOC



Drain Cover 4½" Stainless RNDCVR



Roller Mat 18 7/16" x 17 5/16" Stainless MA2-31RM



Active Matte Black ACT-PO-MBK









APRON FRONT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
FHK710-30WH	28 1/8" x 18 1/4" x 9 3/16"	30 1/8" x 20" x 10 1/8"	33"

Accessories

Bottom Grid - FK30-36S

APRON FRONT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
FHK710-33WH	31 7/16" x 18 ¼" x 9 3/16"	33" x 20" x 10 1/8"	33"

Accessories

Bottom Grid - FK33-36S

APRON FRONT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
FHK710-36WH	34 7/16" x 18 ¼" x 9 3/16"	36" x 20" x 10 1/8"	36"

Accessories

Bottom Grid - FK36-36S





Bottom Grid 27 1/8" x 16 7/8" Stainless FK30-36S



Bottom Grid 29 13/16" x 16 %" Stainless FK33-36S



Bottom Grid 32 11/16" x 16 %" Stainless FK36-36S



Cutting Board 14 ½" x 21 ¾" Solid Wood 0A-40S



Strainer Basket Chrome 1145









APRON FRONT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MHK110-20WH	18 1⁄8" x 13 1⁄4" x 5 1⁄8"	19 ½" x 16" x 6 ¾"	21"

Accessories

Bottom Grid - FK30-36S

APRON FRONT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MHK110-24WH	22" x 16%" x 71⁄8"	23%" x 19%" x 81⁄8"	24"

Accessories

Bottom Grid - MK24-36C

APRON FRONT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MHK110-28WH	26" x 173/8" x 71/8"	271/8" x 197/8" x 77/8"	30"

Accessories

Bottom Grid - MK28-36C





APRON FRONT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MHK720-31WH	29 ³ ⁄ ₄ " x 17 ¹ ⁄ ₂ " x 7 ⁵ ⁄ ₈ "	31 ¼" x 19 ¾" x 8 5⁄8"	33"

Accessories

Bottom Grid - MK31-36C-LH Bottom Grid - MK31-36C-RH

APRON FRONT

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
MHK720-35WH	33 5/8" x 19 3/4" x 7 3/8"	35 ½" x 21 5⁄8" x 8 5⁄8"	36"

Accessories

Bottom Grid - MK35-36C-LH Bottom Grid - MK35-36C-RH



Bottom Grid 21" x 15 %" Coated Stainless MK24-36C



Bottom Grid 25 3/16" x 15 %" Coated Stainless MK28-36C



Bottom Grid 17 1/16" x 13 11/16" Coated Stainless MK31-36C-LH



Bottom Grid 17 1/16" x 13 11/16" Coated Stainless MK31-36C-RH



Bottom Grid 19 3/16" x 15 %" Coated Stainless MK35-36C-LH



Bottom Grid 19 3/16" x 15 %" Coated Stainless MK35-36C-RH



Cutting Board 14 ½" x 21 ¾" Solid Wood 0A-40S



Strainer Basket Chrome 1145

FRANKE SUPPLEMENTS

FILTRATION



- Heats up to 60 cups per hour close to boiling
- 8 pre-set temperature settings, Electronic temperature control, max 208 degrees HT-400



- Chills 1 gallon per hour
- Water temperature 40 degrees
- Power: cord, 4 feet, 115 volts, 60 HZ 135 Watts CT-200



- FRC06 filter cartridge included
 Fits FRC06, FRC07, FRC08, FRC09 and FRC10 filters FRCNSTR100

WASTE DISPOSERS



3/4 HP Disposer Feed: Batch RPM: 2700 FWDJ75B



1/2 HP Disposer Feed: Continuous RPM: 2600 FWDJ50



3/4 HP Disposer Feed: Continuous RPM: 2700 WDJ75









Available Finishes Chrome













Single Handle Lavatory Faucet Flow Rate: 1.2 gpm 567LF-MPU



Single Handle Vessel Lavatory Faucet Flow Rate: 1.2 gpm 767LF / RP101632PC Drain Included



Two Handle Widespread Lavatory Faucet Flow Rate: 1.2 gpm 3567-MPU-DST



Two Handle Wall-Mount Lavatory Faucet Flow Rate: 1.2 gpm T3567LF-WL / R3500-WL / RP101632PC Drain and Rough Included



Roman Tub Trim T2767 / R2709 Rough Included



Three Hole Roman Tub with Hand Shower Hand Shower Flow Rate: 1.75 gpm T3767 / R3716 Rough Included



Roman Tub Trim with Handshower Hand Shower Flow Rate: 1.75 gpm T4767 / R4716 Rough Included



Monitor® 14 Series Shower Trim Flow Rate: 1.75 gpm T14267 / R10000-UN Rough Included



Monitor® 17 Series Shower Trim Flow Rate: 1.75 gpm T17267 / R10000-UN Rough Included



Floor-Mount Tub Filler Hand Shower Flow Rate: 1.75 gpm T4767-FL / R4700-FL Rough Included



Monitor® 14 Series Tub & Shower Trim Flow Rate: 1.75 gpm T14467 / R10000-UN Rough Included



Monitor® 17 Series Tub & Shower Trim Flow Rate: 1.75 gpm T17467 / R10000-UN Rough Included



Monitor® 14 Series Valve Only Trim Monitor® 14 Series Valve Only Trim T14067 / R10000-UN Rough Included



Monitor® 17 Series Valve Only Trim T17067 / R10000-UN Rough Included



Monitor® 14 Series Trim with Diverter 3-Setting T24867 / R22000 6-Setting T24967 R22000 Rough Included



Monitor® 17 Series Trim with Diverter 3-Setting T27867 / R22000 6- Setting T27967 R22000 Rough Included



Diverter Trim 3-Setting T11867 / R11000 6-Setting T11967 / R11000 Rough Included



ActivTouch® Slide Bar Hand Shower Flow Rate: 1.75 gpm 51549



H20kinetic® Slide Bar Hand Shower Flow Rate: 1.75 gpm 51567-PR



Wall Elbow 50570-PR



H2Okinetic® 3-Setting Raincan Shower Head Flow Rate: 1.75 gpm 52684-PR



16" Shower Arm RP46870



Shower Flange RP51034



6" Ceiling Mount Shower Arm & Flange RP61058



Cassidy Classical design with

multiple handle and spout options as well as a full complement of accessories and finishes, including Polished Nickel makes the Cassidy Collection the obvious choice for a timeless, traditionally styled bath.



Available Finishes











Brilliance® Polished Nickel







Single Handle Lavatory Faucet Flow Rate: 1.2 gpm 597LF-CZMPU



Single Handle Lavatory Faucet with Riser Flow Rate: 1.2 gpm 797LF-CZ / RP101632CZ Drain Included



Two Handle Centerset Lavatory Faucet Flow Rate: 1.2 gpm 2597LF-CZMPU



Two Handle Widespread Lavatory Faucet Flow Rate: 1.2 gpm 3597LF-CZMPU



Two Handle Wall-Mount Lavatory Faucet Flow Rate: 1.2 gpm T3597LF-CZWL / R3500-WL / RP101632CZ Drain and Rough Included



Wall Mount Tub Filler T5797-CZWL / R3500-WL Rough Included



Roman Tub Trim T2797-CZLHP / H697CZ / R2707 Handles and Rough Included



Roman Tub with Hand Shower -Low Arc Spout Hand Shower Flow Rate: 1.75 gpm T4795-CZLHP / H697CZ / R4707 Handles and Rough Included



Roman Tub Trim with Handshower Hand Shower Flow Rate: 1.75 gpm T4797-CZLHP / H697CZ / R4707 Handles and Rough Included



Floor-Mount Tub Filler Hand Shower Flow Rate: 1.75 gpm T4797-CZFL-LHP / H797CZ / R4700-FL Handles and Rough Included



Monitor® 14 Series Shower Trim Flow Rate: 1.75 gpm T14297-CZLHP / H795CZ / R10000-UN Handles and Rough Included



Monitor® 14 Series Tub & Shower Trim Flow Rate: 1.75 gpm T14497-CZLHP / H795CZ / R10000-UN Handles and Rough Included



Monitor® 17 Series Shower Trim Flow Rate: 1.75 gpm T17297-CZ / R10000-UN Rough Included



Monitor® 17 Series Tub & Shower Trim Flow Rate: 1.75 gpm T17497-CZ / R10000-UN Rough Included



Monitor® 14 Series Valve Only Trim with Lever Handles T14097-CZLHP / H79CZ / R10000-UN Handles and Rough Included



Monitor® 17 Series Valve Only Trim T17097-CZ / R10000-UN Rough Included



Monitor® 14 Series Trim with Diverter 3-Setting T24897-CZ / R22000 6- Setting T24997-CZ / R22000 Rough Included



Monitor® 17 Series Trim with Diverter 3-Setting T27897-CZ / R22000 6-Setting T27997-CZ / R22000 Rough Included



Diverter Trim3- Setting T11897-CZLHP / H597CZ / R11000
6- Setting T11997-CZLHP / H597CZ / R11000
Handles and Rough Included



Wall Elbow 50560-CZ



Slide Bar Hand Shower Flow Rate: 1.75 gpm 51308-CZ



ActivTouch® Slide Bar Hand Shower Flow Rate: 1.75 gpm 51549-CZ



H2Okinetic® 3-Setting Raincan Shower Head Flow Rate: 1.75 gpm 52687-CZ



16" Shower Arm RP46870CZ



Shower Flange RP6025CZ



6" Ceiling Mount Shower Arm & Flange RP61058CZ



Galeon™ Bath Collection sails away from the expected with new innovations, knurled accents, and a chiseled arc design. With a design inspired by the shape of sailboats, the name "Galeon" derives from 15th century Spanish sailing ships.

Available Finishes













Single Handle Lavatory Faucet Flow Rate: 1.2 gpm 573-PR-MPU-DST



Single Handle Lavatory Faucet with Riser Flow Rate: 1.2 gpm 671-PR-DST / RP101632 Drain Included



Two Handle Widespread Lavatory Faucet Flow Rate: 1.2 gpm 3571-PR-MPU-DST



Two Handle Wall-Mount Lavatory FaucetFlow Rate: 1.2 gpm
T3571LF-PR-WL / R3500-WL / RP101632
Drain and Rough Included



Roman Tub Trim T2771-PR / R2709 Rough Included



Roman Tub Trim with Handshower Hand Shower Flow Rate: 1.75 gpm T4771-PR / R4707 Rough Included



Monitor® 14 Series Shower Trim Flow Rate: 1.75 gpm T14272-PR / R10000-UN Rough Included



Monitor® 14 Series Tub & Shower Trim Flow Rate: 1.75 gpm T14472-PR / R10000-UN Rough Included



Floor-Mount Tub Filler Hand Shower Flow Rate: 1.75 gpm T4771-PR-FL / R4700-FL Rough Included



Monitor® 17 Series Shower Trim Flow Rate: 1.75 gpm T17272-PR / R10000-UN Rough Included



Monitor® 17 Series Tub & Shower Trim Flow Rate: 1.75 gpm T17472-PR / R10000-UN Rough Included



Monitor® 14 Series Valve Only Trim T14072-PR / R10000-UN Rough Included



Monitor® 17 Series Valve Only Trim T17072-PR / R10000-UN Rough Included



17 Series Valve Trim with Diverter 3-Setting T11871-PR / R11000 6-Setting T11971-PR / R11000 Rough Included



2-Handle Monitor® 14 Series Valve Trim with Diverter 3-Setting T24871-PR / R22000 6-Setting T24971-PR / R22000 Rough Included



Wall Elbow 50560-PR



ActivTouch® Slide Bar Hand Shower Flow Rate: 1.75 gpm 51549



Slide Bar Hand Shower Flow Rate: 1.75 gpm 51386-PR



H2Okinetic® 4-Setting Raincan Shower Head Flow Rate: 1.75 gpm 52488-PR



6" Ceiling Mount Shower Arm & Flange RP61058



16" Shower Arm RP46870



Shower Flange RP6025PR



















Matte Black

Champagne Bronze





Single Handle Lavatory Faucet Flow Rate: 1.2 gpm 536-CZMPU-DST



Two Handle Widespread Lavatory Faucet Flow Rate: 1.2 gpm 3536-CZMPU-DST



Roman Tub Trim T2736-CZ / R2707 Rough Included



Roman Tub with Hand Shower Hand Shower Flow Rate: 1.75 gpm T4736-CZ / R4707 Rough Included



Monitor® 14 Series Shower Trim Flow Rate: 1.75 gpm T14235-CZ / R10000-UN Rough Included



Monitor® 14 Series Tub & Shower Trim Flow Rate: 1.75 gpm T14435-CZ / R10000-UN Rough Included



Monitor® 17 Series Shower Trim Flow Rate: 1.75 gpm T17235-CZ / R10000-UN Rough Included



Monitor® 17 Series Tub & Shower Trim Flow Rate: 1.75 gpm T17435-CZ / R10000-UN Rough Included



ActivTouch® Slide Bar Hand Shower Flow Rate: 1.75 gpm 51549-CZ



Monitor® 17 Series Valve Only Trim T17035-CZ / R10000-UN Rough Included



Diverter Trim3-Setting T11835-CZ / R11000
6-Setting T11935-CZ / R11000
Rough Included



Monitor® 14 Series Valve Only Trim T14035-CZ / R10000-UN Rough Included



Slide Bar Hand Shower Flow Rate: 1.75 gpm 51559-CZ



16" Shower Arm RP46870CZ



Shower Flange RP6025CZ



H2Okinetic® 4-Setting Raincan Shower Head Flow Rate: 1.75 gpm 52535-CZ



6" Ceiling Mount Shower Arm & Flange RP61058CZ





Lumicoat™ Chrome



Matte



Lumicoat™ Champagne Bronze



Lumicoat™ Brilliance® Stainless







Single Handle Lavatory Faucet Flow Rate: 1.2 gpm

589-PR-DST Drain Included



Single Handle Lavatory Faucet

Flow Rate: 1.2 gpm 589SH-PR-DST Drain Included



Single Handle Mid-Height Vessel **Lavatory Faucet**

Flow Rate: 1.2 gpm 689-PR-DST/ RP102057 Drain Included



Two Handle Widespread Lavatory Faucet

Flow Rate: 1.2 gpm 35589-PR-DST Drain Included



Single Handle Wall-Mount Lavatory Faucet

Flow Rate: 1.2 gpm T3589LF-PR-WL / R65700 / RP101630 Drain, Rough and Handle Included



Roman Tub Trim

T2789-PR-LHP / R2707 / H588-PR Rough and Handle Included



Roman Tub With Hand Shower Hand Shower Flow Rate: 1.75 gpm T4789-PR-LHP / R4707 / H588-PR Rough and Handle Included



Two Handle Wall Mount Tub Filler Trim T5789-PR-LHP-WL / R3500-WL / H591-PR Rough and Handle Included



Floor-Mount Tub Filler Trim Hand Shower Flow Rate: 1.75 gpm T4788-PR-LHP-FL / R4700-FL / H589-PR Rough and Handle Included



Monitor® 14 Series Shower Trim Hand Shower Flow Rate: 1.75 gpm T4789-PR-LHP / R4707 / H588-PR Rough and Handle Included



Monitor® 14 Series Tub & Shower Trim Flow Rate: 1.75 gpm T14489-PR / R10000-UN Rough Included



Monitor® 14 Series Valve Only Trim T14089-PR / R10000-UN Rough Included



Monitor® 17 Series Valve Only Trim T17089-PR / R10000-UN Rough Included



Diverter Trim3-Setting T11889-PR / R11000
6-Setting T11989-PR / R11000
Rough Included



Monitor® 14 Series Valve Trim with Diverter Flow Rate: 1.75 gpm T14489-PR / R10000-UN Rough Included



Monitor® 14 Series Valve Trim with Diverter 3-Setting T24889-PR / R22000

6-Setting T29989-PR / R22000 Rough Included



Monitor® 17 Series Valve Trim

with Diverte3-Setting T27889-PR / R22000
6-Setting T27989-PR / R22000 Rough Included



Wall Elbow 50560-PR



Slide Bar Hand Shower Flow Rate: 1.75 gpm 51140-PR



ActivTouch® Slide Bar Hand Shower Flow Rate: 1.75 gpm 51549



H20kinetic® 3-Setting Raincan **Shower Head**

Flow Rate: 1.75 gpm 52684-PR



16" Shower Arm RP46870



Shower Flange RP6025PR



6" Ceiling Mount Shower Arm & Flange RP61058



Trillian® The prismatic faceting of the Trillian Bath Collection is an evolution of modern style that creates an edgy look which catches the light as well as the eye.



Single Handle Mid-Height Vessel Lavatory Faucet

Flow Rate: 1.2 gpm 643-PR-DST / RP101630 Drain Included



Two Handle Wall-Mount Lavatory Faucet

Flow Rate: 1.2 gpm T3543LF-PR-WL / R3500-WL / RP101632 Drain and Rough Included





Roman Tub Trim T2743-PR / R2707 Rough Included



Two Handle Widespread Lavatory Faucet

Flow Rate: 1.2 gpm 35543-PR-MPU-DST



Roman Tub With Hand Shower

Hand Shower Flow Rate: 1.75 gpm T4746-PR / R4707 Rough Included



Wall Mount Tub Filler Trim T5743-PR-WL / R3500-WL Rough Included





Lumicoat™ Black Stainless



Lumicoat™ Stainless





Monitor® 14 Series Shower Trim

Flow Rate: 1.75 gpm T14243-PR / R10000-UN



Monitor® 14 Series Tub & Shower Trim

Flow Rate: 1.75 gpm T14443-PR / R10000-UN Rough Included



Monitor® 17 Series Tub & Shower Trim

Rough Included



Monitor® 17 Series Shower Trim

Flow Rate: 1.75 gpm T17243-PR / R10000-UN Rough Included





Monitor® 17 Series Valve Trim

3-Setting T27843-PR / R22000

6-Setting T27943-PR / R22000

with Diverter

Rough Included

Monitor® 14 Series Valve Only Trim T14043-PR / R10000-UN Rough Included

Floor-Mount Tub Filler Trim

T4746-PR-FL / R4700-FL

Rough Included

Hand Shower Flow Rate: 1.75 gpm




Monitor® 14 Series Valve Trim

with Diverter 3-Setting T24843-PR / R22000 6-Setting T29943-PR / R22000 Rough Included



Diverter Trim

3-Setting T11843-PR / R11000 6-Setting T11943-PR / R11000 Rough Included





Monitor® 17 Series Valve Only Trim T17043-PR / R10000-UN

Rough Included



ActivTouch® Slide Bar Hand Shower Flow Rate: 1.75 gpm 51549



Slide Bar Hand Shower Flow Rate: 1.75 gpm 51567-PR



Wall Elbow for Hand Shower Square 50570-PR



H20kinetic® 4-Setting Raincan Shower Head Flow Rate: 1.75 gpm 52684-PR



16" Shower Arm RP46870



Shower Flange RP51034




6" Ceiling Mount Shower Arm & Flange RP61058 Drain and Rough Included



Trinsic®

Sleek elegance of modern design is embodied in the Trinsic Bath Collection with four finishes to create looks from classic modern to modern rustic and a full collection of faucets and accessories to complete your individual bath look.



Available Finishes





Bronze®



Brilliance® Stainless





Matte Black







Single Handle Lavatory Faucet Flow Rate: 1.2 gpm 559LF-BLMPU



Single Handle Vessel Lavatory Faucet Flow Rate: 1.2 gpm 759-BL-DST / RP101632BL Drain Included



Two Handle Centerset Lavatory Faucet Flow Rate: 1.2 gpm 2559-BLMPU-DST



Two Handle Widespread Lavatory Faucet Flow Rate: 1.2 gpm 3559-BLMPU-DST



Wall-Mount Lavatory Faucet Trim Flow Rate: 1.2 gpm T3559LF-BLWL / RP101632BL / R3510-WL Drain and Rough Included



Roman Tub Trim T2759-BL / R2707 Rough Included



Roman Tub With Hand Shower Hand Shower Flow Rate: 1.75 gpm T3759-BL / R3707 Rough Included



Roman Tub With Hand Shower Hand Shower Flow Rate: 1.75 gpm T4759-BL / R4707 Rough Included



Wall Mount Tub Filler T5759-BLWL / R3500-WL Rough Included



Floor-Mount Tub Filler Hand Shower Flow Rate: 1.75 gpm T4759-BLFL / R4700-FL Rough Included



Monitor® 14 Series Shower Trim Flow Rate: 1.75 gpm T14259-BL / R10000-UN Rough Included



Monitor® 14 Series Tub & Shower Trim Flow Rate: 1.75 gpm T14459-BL / R10000-UN Rough Included



Monitor® 17 Series Shower Trim Flow Rate: 1.75 gpm T17259-BL / R10000-UN Rough Included



Monitor® 17 Series Tub & Shower Trim Flow Rate: 1.75 gpm T17459-BL / R10000-UN Rough Included



Monitor® 14 Series Valve Only Trim T14059-BL / R10000-UN Rough Included



Monitor® 17 Series Valve Only Trim T17059-BL / R10000-UN Rough Included



Diverter Trim3-Setting T11859-BL / R11000
6-Setting T11959-BL / R11000
Rough Included



Monitor® 14 Series Valve Trim with Diverter 3-Settomg T24859-BL / R22000 6-Setting T24959-BL / R22000 Rough Included



Monitor® 17 Series Valve Trim with Diverter 3-Setting T27859-BL / R22000 6-Setting T27959-BL / R22000 Rough Included



ActivTouch® Slide Bar Hand Shower Flow Rate: 1.75 gpm 51549-BL



Wall Elbow 50560-BL





16" Shower Arm RP46870BL



Shower Flange RP6025BL



6" Ceiling Mount Shower Arm & Flange RP61058-BL



Showerkits



Square Monitor® 17 Series Shower Kit DF-KIT1 DF-KIT1-WS



Square Monitor® 14 Series Shower Kit $\mathsf{DF}\text{-}\mathsf{KIT4}\text{-}\mathsf{WS}$



Square Monitor® 14 Series Shower Kit DF-KIT19 DF-KIT19-WS



Square Tempassure® 17T Series Shower Kit DF-KIT20-BL-WS Available in Chrome, Matte Black and Champagne Bronze



Square Monitor® 14 Series Shower Kit DF-KIT23-PBSBL-WS Available in Chrome, Matte Black and Champagne Bronze



Square Tempassure®17T Series Shower Kit DF-KIT25-THS-WS Available in Chrome, Matte Black and Champagne Bronze



Round Monitor® 17 Series Shower Kit DF-KIT3 DF-KIT3-WS



Round Monitor® 17 Series Shower Kit DF-KIT14-WS Available in Chrome, Matte Black and Champagne Bronze



Round Monitor® 14 Series Shower Kit DF-TKIT1-PBR / R2200



Round Monitor® 14 Series Shower Kit DF-KIT24-PBRCZ-WS Available in Chrome, Matte Black and Champagne Bronze



Round Tempassure® 17T Series Shower Kit DF-KIT26-THR-WS Available in Chrome, Matte Black and Champagne Bronze



Emerge® Round Contemporary 26"
Shower Column Kit
DF-CKIT27-R
Available in Chrome, Matte Black and
Champagne Bronze



Emerge® Round Contemporary 18" Shower Column Kit DF-KIT21



Emerge® Angular Modern 26" Shower Column Kit DF-CKIT28-SBL Available in Chrome, Matte Black and

Champagne Bronze



Emerge® Angular Modern 18" Shower Column Kit DF-KIT22

Bath Accessories

ARA | Available Finishes







Matte Black

Brilliance® Stainless



ARA 18" OR 24" Towel Bar77518
77524







ARA Towel Ring 77546



ARA Tissue Holder 77550

CASSIDY | Available Finishes











Venetian Bronze®



CASSIDY 18" OR 24" Towel Bar79718-CZ
79724-CZ



CASSIDY Robe Hook 79735-CZ



CASSIDY Towel Ring 79746-CZ

GALEON | Available Finishes







Matte Black

Brilliance® Stainless









GALEON **Tank Lever** 77260



GALEON Tissue Holder 772500

TRILLIAN | Available Finishes







Black Stainless

Brilliance® Stainless



TRILLIAN 18" or 24" Towel Bar 74324







TRILLIAN **Tank Lever** 74360



TRILLIAN Tissue Holder 74355

TRINSIC

Available Finishes



Matte Black







Stainless

Champagne Bronze®

Venetian Bronze®



TRINSIC 18" OR 24" Towel Bar 75918-CZ 759240-CZ



TRINSIC **Double Towel Bar** 75925-CZ



TRINSIC Robe Hook 75935-CZ



TRINSIC Towel Ring 759460-CZ



TRINSIC Tissue Holder 75950-CZ



TRINSIC Tank Lever 75960-CZ

SAYLOR Available Finishes







Stainless



Champagne

Bronze®



SAYLOR 18" OR 24" Towel Bar 73518-CZ 73524-CZ



SAYLOR Double Robe Hook 73535-CZ



SAYLOR Tank Lever 73560-CZ

TETRA

78935

Robe Hook



SAYLOR Tissue Holder 73550-CZ









Chrome Matte Black Brilliance®







TETRA Tissue Holder 78955



TETRA Tank Lever 78960



TETRA 18" OR 24" Towel Bar 78918 78924



ADA 18" Traditional Decorative ADA Grab Bar 41618



ADA 24" Traditional Decorative ADA Grab Bar

Matte Black

Brilliance®

Stainless

ADA

Chrome



ADA 36" Traditional Decorative ADA Grab Bar





Brilliance® Stainless



ADA 18" Traditional Decorative ADA Grab Bar 41718-SS



ADA 24" Traditional Decorative ADA Grab Bar 41724-SS



ADA 36" Traditional Decorative ADA Grab Bar 41724-SS





Brilliance® Stainless



Matte Black



ADA 18" Contemporary Decorative ADA Grab Bar 41818



ADA 24" Contemporary Decorative ADA Grab Bar



ADA 36" Contemporary Decorative ADA Grab Bar















ADA 18" Angular Modern Decorative ADA Grab Bar 41918-BL



ADA 24" Angular Modern Decorative **ADA Grab Bar** 41924-BL



ADA 36" Angular Modern Decorative **ADA Grab Bar** 41936-BL







Widespread Lavatory Handles



KNOB HANDI F



TWIST LEVER HANDLE



LEVER HANDLE

Wall Mount Lavatory Handles







TWIST LEVER HANDLE



LEVER HANDLE



Single-Handle Lavatory Faucet Flow Rate: 1.2 gpm 65067LF-BNXBL-ECO / RP72413BNX Drain Included



Widespread Lavatory Faucet with Arc Spout Flow Rate: 1.2 gpm 65367LF-BNXLHP-ECO / HL5368-BNXBL / RP72413BNX

Drain and Handles Included



Two-Hole, Single-Handle Wall Mount Lavatory Faucet

Flow Rate: 1.2 gpm T65767LF-BNXLHP-ECO / HL5868-BNX / RP72413BNX / R85800 Drain, Handles and Rough Included

















Brilliance® Black Onyx





Brilliance® Luxe Gold

Brilliance® Luxe Nickel

Brilliance® Black Onyx

Matte Black

Polished Chrome/Clear

Brilliance® Luxe Gold/Clear







Two-Handle Wall Mount Tub Filler T70467-BNXLHP / RP72413BNX / HL70468-BNXBL / R70400 Drain, Handles and Rough Included



Pressure Balance Valve Only Trim T60P006-BNXLHP / HL60P67-BNX / R60000-UN Handles and Rough Included



TempAssure® Thermostatic Valve Only Trim T60006-BNXLHP / HL6067-BNX / R60000-UN Handles and Rough Included



Two-Handle Tub Filler Trim Kit Floor Mount Tub Filler Unions Hand Shower Flow Rate: 1.75 gpm T70368-BNX / T70310-BNXLHP / T71766-BNX / R70200 Filler Unions and Rough Included



Pressure Balance Valve With Diverter Trim T75P506-BNXLHP / HL75P67-BNX / R7500 6-Setting T75P606-BNXLHP / HL75P67-BNX / R7500 Handles and Rough Included



8" Linear Round Single-Function Raincan Shower Head Flow Rate: 2.5gpm 81375-BNX-2.5



13" Wall Mount Shower Arm and Flange 83867-BNX



Multi-Function Slide Bar Hand Shower Flow Rate: 1.75 gpm 88767-BNX



6" Ceiling Mount Shower Arm and Square Flange RP70764BNX



TempAssure® Thermostatic Shower Only Trim Flow Rate: 1.75 gpm T60267-BNXLHP / HL6067-BNX / R60000-UN Handles and Rough Included



Tub Filler Accessories 695506-BNX Accessory kit: tray, dish and wine glass holder



Diverter Tub Spout 73506-BNX





Single-Handle Lavatory Faucet Flow Rate: 1.2 gpm 65022LF-NKTK / RP72414NK Drain Included



Widespread Lavatory Faucet Flow Rate: 1.2 gpm 65322LF-NKTKLHP / HL5322-NKTK / RP72414NK Drain and Handles Included



Single-Handle Wall Mount Lavatory Faucet Flow Rate: 1.2 gpm T65722LF-NKTK / RP72413NK / R65700 Drain and Rough Included



Two-Handle Wall Mount Tub Filler T70422-NKLHP / HL70422-NKTK / R70400 Handles and Rough Included



8" Linear Square Single-Function Raincan Shower Head Flow Rate: 1.75gpm 87380-NK



8" Ceiling Mount Shower Arm and Square Flange RP70764NK







Luxe Nickel®/

Polished Chrome



Brilliance® Luxe Nickel



Brilliance® Luxe Steel®



Brilliance® Polished Nickel





Available Finishes



Two-Handle Tub Filler Trim Kit Floor Mount Tub Filler Unions Hand Shower Flow Rate: 1.75 gpm T70322-NKTK / T70310-NKLHP / T71766-NK / R70200 Filler Unions and Rough Included



Linear Square Slide Bar with Hose 74799-NK



Tub Filler Accessories 695506-NK Accessory kit includes tray, dish and wine glass holder



Only Trim T60022-NKLHP / HL6022-NK / R60000-UN Handles and Rough Included

TempAssure® Thermostatic Valve



Multi-Function Wall Mount Handshower Flow Rate: 1.75gpm 85006-NK



Diverter Tub Spout RP64084NK



Pressure Balance Valve Only Trim T60P022-NKLHP / HL60P22-NK / R60000-UN Handles and Rough Included



Pressure Balance Valve with
Diverter Trim
3-Setting
T75522-NKLHP / HL7522-NK / R75000
6-Setting
T75622-NKLHP / HL7522-NK / R75000

Handles and Rough Included



7" Linear Square Wall Mount Shower Arm and Flange RP74448NK





Single-Handle Lavatory Faucet Flow Rate: 1.5 gpm 65076LF-PG / RP72414PG Drain Included



Widespread Lavatory Faucet with Arc Spout Flow Rate: 1.5 gpm 65376LF-PGLHP / HL5376-PG / RP72414PG Drain and Handles Included



Widespread Lavatory Faucet with Column Spout Flow Rate: 1.5 gpm 65377LF-PGLHP / HL5376-PG



Two-Hole, Single-Handle Wall Mount Lavatory Faucet

Flow Rate: 1.5 gpm T65776LF-PGLHP-ECO / HL5876-PG / RP72413PG / R85800 Drain, Handles and Rough Included



Two-Handle Bidet Faucet 68476-PG



Two-Handle Roman Tub Faucet T67376-PGLHP / HL676-PG / R62707 Handles and Rough Included

Luxe Gold



Polished



Brilliance® Luxe Nickel



Luxe Steel

Brilliance®

Polished Gold



Brilliance® Polished Nickel



E



Handle Options





Two-Handle Wall Mount Tub Filler Flow Rate: 9.30 gpm T70476-PGLHP / HL70476-PG / R70400



Single-Handle Floor Mount Tub Filler Flow Rate: 1.75 gpm T70176-PGLHP / HL7076-PG / R70100 Handles and Rough Included



TempAssure® Thermostatic Shower

TempAssure® Thermostatic Valve Only Trim T60076-PG / R60000-UN Rough Included



H20Kinetic Multi-Function Slide Bar Handshower

Handshower Flow Rate: 1.75 gpm 88776-PG



10" Linear Round Single-Function

Raincan Shower Head Flow Rate: 2.5 gpm

12" Linear Round Single-Function Raincan Shower HeadRP100325PG



Diverter Trim3-Setting T75576-PG / R75000
6-Setting T75676-PG / R75000
Rough Included



6" Ceiling Mount Shower Arm and Square Flange RP48985PG



Diverter Tub Spout RP100327PG



Handle Options

The Jason Wu® Bath Collection has four handle options available for Widespread Faucets: Low Level, High Level, Low Cross and High Cross.













HIGH LEVER HANDLE



LOW CROSS HANDLE



HIGH CROSS HANDLE



Single Handle Lavatory Faucet Flow Rate: 1.5 gpm 65175LF-BL



Widespread Lavatory Faucet Flow Rate: 1.5 gpm 65375LF-BLLHP / HL5373-BL / RP72414BL Handles & Drain Included



Two-Handle Wall Mount Lavatory Faucet Flow Rate: 1.5 gpm T65875LF-BLLHP / HX5875-BLWD / RP72413BL / R65800 Drain, Handles and Rough Included



Two-Handle Bidet Faucett 68475-BL



Two-Handle Roman Tub Faucet Handshower Flow Rate: 1.75 gpm T67375-BLLHP / HX675-BL / R62707 Handles and Rough Included



Roman Tub Faucet with Handshower Handshower Flow Rate: 1.75 gpm T67475-BLLHP / HX675-BL / R64707 Handles and Rough Included



Single-Handle Floor Mount Tub Filler Handshower Flow Rate: 1.75 gpm T70175-BL / R70100 Rough Included



Two-Handle Wall Mount Tub Filler T70475-BLLHP / HX70475-BL / R70400 Handles and Rough Included



TempAssure® Thermostatic Tub/ Shower Trim Flow Rate: 1.75 gpm T60475-BL / R60000-UN Rough Included



TempAssure® Thermostatic Shower Only Trim Flow Rate: 1.75 gpm

Flow Rate: 1.75 gpm T60276-PG / R60000-UN Rough Included



 $\label{eq:tempAssure} \textbf{TempAssure}^{\otimes} \ \textbf{Thermostatic Valve} \\ \textbf{Only Trim}$

T60075-BL / R60000-UN Rough Included



Diverter Trim

T60875-BLLHP / HL975-BL / R60700 T60975-BLLHP / HL975-BL / R60700 Rough Included



10" Linear Round Single-Function Raincan Shower Head

Flow Rate: 1.75 gpm 81398-BL



16" Linear Round Wall Mount Shower Arm and Flange

RP71648BL




6" Ceiling Mount Shower Arm and Square Flange

RP48985BL




Diverter Tub Spout RP81438BL



Multi-Function Slide Bar Handshower

Flow Rate: 1.75 gpm 85521-BL



Kintsu

Delicate harmonies come to life in the Kintsu® Bath Collection by Brizo®.
Tranquil contours reflect elegant Scandinavian minimalism, while natural materials and broken geometries channel Japanese wabi-sabi philosophy.



Handle Options

The Kintsu® Bath Collection has three handle options available throughout the suite: Lever, Cross and Knob along with four inlay options for the knob handle.



LEVER HANDLE



CROSS HANDLE



KNOB HANDLE



KNOB WITH MOTHER OF PEARL INLAY



KNOB WITH WOOD INLAY



KNOB WITH CONCRETE INLAY



KNOB WITH CUSTOM INLAY

Available Finishes



Brilliance



Polished



Brilliance® Luxe Nickel



Brilliance® Luxe Gold







Single-Handle Lavatory Faucet Flow Rate: 1.5 gpm 65006LF-PC / RP72414PC Drain Included



Widespread Lavatory Faucet with Angled Spout Angled Spout

Flow Rate: 1.5 gpm 65307LF-PCLHP / HL5306-PC / RP72414PC Handles & Drain Included



Single-Handle Bidet Faucet 68106-PC



Floor Mount Tub Filler Components T70306-PC / T70310-PCLHP / T71766-PC / R70200 Body Assembly, Trim Kit with Handles, Unions and Rough Included



Two-Handle Wall Mount Tub Filler T70406-PCLHP / HL70406-PC / R70400 Handles and Rough Included



TempAssure® Thermostatic Shower Only Trim
Flow Rate: 1.75 gpm
T60206-PCLHP / HL6006-PC / R60000-UN Handles and Rough Included



TempAssure® Thermostatic Valve with Diverter

3-Setting T75506-PCLHP / HL7567-PC / R75000 6-Setting T75606-PCLHP / HL7567-PC / R75000 Rough Included



TempAssure® Thermostatic Valve
Only Trim
T60006-PCLHP / HL6067-PC / R60000-UN
Handles and Rough Included



Pressure Balance Valve Only Trim T60P006-PCLHP / HL60P06-PC / R60000-UN Handles and Rough Included



12" Linear Square Single-Function Raincan Showerhead

Flow Rate: 1.75 gpm 81399-PC



14" Dual Waterway Multi-Function Raincan Showerhead

Flow Rate: 1.75 gpm 81406-PC



6" Dual Waterway Ceiling Mount Shower

Arm and Flange 83992-06MF-PC / 83992 Rough Included



6" Ceiling Mount Shower Arm and Flange RP48985PC



10" Wall Mount Shower Arm and Flange $83806\mbox{-}PC$



Diverter Tub Spout 73506-PC



Multi-Function Slide Bar Handshower

Flow Rate: 1.75 gpm 88706-PC



Levoir

The Levoir Bath Collection by Brizo® delivers cunning sophistication at every line of sight. Its sleek curvatures are deceptively understated, beguiling the senses while hinting there is more to be discovered than first meets the eye.



Available Finishes







Polished



Brilliance® Luxe Gold



Brilliance® Luxe Nickel



Brilliance® Luxe Steel



Brilliance® Polished Nickel



Single-Handle Wall Mount Lavatory Faucet Flow Rate: 1.5 gpm T65798LF-GL / RP72413GL / R65700 Handles, Drain & Rough Included



Single-Handle Lavatory Faucet Flow Rate: 1.5 gpm 65098LF-GL



Widespread Lavatory Faucet with High Spout Flow Rate: 1.5 gpm

65398LF-GLLHP / HL5397-GL



Roman Tub Faucet Flow Rate: 20 gpm T67398-GLLHP / HL698-GL / R62707 Handles & Rough Included



Two-Handle Wall Mount Lavatory Faucet Flow Rate: 1.5 gpm T65898LF-GLLHP / HL5898-GL / RP72413GL / R65800 Handles, Drain & Rough Included



Two-Handle Bidet Faucet 68498-GLLHP / HL6898-GL Handles Included



Roman Tub Faucet With Handshower Handshower Flow Rate: 1.75 gpm T67498-GLLHP / HL698-GL / R64707 Handles & Rough Included

Handle Options

The Levoir® Bath Collection has four handle options available for Widespread Faucets: Low Level, High Level, Low Cross and High Cross. All Lever Handles available with Black Crystal inserts.



LOW LEVER HANDLE



HIGH LEVER HANDLE



LOW CROSS HANDLE



HIGH CROSS HANDLE



Two-Handle Wall Mount Tub Filler Flow Rate: 9.30 gpm T70498-GLLHP / HL7098-GL / R70400 Handles and Rough Included



TempAssure® Thermostatic Valve Only Trim T60098-GL / R60000-UN Rough Included



Pressure Balance Valve Only Trim T60P098-GLLHP / HL60P98-GL / R60000-UN Handles and Rough Included



TempAssure® Thermostatic Valve with Diverter 3-Setting T75598-GL / R75000 6-Setting T75698-GL / R75000 Rough Included



TempAssure® Thermostatic Shower Only Trim Flow Rate: 1.75 gpm T60298-GL / R60000-UN Rough Included



Single Handle Floor Mount Tub Filler Handshower Flow Rate: 1.75 gpm T70198-GL / R70100 Rough Included



Multi-Function Slide Bar Handshower Flow Rate: 1.75 gpm 88798-GL



12" Linear Round Single-Function

Raincan Showerhead

6" Ceiling Mount Shower Arm and Flange RP100470GL



7 3/4" Wall Mount Shower Arm and Flange RP92044GL



Diverter Tub Spout RP92044GL











Polished

Chrome





Luxe Nickel



Luxe Gold



Polished Nickel









Polished Chrome / Wood





Handle Options

The Litze® Bath Collection has four handle options available throughout the suite: Lever, Extended Lever, T-Lever, Industrial.







EXTENDED LEVER HANDLE



T-LEVEL HANDLE



INDUSTRIAL LEVEL HANDLE



NOTCH LEVER HANDLE



WHEEL HANDLE



Single-Handle Lavatory Faucet Flow Rate: 1.5 gpm 65035LF-GL / RP72414GL Drain Included



Widespread Lavatory Faucet With **High Spout** Flow Rate: 1.5 gpm

65332LF-GLLHP / HL5332-GL-NM Handles Included



Single-Handle Wall Mount **Lavatory Faucet**

Flow Rate: 1.5 gpm T65735LF-GL / RP72413GL / R65700 Drain & Rough Included



Single-Handle Bidet Faucet 68135-GL



Roman Tub Faucet Flow Rate: 20 gpm T67335-GLLHP / HL632-GL / R62707 Handle & Rough Included



Roman Tub Faucet With Handshower Handshower Flow Rate: 1.75 gpm T67435-GLLHP / HL632-GL / R64707 Handles & Rough Included



Single Handle Floor Mount Tub Filler Handshower Flow Rate: 1.75 gpm T70135-GLLHP / HL7032-GL / R70100 Handles & Rough Included



Two-Handle Wall Mount Tub Filler Flow Rate: 9.30 gpm T70435-GLLHP / HL70432-GL / R70400 Handles and Rough Included



TempAssure® Thermostatic Shower Only Trim

Flow Rate: 1.75 gpm T60235-GLLHP / HL6032-GL / R60000-UN Rough Included



Pressure Balance Valve Only Trim T60P035-GLLHP / HL60P32-GL / R60000-UN Handles and Rough Included



TempAssure® Thermostatic Valve
Only Trim
T60035-GLLHP / HL60P32-GL / R60000-UN
Rough Included



Diverter Trim3-Setting T60835-GLLHP / HL932-GL / R60700
6-Setting T60935-GLLHP / HL932-GL / R60700
Handles and Rough Included



TempAssure® Thermostatic Valve with Diverter
3-Setting
T75P535-GLLHP / HL75P32-GL / R7500
6-Setting
T75P635-GLLHP / HL75P32-GL / R7500
Handles and Rough Included



8" H2Okinetic® Round Multi-Function Wall Mount ShowerheadFlow Rate: 1.75 gpm
87435-GL



12" Linear Round Single-Function Raincan ShowerheadFlow Rate: 1.75 gpm
81392-GL



6" Ceiling Mount Shower Arm and Flange $\mathsf{RP48985GL}$



Diverter Tub Spout RP81437GL



Multi-Function Slide Bar Handshower Flow Rate: 1.75 gpm 85735-GL









Polished Chrome



Brilliance® Brushed Nickel



Brilliance® Luxe Gold



Matte Black



Single Handle Lavatory Faucet Flow Rate: 1.5 gpm 65175LF-PC / RP72414PC Drain Included



Widespread Lavatory Faucet Flow Rate: 1.5 gpm 65375LF-PCLHP / HL5373-PC / RP72414PC Handles & Drain Included





Two-Handle Wall Mount Tub FillerFlow Rate: 9.30 gpm
T70475-PCLHP / HL70475-PC / R70400
Handles and Rough Included



Two-Handle Bidet Faucet 68475-PC



Two-Handle Roman Tub Faucet Handshower Flow Rate: 1.75 gpm T67375-PCLHP / HL675-PC / R62707 Handles and Rough Included



Diverter Tub Spout RP81438PC

Handle Options

The Odin® Bath Collection has four handle options available for Widespread Faucets: Low Lever, High Lever, Low Cross and High Cross.



LOW LEVER HANDLE



HIGH LEVER HANDLE



LOW CROSS HANDLE



HIGH CROSS HANDLE



Pressure Balance Tub/Shower Trim

Flow Rate: 1.75 gpm T60P420-PC / R60000-UN Rough Included



Pressure Balance Shower Only Trim

Flow Rate: 1.75 gpm



TempAssure Thermostatic Valve with Integrated Diverter Trim

3-Setting T75575-PC / R75000 6-Setting T75675-PC / R75000

Rough Included

Single-Handle Floor Mount Tub Filler Handshower Flow Rate: 1.75 gpm T70175-PC / R70100 Rough Included

T60P220-PC / R60000-UN Rough Included



TempAssure® Thermostatic **Tub/Shower Trim**

Flow Rate: 1.75 gpm T60475-PC / R60000-UN Rough Included



TempAssure® Thermostatic Shower Only Trim

Flow Rate: 1.75 gpm T60275-PC / R60000-UN Rough Included



TempAssure® Thermostatic Valve Only Trim

T60075-PC / R60000-UN Rough Included



Multi-Function Slide Bar Handshower

Flow Rate: 1.75 gpm 85521-PC



Pressure Balance Valve Only Trim

T60P075-PCLHP / HL60P75-PC / R60000-UN Handles and Rough Included



10" Linear Round Single-Function Raincan Shower Head

Flow Rate: 2.5 gpm | 81398-PC



6" Ceiling Mount Shower Arm and Flange RP48985PC







Brilliance® Luxe Nickel / Brushed Black



Polished Chrome



Brilliance® Luxe Gold



Brilliance® Luxe Nickel



Venetian Bronze®



Brilliance® Polished Nickel



E



Single-Handle Lavatory Faucet Flow Rate: 1.5 gpm 65060LF-NKBL / RP72414NK Drain Included



Two-Handle Bidet Faucet 68460-NKLHP



Single-Handle Vessel Lavatory Faucet Flow Rate: 1.5 gpm 65461LF-NKBL / RP72413NK Drain Included



Roman Tub Faucet Flow Rate: 20 gpm T67360-NKBLLHP / HL660-NKBL / R62707 Handles & Rough Included



Widespread Lavatory Faucet Flow Rate: 1.5 gpm 65360LF-NKBLLHP / HL5360-NKBL Handles Included



Roman Tub Faucet With Handshower Handshower Flow Rate: 1.75 gpm T67460-NKBLLHP / HL660-NKBL / R64707 Handles & Rough Included

Handle Options

The Rook® Bath Collection is available with either Lever or Cross Handles and optional Hot/Cold Inserts.





Single Handle Floor Mount Tub Filler Handshower Flow Rate: 1.75 gpm T70161-NKBL / R70100 Rough Included



Multi-Function Slide Bar Handshower Flow Rate: 1.75 gpm 88761-NK



TempAssure® Thermostatic Tub/ Shower Trim Flow Rate: 1.75 gpm T60461-NKBL / R60000-UN Rough Included



TempAssure® Thermostatic Shower Only Trim Flow Rate: 1.75 gpm T60261-NKBL / R60000-UN Rough Included



TempAssure® Thermostatic Valve Only Trim T60061-NKBL / R60000-UN Rough Included



Pressure Balance Valve with Integrated Diverter Trim 3-Setting T75P560-NKBL / R75000 6-Setting T75P660-NKBL / R75000 Rough Included



10" Linear Round Single-Function Raincan ShowerheadFlow Rate: 1.75 gpm
81398-NK



11" Classic Round Single-Function Raincan ShowerheadFlow Rate: 1.75 gpm
83310-NK



Linear Round Jointed Wall Mount Shower and Flange RP81434NK



6" Ceiling Mount Shower Arm and Flange $\,$ RP48985NK $\,$

Showerkits

INVARI

Shower Components

T75576-PC / R75000 RP100325PC / 87476-PC /88776-PC RP48985PC Optional Ceiling Mount Shower Arm Finishes: PC, NK, PG, GL, SL

KINTSU

Shower Components

T75506-PCLHP / R7500 / HL7506-PC 83806-PC / 87406-PC / 88706-PC RP48985PC Optional Ceiling Mount Shower Arm Finishes: PC, BNBX, NK, GL

LEVOIR

Shower Components

T75598-GL / R75000 RP92044GL / 87498-GL / 88798-GL RP48985GL Optional Ceiling Mount Shower Arm Finishes: PC, PN, NK, GL, SL

ROOK

Shower Components

T75561-NK / R75000 RP78580NK / 87495-NK / 88761-NK RP48985NK Optional Ceiling Mount Shower Arm Finishes: PC, PN, NK/BL, RB, NK,GL



































Available Finishes





Chrome Brushed Nickel



Brilliance®

Polished Gold



Polished Nickel



Luxe Nickel



Luxe Steel



FRANK LLYOD WRIGHT **Shower Components**

T75522-PCLHP / R75000 / HL7522-PC RP74448PC / 87380-PC / 74799-PC / 85006-PC RP48985PC Optional Ceiling Mount Shower Arm Finishes: PC, PN, NK, SL

ALLARIA

Shower Components

Luxe Gold

T75606-BNXLHP / R75000 / HL7567-BNX 81375-BNX / 83867-BNX / 88767-BNX RP48985BNX Optional Ceiling Mount Shower Arm Finishes: PC, BL, BN,NK,GL

LITZE

Shower Components

T75535-GLLHP / R75000 / HL7533-GL RP81434GL / 87435-GL / 85735-GL RP48985GL Optional Ceiling Mount Shower Arm Finishes: PC, PN, NK, GL, SL

ODIN Showerkit

BF-KIT1-THRBL-WS RP48985BL Optional Ceiling Mount Shower Arm Available Finishes: PC, BL, GL



































Bath Accessories

ALARIA | Available Finishes



Chrome



Luxe Gold



Luxe Nickel



Matte Black



Black Onyx





Polished Chrome / Clear





ALLARIA 18" or 24" Towel Bar 691867-BNX 692467-BNX



ALLARIA Tissue Holder 695067-BNX



ALLARIA Universal Flush Lever 696367-BNX



ALLARIA Drawer Knob 699267-BNX



ALLARIA Drawer Pull 699167-BNX



ALLARIA Robe Hook 693467-BNX

FRANK LLOYD WRIGHT | Available Finishes



Brilliance® Luxe Steel



Polished Chrome



Brilliance® Luxe Nickel



Brilliance® Polished Nickel



Brilliance® Luxe Nickel / Wood



Polished Chrome / Wood



FRANK LLYOD WRIGHT 18" or 24" Towel Bar 691822-NK

692422-NK



FRANK LLYOD WRIGHT **Tissue Holder** 695022-NK



FRANK LLYOD WRIGHT Robe Hook 693422-NK



FRANK LLYOD WRIGHT **Universal Flush Lever** 696322-NK



FRANK LLYOD WRIGHT Drawer Knob / Pull 699222-NK / 699122-NK



FRANK LLYOD WRIGHT Shelf 691022-NK

INVARI | Available Finishes



Polished Chrome



Brilliance® Luxe Gold



Brilliance® Luxe Steel



Brilliance® Polished Gold



Brilliance® Luxe Nickel



Brilliance® Polished Nickel



INVARI 18" or 24" Towel Bar 691876-PG 692476-PG



INVARI Tissue Holder 695076-PG



INVARI **Drawer Knob** 699276-PG



INVARI **Robe Hook** 693476-PG



INVARI **Drawer Pull** 699176-PG





ODIN | Available Finishes



Polished Chrome




Brilliance® Luxe Gold



Brilliance® Luxe Nickel



Matte Black



ODIN 18" or 24" Towel Bar 691875-PC 692475-PC



ODIN Towel Ring694675-PC



ODIN Tissue Holder 695075-PC



ODIN Robe Hook693575-PC



ODIN Front Mount Flush Lever 696075-PC



ODIN Side Mount Flush Lever 696275-PC



ODIN Drawer Knob 699275-PC



ODIN Drawer Pull699175-PC



ODIN Single Light Sconce 697075-PC

JASON WU | Available Finishes



Matte Black



JASON WU 18" or 24" Towel Bar 691875-BL 692475-BL



JASON WU Towel Ring 694675-BL



JASON WU Robe Hook 693575- BL



JASON WU Front Mount Flush Lever 696075-BL



JASON WU Side Mount Flush Lever 696275- BL



JASON WU Drawer Knob 699275- BL



JASON WU Drawer Pull 699175- BL



JASON WU Single Light Sconce 697075- BL

KINTSU | Available Finishes



Polished Chrome



Brilliance® Luxe Gold Luxe Nickel





Black Onyx



KINTSU 18" or 24" Towel Bar 691806-PC 692406-PC



KINTSU Tissue Holder 695006-PC



KINTSU **Robe Hook** 693406-PC



KINTSU **Universal Tank Lever** 696306-PC



KINTSU **Drawer Knob** 699206-PC



KINTSU **Drawer Pull** 699106-PC

LEVOIR | Available Finishes

Brilliance®

Black Onyx



Polished Chrome



Brilliance® Luxe Gold



Brilliance®

Luxe Nickel



Brilliance® Luxe Steel



Brilliance® Polished Nickel



691898-GL 692498-GL





LEVOIR Universal Tank Lever 696398-GL



LEVOIR Tissue Holder 695098-GL



LEVOIR Drawer Knob 699298-GL



LEVOIR Double Robe Hook 693598-GL



LEVOIR Drawer Pull 699198-GL

LITZE | Available Finishes



Brilliance® Luxe Steel



Brilliance® Chrome Luxe Nickel



Brilliance® Luxe Gold



Brilliance®



Brilliance® Polished Nickel Luxe Nickel / Wood Chrome / Wood





LITZE 18" or 24" Towel Bar 691835-GL 692435-GL



LITZE Tissue Holder 695035-GL



LITZE **Double Robe Hook** 693535-GL



LITZE **Drawer Knob** 699235-GL



LITZE **Drawer Pull** 699137-GL

LITZE Universal Tank Lever 696335-GL

ROOK | Available Finishes



Brilliance® Luxe Nickel/ Matte Black



Polished Chrome



Brilliance® Luxe Gold



Brilliance® Luxe Nickel



Venetian Bronze®



Polished Nickel



ROOK 18" or 24" Towel Bar 691861-NKBL 692461-NKBL



ROOK Universal Tank Lever 696361-NK



ROOK Tissue Holder 695061-NKBL



ROOK **Drawer Knob** 699261-NKBL



ROOK Double Robe Hook 693561-NKBL



R00K **Drawer Pull** 699161-NKBL

Grab Bars

Available Finishes







Brilliance® Luxe Gold



Brilliance®

Luxe Nickel



Brilliance® Polished Nickel



Brilliance® Brushed Nickel



Venetian® Bronze



18" Classic Grab Bar 69410-PC



24" Classic Grab Bar 69310-PC



36" Classic Grab Bar 693610-PC

Available Finishes



Polished



Brilliance®



Brilliance® Brushed Nickel



Matte Black



18" Linear Square Grab Bar 69480-PC



24" Linear Square Grab Bar 69380-PC



36" Linear Square Grab Bar 693680-PC



18" Linear Round Grab Bar 69475-PC



24" Linear Round Grab Bar 69375-PC



36" Linear Round Grab Bar 693675-PC

Sink Trims & Shower Drain

Available Finishes

*SELECT SKUS ARE ONLY AVAILABLE IN CERTAIN FINISHES







Brilliance® Luxe Gold



Brilliance®

Luxe Nickel



Venetian® Bronze



Brilliance® Black Onyx



Matte Black



Brilliance[®] Luxe Steel



Brilliance® Polished Gold



Brilliance® Brushed Nickel



Brilliance® Polished Nickel



20" Supply Line BT01201-PC



Straight Supply Stop Valve -**Cross Handle** BT021204-PC



Straight Supply Stop Valve -Lever Handle BT021205-PC





Angled Supply Stop Valve BT022204-PC



Angled Supply Stop Valve BT022205-PC



P-Trap with Flange BT031141-PC



4" Prefab Round Shower Drain BT051414-PC



4" Tile-In Round Shower Drain BT061414-PC



4" Tile-In Square Shower Drain BT062415-PC

SPARE PARTS

Handle and Set Screw RP102079PC

Handle and Set Screw RP102080PC

Mounting Assembly RP103254PC

Supply Stop Tube & Escutcheon RP103257PC

Tile-in Drain Screws RP102164PC









Single-Hole Faucet 110 with Pop-Up Drain

Flow Rate: 1.2 gpm 76020001



Widespread Faucet 110 with Pop-Up Drain

Flow Rate: 1.2 gpm 76033001



Ecostat Thermostatic Trim S with Volume Control

Flow Rate: 6.0 gpm 04230000 / 01850181 Rough Included



Single-Hole Faucet 230 with 2-Spray Pull-Out

Flow Rate: 1.2 gpm 76063001 / 50100671 Drain Included



Widespread Faucet 160 with Pop-Up Drain

Flow Rate: 1.2 gpm 76034001



Thermostatic Trim with Volume Control and Diverter

Flow Rate: 7.0 gpm 04231000 / 01850181 Rough Included



Single-Hole Faucet 260

Flow Rate: 1.2 gpm 76070001 / 50100671 Drain Included



Wall-Mounted Single-Handle Faucet Trim

Flow Rate: 1.2 gpm 76050001 / 50100671 / 13622181 Drain & Rough Included



Ecostat Pressure Balance Trim S with Diverter

Flow Rate: 4.5 gpm 04447000 / 01850181 Rough Included

Available Finishes











ShowerSelect Thermostatic Trim for 2 Functions, Round

Flow Rate: 8.0 gpm 15743001 / 01850181 Rough Included



Ecostat Diverter Trim S Trio/Quattro

04232000 / 15930181 Rough Included



Ecostat Pressure Balance Trim S

Flow Rate: 5.44 gpm 04233000 / 01850181 Rough Included



Croma Select S Shower Head 180 2-Jet

Flow Rate: 1.8 gpm 04388000



Croma Select E Shower Head 180 2-Jet Flow Rate: 1.8 gpm

04387000



Raindance Showerarm, 9", 15" 27422001



Vernis Blend Wallbar Set 100 Vario-Jet with Wall Outlet 24"

Flow Rate: 1.5 gpm 04971000



Extension Pipe for Ceiling Mount





Single-Hole Faucet 100 with Pop-Up Drain Flow Rate: 1.2 gpm 04810000



Single-Hole Faucet 230 Flow Rate: 1.2 gpm 04811000 / 50100101 Drain Included



Widespread Faucet 100 with Pop-Up Drain Flow Rate: 1.2 gpm 04813000



Freestanding Tub Filler Trim with Handshower Handshower Flow Rate: 1.75 gpm

Handshower Flow Rate: 1.75 gpm 04818000 / 10452181 Rough Included



4-Hole Roman Tub Set Trim with Handshower

Handshower Flow Rate: 1.75 gpm 04817000 / 06646000 Rough Included

Available Finishes















Thermostatic Trim with Volume Control Flow Rate: 6.0 gpm 04821000 / 01850181

Rough Included



Thermostatic Trim with Volume **Control and Diverter** Flow Rate: 6.0 gpm 04820000 / 01850181



Pressure Balance Trim Flow Rate: 5.44 gpm 04822000 / 01850181 Rough Included



Overhead Shower 240 1-Jet Flow Rate: 2.5 gpm 04823000



Showerarm 15" 04833000

Rough Included



Raindance Select S Handshower 120 3-Jet PowderRain Flow Rate: 2.5 gpm 26037001



Wallbar, 24" 04829000



Wall Outlet with Check Valves 04839000



Tub Spout 04814000



Tub Spout with Diverter 04815000



Available Finishes Chrome













Single-Hole Faucet 110 Flow Rate: 1.2 pm 31080001



Single-Hole Faucet 230, Swivel Spout Flow Rate: 1.2 gpm 31087001



Single-Hole Faucet 260 Flow Rate: 1.2 gpm 31082001 / 50001001 Drain Included



4-Hole Roman Tub Set Trim with Handshower

Flow Rate: 1.75 gpm 31404001 / 06646000 Rough Included



Metris Wall-Mounted Single-Handle **Faucet Trim**

Flow Rate: 1.2 gpm 31086001 / 50100101 / 13622181 Drain and Rough Inlouded



Tub Spout 31494001



Freestanding Tub Filler with Handshower Flow Rate: 1.75 gpm

31432001 / 10452181 Rough Included



Ecostat Thermostatic Trim S with Volume Control

Flow Rate: 6.0 gpm 04230000 / 01850181 Rough Included



Thermostatic Trim with Volume Control and Diverter

Flow Rate: 7.0 gpm 04231000 / 01850181 Rough Included



ShowerSelect Thermostatic Trim for 2 Functions, Round

Flow Rate: 8.0 gpm 15743001 / 01850181 Rough Included



Ecostat Diverter Trim S Trio/Quattro

04232000 / 15930181 Rough Included



Ecostat Pressure Balance Trim S with Diverter

Flow Rate: 4.5 gpm 04447000 / 01850181 Rough Included



Ecostat Pressure Balance Trim S

Flow Rate: 5.44 gpm 04233000 / 01850181 Rough Included



Croma Select E Shower Head 180 2-Jet

Flow Rate: 1.8 gpm 04387000



Vernis Blend Wallbar Set 100 Vario-Jet with Wall Outlet 24"

Flow Rate: 1.5 gpm 04971000 Not available in Brushed Nickel



Croma Select S Shower Head 180 2-Jet

Flow Rate: 1.8 gpm 04388000



Extension Pipe for Ceiling Mount 27393001



Raindance Showerarm, 9", 15" 27422001



Available Finishes Chrome















Single-Hole Faucet 110 Flow Rate: 1.2 pm 75020001



Single-Hole Faucet 250 Flow Rate: 1.2 gpm 75042001 / 50001001 Drain Included



Single-Hole Faucet 210, Swivel Spout Flow Rate: 1.2 gpm 75030001



Widespread Faucet 90 Flow Rate: 1.2 gpm 75033001



4-Hole Roman Tub Set Trim with Handshower Flow Rate: 1.8 gpm 75443001 / 06646000 Rough Included



Tub Spout 75410001



4-Hole Roman Tub Set Trim with Handshower

Flow Rate: 1.75 gpm 75445001 / 10452181 Rough Included



Ecostat S Pressure Balance Trim

Flow Rate: 5.5 gpm 15739001/01850181 Rough Included



Croma Select E Shower Head 180 2-Jet

Flow Rate: 1.8 gpm 04387000 Not available in Matte Black



Ecostat S Thermostatic Trim with Volume Control

Flow Rate: 6.0 gpm 15757001 / 01850181 Rough Included



Ecostat S Thermostatic Trim with Volume Control and Diverter

Flow Rate: 6.0 gpm 15758001 / 01850181 Rough Included



ShowerSelect Thermostatic Trim for 2 Functions

Flow Rate: 8.0 gpm 15743001 / 01850181



Croma Select S Shower Head 180 2-Jet

Flow Rate: 1.8 gpm 04388000



Vernis Blend Wallbar Set 100 Vario-Jet with Wall Outlet 24"

Flow Rate: 1.5 gpm 04971000 Not available in Brushed Nickel



Extension Pipe for Ceiling Mount 27393001



Raindance Showerarm, 9", 15"

Not available in Matte Black

Shower Pipes



Chroma Select S Showerpipe 180 2-Jet Chrome 27254001 / 16181181 Brushed Nickel 27254821 / 16181181



Croma Showerpipe 150 1-Jet Chrome 27169001 / 16181181 Brushed Nickel 27169821 / 16181181




Croma Showerpipe 150 1-Jet with Tub FillerChrome 27143001 / 16181181
Brushed Nickel 27143821 / 16181181









Available Finishes















Single-Hole Faucet 160 With Pop-Up Drain

Flow Rate: 1.2 GPM 39031001



Single-Hole Faucet 270 With Pop-Up Drain

Flow Rate: 1.2 GPM 39020001



Widespread Faucet 170 With Lever Handles

Flow Rate: 1.2 GPM 39135001



Wall-Mounted Single-Handle Faucet Trim

Flow Rate: 1.2 GPM 39116001 / 50001001 / 13622181 Drain and Rough Included



Wall-Mounted Widespread Faucet Trim With Lever Handles

Flow Rate: 1.2 GPM 39147001 / 50001001 / 10303181 Drain and Rough Included



4-Hole Roman Tub Set Trim With Lever Handles and Handshower

Flow Rate: 5.0 GPM 39462001 / 13444181 Rough In Included



Freestanding Tub Filler Trim With Handshower

Flow Rate: 5.5 GPM 39460001 / 10452181 Rough In Included



Thermostatic Trim With Volume Control And Diverter

39720001 / 01850181 Rough In Included



Baton Handshower 2-Jet

Flow Rate: 1.75 GPM 04486000

Wallbar 36" 27831000



Showerhead 180 1-Jet Flow Rate: 2.5 GPM 28489001



Raindance Showerarm, 9" 27422001



Showersolutions Wall Outlet With Check Valves

27451001

CITTERIO E





Single-Hole Faucet 125 Flow Rate: 1.2GPM 36100001



Single-Hole Faucet 250 Flow Rate: 1.2GPM 36104001 / 50001001 Drain Included



Single-Hole Faucet 125 With Lever Handle Flow Rate: 1.2GPM 36111001 / 50100101 Drain Included



Single-Hole Faucet 250 With Lever Handle Flow Rate: 1.2GPM

36113001 / 50001001



Wall-Mounted Single-Handle Faucet Trim Flow Rate: 1.2GPM 36106001 / 13622181 / 50001001 Rough and Drain Included



Wall-Mounted Widespread Faucet Trim Flow Rate: 1.2GPM 36107001 / 10303181 / 50001001 Rough and Drain Included



Widespread Faucet 170 Flow Rate: 1.2GPM



Single-Hole Bidet Faucet Flow Rate: 1.5GPM 36120001



4-Hole Thermostatic Roman Tub Set Trim With Handshower Flow Rate: 5.3GPM 36413001 / 15460181 Rough Included



Thermostatic Freestanding Tub Filler Trim With Handshower





Thermostatic Module Trim 15" X 5"
For 2 Functions

36703001 / 36701181 Rough Included



Thermostatic Module Trim 15" X 5" For 3 Functions

36704001 / 36708181 Rough Included



Wallbar 36" 36736000 / 42871000



Baton Handshower 2-Jet Flow Rate: 1.75GPM 04486000



Wall Outlet With Check Valves 27451001



Showerhead 180 1-Jet Flow Rate: 2.5GPM 28489001



Raindance Showerarm, 9" 27422001



Tub Spout 36425001



Available Finishes













Single-Hole Faucet 100 Flow Rate: 1.2GPM 16515001



Widespread Faucet 30 With Lever Handles Flow Rate: 1.2GPM 16535001



Widespread Faucet 180 With Lever Handles Flow Rate: 1.2GPM 16514001



Wall-Mounted Widespread Faucet Trim With Lever Handles

Flow Rate: 1.2GPM 16534001 / 10303181 / 50001001 Rough and Drain Included



4-Hole Roman Tub Set Trim With Lever Handles

Flow Rate: 5.3 GPM 16555001 / 13444181



2-Handle Freestanding Tub Filler Trim With Lever Handles

Flow Rate: 1.8 Gpm Handshower 16563001 / 16549181 Rough Included



Thermostatic Trim With Volume Control 16801001 / 01850181

Rough Included



Thermostatic Trim With Volume Control and Diverter

16821001 / 01850181 Rough Included



Wallbar, 32" 27982001



Handshower 100 1-Jet

Flow Rate: 1.8 Gpm

04695000



Wall Outlet With Check Valves

16884001

Not availale in Polished Nickel



Showerhead 240 1-Jet

Flow Rate: 1.8GPM

28374001



Raindance Showerarm, 15"

27422001



Extension Pipe For Ceiling Mount

26432001

Not availale in Polished Nickel



Tub Spout 16541001



Available Finishes





Gold Optic

















Single-Hole Faucet Select 170 Flow Rate: 1.2GPM 48020001 / 50100101 Drain Included



Single-Hole Faucet Select 260 Flow Rate: 1.2GPM 48030001 / 50001001 Drain Included



2-Hole Single-Handle Faucet 260 Flow Rate: 1.2GPM 48060001 / 50001001 Drain Included



Single-Hole Faucet 70 Flow Rate: 1.2GPM 48001001 / 50100101 Drain included



Single-Hole Faucet 260 Flow Rate: 1.2GPM 48002001 / 50001001 Drain included



Widespread Faucet 170 Flow Rate: 1.2GPM 48050001 / 50100101 Drain included



Widespread Faucet Select 170 Flow Rate: 1.2GPM 48070001 / 50100101

Drain included



Wall-Mounted Single-Handle Faucet Select Flow Rate: 1.2GPM 48112001 / 50001001 Drain included



Showerhead 280 2-Jet With Showerarm Trim Flow Rate: 2.5GPM 48481001 / 35361181 Rough Included



Overhead Shower 280 2jet 2.5 GPM With Ceiling Connection Flow Rate: 2.5GPM 48483001 / 26434181 Rough included




Thermostat Module 1-Function 45711001 / 45710181 Rough Included



Thermostatic Module Trim for 2 Functions 45712001 / 45710181 Rough Included



Thermostatic Module Trim for 3 Functions 45713001 / 45710181 Rough Included



Wallbar Set 75 1-Jet with Wall Outlet Flow Rate: 1.75GPM 48793001



Freestanding Tub Filler Trim With Handshower Flow Rate: 5.31GPM 48441001 / 10452181 Rough Included





ONE PIECE FREE STANDING BATH TUBS



CALAGOCF1024
59 3/4" x 31 1/2" x 30 1/2"
Includes drain



CARRERA CF1014 67" x 31" x 24" Includes drain



HESSACF1026 - 59" x 31 ½" x 23 ¾"
CF1027 - 67" x 31 ¼" x 23 ½"
Includes drain



ILUSA CF1018 59½" x 30" x 22" Includes drain



ISHYA CF1019 - 59 ½" x 29" x 27 ½" Includes drain



MISTAYA CF1021 - 59" x 31 ½" x 23 ½" CF1022 - 66 ¾" x 31 ½" x 23 ¾" Includes drain



NUANCF1028 - 59" x 31" x 23 ¾"
CF1029 - 67 ¼" x 31" x 23 ¾"
Includes drain



PRIACF1023 - 67" x 28 ½" x 33"
Includes drain



SKYECF1012 - 66 ½" x 29 5%" x 23 3/4"
Includes drain



SLATE CF1016 - 66 3/4" x 31 1/2" x 24" Includes drain



SUSSEX CF1015 - 70 ¾" x 31 ½" x 27" Includes drain

SKIRTED BATHS $\ lacktriangledown$



TUCSON TA6032L1/R1 - 60" x 32" x 20"



AUSTIN B060L/R - 60" x 30" x 20"



AUSTIN 16 B070L/R - 60" x 30" x 16"



ADORA B062L/R - 60" x 32" x 20



PHOENIX PA6030L/R - 60" x 30" x 20" Includes drain

For ABS Waste and Overflow Kit please visit page 258.

ALCOVE BATHS





ENVY B069SL/R - 60" x 30" x 22"



AURA B063L/R60" x 30" x 20"

For ABS Waste and Overflow Kit please visit page 258.

DROP-IN BATHS



BLISS B0672 - 60" x 32" x 20"




MARLOWE B0612 - 60" x 36" x 20"



KALM B0942 - 72" x 36" x 20"



HUDSON 5 H6042 - 60" x 42" x 20"



HUDSON 6 H7242 - 72" x 42" x 20"



ADDA B0652 - 60" x 32" x 22"



MELLA B0752 - 66" x 34" x 22"

For ABS Waste and Overflow Kit please visit page 258.





STRADA SQD4836A1 - 48" x 36" x 3" 3-Sided Alcove Flange



STRADA SQD6030LA1/RA1 - 60" x 30" x 3" 3-Sided Alcove Flange



STRADA SQD6032LA1/RA1 - 60" x 32" x 3" 3-Sided Alcove Flange



STRADA SQD6036A1 - 60" x 36" x 3" 3-Sided Alcove Flange



TUB SHOWERS / MODULAR



LIBERTY

TS5L1/R1 - 60" x 33 ½" x 88" Sloped lumbar support Convenient dual armrests Built-in acrylic towel bar



MADISON 5

60" x 33 1/4" x 88 Shower Stall - One Piece SH51LS1/RS1 With Seat SH51L1/R1 Without Seat Free Living Standard Includes right and left side grab bars for safe and easy entry FS5LS1/RS1 With Seat FS5L1/R1 Without Seat



MADISON 5

60" x 34 1/4" x 84 1/2"
Shower Stall - Multi-Piece
SH53LS1/RS1 With Seat
SH53L1/R1 Without Seat
Free Living Standard
Includes right and left side grab bars for
safe and easy entry
FS53LS1/RS1 With Seat
FS53L1/R1 Without Seat



MADISON 4

50" x 33 ½" x 88 Shower Stall - One Piece SH4LS1/RS1 With Seat SH4L1/R1 Without Seat Low 4" threshold for easy entry and exit Generous shelving Includes colour coordinated "S" shape grab bar



MADISON 4

50" x 34 ½" x 84 ½"
Shower Stall - Multi-Piece
SH43LS1/RS1 With Seat
SH43L1/R1 Without Seat
Low 4" threshold for easy entry and exit
Generous shelving
Includes colour coordinated "S" shape grab bar



MADISON 3

38" x 33 1/4" x 88"
Shower Stall - One Piece
SH3L1/SH3R1
Low 4" threshold for easy entry and exit
Generous shelving
Includes colour coordinated "S" shape grab bar
Convenient footrests



MADISON 3

Shower Stall - Multi-Piece 38" x 34 1/4" x 84 1/2" SH33L1/SH33R1 Low 4" threshold for easy entry and exit Generous shelving Includes colour coordinated "S" shape grab bar Convenient footrests







Contrac Sinks

PEDESTAL SINKS



PINEVIEW PEDESTAL SINK
22" W x 18½" D x 33 7/8" H
4313DSX Single Hole , 4343DSX 4" Center
4383DSX 8" Center , 4344DMX Pedestal Leg



PINEVIEW PEDESTAL SINKFull Set, Matte Black
4310DSX-077
Inlcudes leg



PINEVIEW PEDESTAL SINK Full Set, Slate Grey 4310DSX-088 Inloudes leg

VESSEL SINKS



ABBI - Round Vessel Sink Soft White 165%" W x 165%" D x 75%" H 4500ARW Faucet not included



ABBI - Round Vessel Sink Matte Black 16%" W x 16%" D x 75%" H 4500ARW-077 Faucet not included



ABBI - Round Vessel Sink Slate Grey 165%" W x 165%" D x 75%" H 4500ARW-088 Faucet not included

UNDERMOUNT SINKS



CONNOR - Oval Undermount Sink 17" W x 14" D x 7½" H 4210CFY



CALVIN - Oval Undermount Sink 19¼" W x 161⁄8" D x 75⁄8" H 4220CFY



CATENA - Rectangular Undermount Sink 20" W x 153%" D x 7½" H 4210CIY



CATENA PETITE -Rectangular Undermount Sink 17"W x 11 5/8"D x 7½" H 4210CLY



COLLETTE - Rectangular Undermount Sink 215/8" W x 133/4" D x 71/2" H 4220CIY



EMERY - Rectangular Undermount Sink 21½" W x 14" D x 8¼" H 4220CGY



EMERY - RECTANGULAR UNDERMOUNT SINK 21½" W x 14" D x 8¾" H Matte Black 4220CGY-077



EMERY - RECTANGULAR UNDERMOUNT SINK 21½" W x 14" D x 8¼" H Slate Grey 4220CGY-088



EMERY PETITE 18½" W x 13¾" D x 71⁄8" H 4220CJY

Contrac Toilets

TWO PIECE TOILETS



CARLIN

17½" W x 26¾" D x 30½" H Bowl Height: 15 1/2" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Not Included, Also available as lined 4722BEV / 4721BEV/1



CATO

17¼" W x 29¼" D x 31½" H Bowl Height: 15 1/2" Ultra high efficiency toilet 3.5Lpf / 0.92Gpf Seat Not Included 5730BEXU

For seat selections, please visit the Centoco section on page 211.



CODY

17¼" W x 28½" D x 30" H Bowl Height: 15 1/2" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Not Included, Also available as lined 4722BEV / 4721BFVU



CRISTA

17¼" W x 29½" D x 31" H Bowl Height: 17" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Not Included, Also available as lined

ONE PIECE TOILETS



MANNING

15½" W x 26¾" D x 30¾" H Bowl Height: 16 1/7" High efficiency dual flush toilet with seat 4.8Lpf/1.28Gpf or 3.5Lpf/0.92Gpf 4710BHXU-TS



CALI

15½" W x 28½" D x 301⁄8" H Bowl Height: 17" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Included, Also available as lined 4710BOVU



CII A

15¾" W x 28½" D x 30½" H Bowl Height: 17" Ultra high efficiency toilet 3.5Lpf / 0.92Gpf Seat Included 4710BOXU



KIERA

15½" W x 28½" D x 30½" H Bowl Height: 17" High efficiency dual flush toilet 4.8Lpf / 1.28Gpf or 3Lpf / 0.8Gpf Seat Included 4710BNWU



CARLAW

15½" W x 26¾" D x 30¾" H Bowl Height: 16 1/3" High efficiency toilet 4.8Lpf / 1.28Gpf Seat Included 4710BAVU





Avenue Sinks

PEDESTAL SINKS



ST. CLAIR 2278" (W) x 1734" (D) x 34" (H)

F-1505A-8W 8" Centre F-1505A-W Single Hole L-1505A-W Leg



CASTLEFIELD

24" (W) x 19" (D) x 36" (H) F-1525A-W Single Hole F-1525A-4W 4" Centre F-1525A-8W 8" Centre L-1525-W Leg

UNDERMOUNT SINKS



ST. CLAIR

ST. CLAIR 21½" (W) x 14½" (D) x 8¼" (H) 14-031A-W



ногт

191/8" (W) x 151/2" (D) x 67/8" (H) 14-043A-W Round



HOLT

19¼" (W) x 13¾" (D) x 6¾" (H) 14-042A-W Rectangular



MELROSE

 $271/\!\!\!/2"$ (W) x 133/4" (D) x 57/8" (H) 14-041A-W

VESSEL SINKS



ST. CLAIR - Semi Recessed 22%" (W) x 17%" (D) x 7" (H) 13-1505A-W-LP Faucet not included



MADISON - Semi Recessed 20¼" (W) x 15½" (D) x 5½" (H) 13-0087A-W



MADISON – Round 15¾" (W) x 15¾" (D) x 6"(H) 13-0090A-W White 13-0090A-BKM Matte Black



MADISON – Rectangular 19¾" (W) x 13¾" (D) x 6" (H) 13-1515A-W



MADISON – Square 15¾" (W) x 15¾" (D) x 6"(H) 13-1517A-W-LP



ROSELAWN – Oval 22" (W) x 17¾" (D) x 5½" (H) 13-1076A-W



ROSELAWN – Rectangular 20¼" (W) x 14¾" (D) x 4¾" (H) 13-1083A-W Faucet not included

Avenue Toilets

ONE PIECE TOILETS



EGLINTON

4.8L/1.28G High efficiency with seat 14%" (W) x 28'' (D) x 30%" (H) Bowl Height: $161\!\!\!/\!\!\!/^2$ TL-3100A-WL



GLENCAIRN

4.8L/1.28G High efficiency with seat 17%'' (W) x 28%'' (D) x 29%'' (H) Bowl Height: 16%'' TL-1223HCA-EW



DAVISVILLE

3.5LPF/0.92GPF High efficiency with seat 144'' (W) X 283'' (D) x 293'' (H) Bowl Height: 165'' TL-1423HCA-EW

TWO PIECE TOILETS



EGLINTON

4.8L/1.28G High efficiency with seat 14% " (W) x $28^{\prime\prime}$ (D) x 30% " (H) Bowl Height: $161\!\!\!/\!\!\!/^2$ TL-3120A-WL



CASTLEFIELD

4.8LPF/1.28GPF High efficiency with seat 17½" (W) x 28" (D) x 31¼" (H) Bowl Height: 16½" TL-1224HCA-EW

WAL HUNG TOILET

INTELLIGENT TOILET



EGLINTON

6L/1.6G or 3L/0.8G Adjustable bowl height 16" min. – 17" max. 14%" (W) x 20%" (D) x 14%" (H) Toilet Bowl 23¼" (W) x 3½" (D) x 44½" to 49%" (H) Tank Carrier with seat LL-3130A-W



MASSA

26 3/4" in (L) × 16" in (W)× 20 3/8" in (H) Compact, concealed one piece toilet with integrated personal cleaning 1.28Gpf (4.8Lpf) single flush high efficiency 16" Height elongated bowl with seat ITL-5001-EW

BIDET



ST. CLAIR - Bidet 14 1/8" (W) X 22" (D) x 15 7/8" (H) Bowl Height: 15 7/8" BD-201A-W LL-3130A-W





Residential 1100-001 - Round



Residential 1200-001 – Round 1200BP8-001 – Bulk Pack



Residential 1600-001 – Elongated 1600BP8-001 - Bulk Pack



Residential 3700SC-001– Round 3700SCBP-001 - Bulk Pack 3700SCLC – Lift Clean Features: Safety Close and Lift Clean



Residential
3800SC-001– Elongated
3800SCBP-001 – Bulk Pack
3800SCLC – Lift Clean
Features: Safety Close and Lift Clean




Residential 6500SC-001 – Elongated Features: Safety Close



Residential 950SCCT-001 – Elongated Features: Safety Close and Concealed Trap







Features

- Multi-Fire XD® Flame Effect
- Edgeless Design
- Media Accent Colors
- Optional Media Modes
- Comfort\$aver®
- Heat Boost
- Cool-touch Glass
- Smart Self-Diagnostics
- · Seamless Installation

Flame Themes



Included Media







50" Linear Electric Fireplace 51-1/2" x 16-1/2" x 5-7/8 500002573 XLFTRIM50 - Trim Kit



60" Linear Electric Fireplace 61-1/2" x 16-1/2" x 5-7/8" 500002574 XLFTRIM60 - Trim Kit



74" Linear Electric Fireplace 75-1/2" x 16-1/2" x 5-7/8 500002608 XLFTRIM74 - Trim Kit




100" Linear Electric Fireplace 101-1/2" x 16-1/2" x 5-7/8 500002563 XLFTRIM100 - Trim Kit

Includes:

Hidden Touch Controls Mood-maker Remote Flame Connect App







Multi-Fire® XD Flame Effect

Vivid flames that are brighter and more lifelike day or night, featuring a multi-layered color effects creating a sense of depth.

Bigger, Better Viewing

Elevate fireplace enjoyment with an impressive 16" (40.6 cm) high viewing are.

Modular Installation

Use the linking kit and combine multiple units in a series to achieve your desired lengt.

historia

50" Linear Electric Firebox

XLF5017-XD Product Dimensions with trim (WxHxD) 50-1/2" x 23-7/8" x 12-1/4"



88" Linear Electric Firebox

XLF8817-XD Product Dimensions with trim (WxHxD) 88-1/4" x 23-7/8" x 12-1/4"



60" Linear Electric Firebox

XLF6017-XD Product Dimensions with trim (WxHxD) 63-1/8" x 23-7/8" x 12-1/4"



100" Linear Electric Firebox

XLF10017-XD Product Dimensions with trim (WxHxD) 100-3/4" x 23-7/8" x 12-1/4"

Flame Themes





74" Linear Electric Firebox

XLF7417-XD Product Dimensions with trim (WxHxD) 75-5/8" x 23-7/8" x 12-1/4"

ACCESSORIES (Sold Separately)

> Plug Kit XLFXDPLUG

> Linking Kit XLFXDLINK

Includes: Hidden Touch Controls

Mood-maker Remote Flame Connect App





Less Frame, More Flame

Clean front face with minimal trim makes the dazzling flames the focal point.

Multi-Fire XD® Flame Effect

Vivid flames that are brighter and more lifelike, day or night.

Comfort\$aver® Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.

IgniteXL® 50" XLF50 Product Dimensions (WxHxD) 50-1/4" x 15-5/8" x 5-7/8"



IgniteXL® 60" XLF60 Product Dimensions (WxHxD) 60-1/4" x 15-5/8" x 5-7/8"



IgniteXL® 74" XLF74 Product Dimensions (WxHxD) 74-1/4" x 15-5/8" x 5-7/8"

IgniteXL® 100" XLF100 Product Dimensions (WxHxD) 100-5/8" x 15-5/8" x 5-7/8"

ACCESSORIES (Sold Separately)

Driftwood & River Rock Accessory Kit Fireplace - Model #

XLF50 - LF50DWS-KIT XLF60 - LF74DWS-KIT XLF74 - LF74DWS-KIT XLF100 - LF100DWS-KIT

Metal Trim Kit Allows for installation into 2" x 4" wall construction

Fireplace - Model # XLF50 - XLFTRIM50 XLF60 - XLFTRIM60

XLF74 - XLFTRIM74 XLF100 - XLFTRIM100

Includes:

Hidden Touch Controls Mood-maker Remote Plug Kit



Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine vapor to create the illusion of flames and smoke.

Comfort\$aver® Heating System

Safe concealed ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.

Slim Design

A zero-clearance firebox with a slimmer 11-1/2" deep design.

Flame Themes





OLF46-AM - Opti-myst 46" Linear Electric Fireplace Product Dimensions (WxHxD) 47-1/2" x 31-1/2" x 11-7/8"



OLF66-AM - Opti-myst 66" Linear Electric Fireplace Product Dimensions (WxHxD) 67-1/2" x 31-1/2" x 11-7/8"



OLF86-AM - Opti-myst 86" Linear Electric Fireplace Product Dimensions (WxHxD) 87-1/2" x 31-1/2" x 11-7/8"

ACCESSORIES (Sold Separately)

Plumb Kit CDFIPLUMB-KIT 781052103221 Includes: Sight and Sound Remote Flame Connect App





Multi-Fire® SL Flame Effect

Large, high-contrast flames feature a multi-layered color effect that creates a sense of depth,

Comfort\$aver® Heating System

Safe concealed ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.

Slim Design

Installs flush into a 2"x4" wall for a seamless look or can be wall mounted (bracket included) for quick and easy installation



36" Slim Linear Electric Fireplace PLF3614-XS Product Dimensions (WxHxD) 37-1/4" x 19-5/8" x 3-7/8"



50" Slim Linear Electric Fireplace PLF5014-XS Product Dimensions (WxHxD) 51-1/4" x 19-5/8" x 3-7/8"



42" Slim Linear Electric Fireplace PLF4214-XS Product Dimensions (WxHxD) 43-1/4" x 19-5/8" x 3-7/8"



60" Slim Linear Electric Fireplace PLF6014-XS Product Dimensions (WxHxD) 61-1/4" x 19-5/8" x 3-7/8"

Flame Themes



ACCESSORIES (Sold Separately) Plug Kitt PLFXSPLUG

781052139534

Includes: Hidden Touch Controls Multi-function Remote Flame Connect App





Revillusion® Flame Technology

Flames are large, bright and more random, appearing from within the log.

ThruView[™] Full-depth Design

See clear through the flames to the back of the firebox for a more authentic experience.

Ambient Light Sensor

Automatically adjusts firebox light to suit the room day or nigh.

Includes Single Pane Glass and 120V Plug Kit



24" Electric Firebox RBF24DLXWC Product Dimensions (WxHxD) 25-1/4" x 22-7/8" x 12-1/8"



30" Electric Firebox 500002389 Product Dimensions (WxHxD) 31-1/4" x 26-5/8" x 12-1/8"



36" Electric Firebox 500002401 Product Dimensions (WxHxD) 37-1/4" x 26-5/8" x 12-1/8"



36" Electric Firebox – Portrait 500002399 Product Dimensions (WxHxD) 37-1/4" x 31" x 12-1/8"



42" Electric Firebox 500002411 Product Dimensions (WxHxD) 43-1/4" x 31" x 12-1/8"



24" Electric Firebox RBF24DLX Product Dimensions (WxHxD) 25-1/4" x 22-7/8" x 12-1/8"



30" Electric Firebox 500002388 Product Dimensions (WxHxD) 31-1/4" x 26-5/8" x 12-1/8"



36" Electric Firebox 500002400 Product Dimensions (WxHxD) 37-1/4" x 26-5/8" x 12-1/8"



36" Electric Firebox - Potrait 500002398 Product Dimensions (WxHxD) 37-1/4" x 26-5/8" x 12-1/8"



42" Electric Firebox 500002410 Product Dimensions (WxHxD) 43-1/4" x 31" x 12-1/8"



Birch Log Set RBFL24BR - 24" RBFL30BR - 30" RBFL42BR - 36", 36"P or 42"



Fresh Cut Log Set

RBFL24FC - 24"

RBFL30FC - 30"

RBFL42FC - 36", 36"P or 42"

DIR OUTDOOR/INDOOR INFRARED HEATER SERIES

Schott Nextrema®

Schott Nextrema ceramic ensures even heat distribution and minimizes light emissions.

Ease of Operation

See clear through the flames to the back of the firebox for a more authentic experience.

Outdoor Rated

Water/dust tight IP65 rating for outdoor applications.

MODEL	WATTS	VOLTS	WIDTH	HEIGHT	DEPTH	BTU's
DIR15A10GR	1500	120	35-1/2"	6-3/4"	5"	5118
DIR18A10GR	1800	240	35-1/2"	6-3/4"	5"	6142
DIR22A10GR*	2200	240	35-1/2"	6-3/4"	5"	7507
DIR30A10GR*	3000	240	50-5/8"	6-3/4"	5"	10236



DSH OUTDOOR/INDOOR INFRARED HEATER

Infrared Heater

Provides premium comfort by maximum heat in less than 3 seconds.

Ease of Operation

Programmable timer with remote control, features safety shutoff after 8 hours of continuous operation.

Flexible Installation

Optional floor stand and ceiling-mount bracket for maximum installation versatility (sold separately).

MODEL	WATTS	VOLTS	WIDTH	HEIGHT	DEPTH	BTU's
DSH20W	2000	240	23-1/2"	6-1/8""	12-7/8"	6,824

^{*}This product can not be ceiling mounted.

ACCESSORIES (Sold Separately)
DSHCMB Ceiling-mount Bracket
DSHSTAND Floor Stand



^{*}This product can not be ceiling mounted.

DLW OUTDOOR/INDOOR RADIANT SERIES

Effective Radiant Heat

Warms like the sun, heating people and objects with zero glare.

Elegant Design

Slim profile is perfect for ceiling and wall-mount applications.

Long-wave Radiant Technology

No orange glow means you can enjoy in low-light settings.



MODEL	COLOUR	WATTS	VOLTS	WIDTH	HEIGHT	DEPTH	BTU's
DLW1500B12	BLACK	1500	120	36"	6-1/2"	5-5/8"	5118
DLW1500W12	WHITE	1500	120	36"	6-1/2"	5-5/8"	5118
DLW2400B24	BLACK	2400	240	53-1/2"	6-1/2"	5-5/8"	8189
DLW2400W24	WHITE	2400	240	53-1/2"	6-1/2"	5-5/8"	8189
DLW3200B24	BLACK	3200	240	70"	6-1/2"	5-5/8"	10918
DLW3200W24	WHITE	2400	240	70"	6-1/2"	5-5/8"	10918

^{*}For ceiling-mount installations only.

ACCESSORIES (Sold Separately)

DLWAC2SIL 12" extension mounting pole
DLWAC24SI 24" extension mounting pole
DLWAC36SIL 36" extension mounting pole
DLWAC48SIL 48" extension mounting pole





ROTONDO




ROUND BAR SINK

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
RBX110	14 ¾" x 69/16"	17 1⁄8" x 69/16"	18"

Installation: Undermount with ½" Reveal or Topmount

Accessories

Universal Roller Mat - UV-36RM Coordinating Faucet - EOS-BR-304



Universal Roller Mat UV-36RM



Coordinating Faucet Eos Neo Bar Stainless EOS-BR-304

OUTDOOR SERIES





SINGLE BOWL UNDERMOUNT SINK

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
ODX110-2310-316	23" x 17" x 10"	25" x 19"	27"

Installation: Undermount with 1/2" Reveal

Accessories

Bottom Grid - PS23-36S

Coordinating Faucet - EOS-PD-316

SINGLE BOWL UNDERMOUNT SINK

SKU	Interior Dimensions	Exterior Dimensions	Minimum Cabinet Size
ODX110-2312-316	23" x 17" x 12"	25" x 19"	27"

Installation: Undermount with 1/2" Reveal

Accessories

Bottom Grid - PS23-36S

Coordinating Faucet - EOS-PD-316



Bottom Grid PS23-36S



Coordinating Faucet Eos Neo Stainless 316 EOS-PD-316





THREE SERIES: FLEXIBILITY

Luxurious high-end collections, designed without sacrificing commercial quality and innovation.

Delta Commercial's product portfolio features three unique series that are designed to offer flexibility when selecting products for your needs.



TECK Robust / Durable

- When innovation and robustness is a priority.
- Heavy duty, reliable, high quality, premium product.
- Flagship product for heavy commercial applications, leading with innovation.
- Designed with engineers and maintenance teams in mind.

HDF Economical / Dependable

- When budget and dependability matters
- Economical, simple, reliable, entry-level product with commercial warranty.
- Lower-cost alternative to TECK® and Architectural™ Design Series.
- Designed with developers and property maintenance in mind.

ADS Stylish / Reliable

- When first impressions count.
- Design forward, reliable, high quality, premium product.
- Newest series for Delta Commercial, incorporating our most sought-after innovations.
- Designed with architects and designers in mind.

ARCHITECTURAL™ DESIGN SERIES: COLLECTIONS

Designed for high-use areas, with residential elegance in mind, these collections allow you to create a bathroom space as refined as the rest of the interior while seamlessly layering in advanced technology.



DRIFTEX™ 810DPA



CONTRASTA™ 820DPA



RUSTICA™ 830DPA

PRODUCT ASSORTMENT

Faucets

Electronic Single Hole Lavatory faucet

Cover Plates

4" Center set cover plates for each type of faucet



Faucets with Soap Dispensers

Electronic Single Hole Lavatory with Single Hole Soap Dispenser



Flush Valves

Electronic Concealed Flush Valve











(CH) Chrome

(SS) Brilliance® Stainless (MB) Matte Black

(CZ) Champagne Bronze®

DELTA® COMMERCIAL -H2OPTICS® SENSING TECHNOLOGY







ELECTRONIC LAVATORY FAUCETS

Also available as hardwire & plug-in power.



SINGLE-HOLE HIGH-RISE FAUCET WITH H2OPTICS® TECHNOLOGY Single-hole high

Available outlet options ranging from 0.35 to 1.5 gpm (1.32 to 5.7 L/min)
Battery
Chrome finish
590TF1150



4" CENTRESET FAUCET WITH H20PTICS® TECHNOLOGY

0.5 gpm (1.9 L/min) laminar outlet Chrome finish Battery 591-TFLGHGMHDF 591LF-LGHGMHDF



METAL CONTROL BOXES FOR RECESSED MOUNTING

Available for 590T, 590TP, 591T, 591TP, 620TP, 621TP
And 1500T models
ELAVT0001ARI – No Mixing Valve
ELAVT0008ARI – With Thermostatic Mixing Valve



4" CENTRESET FAUCET WITH H20PTICS® TECHNOLOGY

Available outlet options ranging from 0.35 to 1.5 gpm (1.32 to 5.7 L/min)
Battery
Chrome finish
591TF1250



SURGEON SCRUB-UP FAUCET

1.5 gpm (5.7 L/min) laminar flow control in base of smooth end spout Battery 1501TF3310



3-POSITION SWITCH

Designed so healthcare facilities can continue to follow infectious control procedures.

SWITCH SETTINGS

 ${\sf ON-Solenoid}$ goes into continuous run so water lines can be fl ushed with high temperature water.

(Do not exceed 71° C (160° F) during flushing of lines as higher temperatures may damage sensor components.)

AUTO – Faucet functions according to regular settings.

OFF – Solenoid is blocked from operating so cleaning staff can clean sink without faucet operating. 060651A



SINGLE-HOLE FAUCET WITH H2OPTICS® TECHNOLOGY

0.5 gpm (1.9 L/min) laminar outlet Battery Chrome finish 590-TFLGHGMHDF



WALL-MOUNT FAUCET

1.5 gpm (5.7 L/min) laminar flow control in base of smooth end spout Battery 1501TF4670

DELTA® COMMERCIAL - PROXIMITY® SENSING TECHNOLOGY







ELECTRONIC LAVATORY FAUCETS

Also available as hardwire & plug-in power.





SINGLE-HOLE GOOSENECK FAUCET WITH PROXIMITY® SENSING TECHNOLOGY

Available outlet options ranging from 0.5 to 2.2 gpm (1.9 to 8.3 L/min)

Battery Chrome, Brilliance® Stainless or Matte Black finish 621TPA3320



SINGLE-HOLE HIGH-RISE FAUCET WITH PROXIMITY® SENSING TECHNOLOGY

Available outlet options ranging from 0.35 to 1.5 gpm (1.32 to 5.7 L/min) Battery Chrome finish

590TPA1120



4" CENTRESET FAUCET WITH PROXIMITY® SENSING TECHNOLOGY

Available outlet options ranging from 0.35 to 1.5 gpm (1.32 to 5.7 L/min) Battery Chrome finish 591TPA1220



RETROFIT KIT FOR PROXIMITY® FAUCETS

Upgrade existing (2014 and earlier) 590TP, 591TP and 590-PLGHDF Series faucets No faucet trim changes required

Retrofit kit includes controller, snap-on sensor clip and ground wire for hardwire installations 061271A



DELTA® COMMERCIAL -**DEMD FAUCETS & SOAP DISPENSERS**







LAVATORY FAUCETS & SOAP DISPENSERS

Also available in hardwire. Other model variations also available.



SINGLE-HOLE SOLAR ELECTRONIC FAUCET

For cold or premixed water Solar-powered, user-activated infrared sensor DEMD-320LF



SINGLE-HOLE ELECTRONIC THERMOSTATIC FAUCET

0.66 gpm (2.5 L/min) 0.17 gal/cycle (0.64 L/cycle)* Based on 15 second max run time* DEMD-611LF



SINGLE-HOLE FAUCET

For cold or premixed water 0.5 gpm (1.9 L/min) vandal-resistant wrench flat spray outlet Chrome DEMD-101LF



SINGLE-HOLE FAUCET

With side mixer 0.5 gpm (1.9 L/min) vandal-resistant wrench flat spray outlet Chrome DEMD-211LF



SINGLE-HOLE FAUCET

For cold or premixed water 0.5 gpm (1.9 L/min) vandal-resistant wrench flat spray outlet Chrome DEMD-301LF



SINGLE-HOLE WALL-MOUNT FAUCET

6.0" Spout - Hardwire 0.5 gpm (1.9 L/min) vandal-resistant flow control spray outlet Available in 6" or 8" DEMD-404LF



SINGLE-HOLE ELECTRONIC SOAP **DISPENSER**

1,000 ml (33.8 oz) refi llable soap bottle (soap not included) Battery powered, batteries included DESD-751



OPTIONAL REMOTE CONTROL

The sensor and flow time settings for the faucets on this page (excluding DEMD-320LF) can be adjusted with this optional remote control.

Can also be used with DEMD-86505 (Electronic Washdown Urinal Flush Valve) 060967A (To be used for above faucets only)

DELTA® COMMERCIAL -MANUAL FAUCETS









LAVATORY FAUCETS

Handles also available with Copper Defense (TM) Technology

ADA handle options:



3" Hooded Lever (available with "TI" temperature indicator)



3" Hooded Blade (available with "TI" emperature indicator)







4" CENTRESET FAUCET

1.5 gpm (5.7 L/min) vandal-resistant wrench flat flow control outlet 22C101 - Ceramic Disc



SINGLE-HOLE FAUCET

1.5 gpm (5.7 L/min) vandal-resistant flow control aerator $22C831-Ceramic\ Disc,\ with\ Metal\ Pop-Up$



6"-12" WIDESPREAD FAUCET

1.0 gpm (3.8 L/min) laminar flow control in base of the smooth end spout 23C674 - CER-TECK® Cartridge



4" CENTRESET FAUCET

1.5 gpm (5.7 L/min) standard flow control aerator 21C142 – CER-TECK Cartridge



4" CENTRESET FAUCET

1.5 gpm (5.7 L/min) standard flow control aerator 21C143 – CER-TECK Cartridge



4" CENTRESET FAUCET

1.5 gpm (5.7 L/min) vandal-resistant flow control aerator 2171LF-WBHHDF

SINK FAUCETS - SINGLE HANDLE



SINGLE-LEVER KITCHEN FAUCET

1.5 gpm (5.7 L/min) standard flow control aerator 101LF-HDF



SINGLE-LEVER KITCHEN FAUCET

1.5 gpm (5.7 L/min) standard flow control aerator 100LF-HDF



SINK FAUCETS - TWO-HANDLE

ADA handle options:



3" Hooded Lever (available with "TI" temperature indicator)



3" Hooded Blade (available with "TI" temperature indicator)



4" Blade with Sanitary Hood (available with "TI" temperature indicator)



SINGLE SHANK MIXING FAUCET



8" DECK MOUNT FAUCET 1.5 gpm (5.7 L/min) standard flow control aerator 26C3942 — CER-TECK® Cartridge





8" DECK MOUNT FAUCET 1.0 gpm (3.8 L/min) laminar flow control in base of smooth end spout 23C674 - CER-TECK® Cartridge



PRE-RINSE FAUCET 1.05 gpm @ 60 psi (4 L/min @ 414 kPa) Spring loaded stainless steel hose 55C1513 - CER-TECK® Cartridge

8" CENTRE WALL-MOUNT



8" CENTRE WALL-MOUNT SERVICE SINK FAUCET

Body-mounted angle vacuum breaker with garden hose end 28C2383 — CER-TECK® Cartridge



8" CENTRE WALL-MOUNT SERVICE SINK FAUCET

ASSE-approved integral vacuum breaker with garden hose end 28T9



8" CENTRE WALL-MOUNT SERVICE SINK FAUCET

Inline vacuum breaker with garden hose end 28C9LH



8" CENTRE WALL-MOUNT SERVICE SINK FAUCET

Spout end vacuum breaker with garden hose end Includes 48" hose and stainless steel hanger 28C8073 — CER-TECK® Cartridge



8" CENTRE WALL-MOUNT SINK FAUCET

11" (279 mm) swing spout 1.5 gpm (5.7 L/min) vandal-resistant flow control aerator 28C4434 – CER-TECK® Cartridge



1.5 gpm (5.7 L/min) vandal-resistant flow control aerator 28C6933 – CER-TECK® Cartridge

DELTA COMMERCIAL - METERING FAUCETS

Handles also available with Copper Defense™ Technology



SINGLE-HOLE FAUCET

 $0.5\ \text{gpm}$ (1.9 L/min) vandal-resistant spray outlet 87T105



SINGLE-HOLE FAUCET

 $0.5~\mbox{gpm}$ (1.9 L/min) vandal-resistant spray outlet $87\mbox{T}104$











DELTA® COMMERCIAL - FLUSH VALVES

ELECTRONIC + OPTIONS

- Finish Options Matte Black with Chrome finish now available on select models
- Trim and Rough: The rough-ins and trims for our concealed electronic flush valves can be ordered
 and installed separately
- Some models are available as a hardwire option





EXPOSED SOLAR ELECTRONIC FLUSH VALVE FOR 1 1/2" TOP INLET WATER CLOSET

Factory set at 1.6 gal. (6 Litre) flush – field adjustable 81T201SP-MM0 – Solar



EXPOSED SOLAR ELECTRONIC FLUSH VALVE FOR 3/4" TOP INLET URINAL

Factory set at 0.5 gal. (1.9 Litre) flush – field adjustable 81T231SP-MMO – Solar



EXPOSED FLUSH VALVE WITH INTEGRALSENSOR FOR 1 1/2" TOP INLET WATER CLOSET

Factory set at 1.6 gal. (6 Litre) flush — field adjustable Chrome or Matte Black with Chrome finish 81T201BTA — Battery



EXPOSED FLUSH VALVE WITH INTEGRAL SENSOR FOR 3/4" TOP INLET URINAL

Factory set at 0.5 gal. (1.9 Litre) flush — field adjustable Chrome or Matte Black with Chrome finish 81T231BTA — Battery



CONCEALED FLUSH VALVE FOR 1 1/2" BACK INLET WALL HUNG-WATER CLOSET

Factory set at 1.6 gal. (6 Litre) flush – field adjustable 1600T6103ATR and 1600T6103ARI – Hardwire



CONCEALED SOLENOID FLUSHING SYSTEM FOR BACK INLET WASHDOWN URINAL

Factory set at 0.5 gal. (1.9 Litre) flush — field adjustable 1600T9001TR and 1600T9001RI — Hardwire

DELTA® COMMERCIAL - FLUSH VALVES



RETROFIT KIT TO UPGRADE EXPOSED DELTA® 1 1/2" TOP SPUD WATER CLOSET MANUAL FLUSH VALVES TO ELECTRONIC OPERATION

Factory set at 1.6 gal. (6 Litre) flush — field adjustable 81T201BTA-20 — Battery



RETROFIT KIT TO UPGRADE EXPOSED DELTA MANUAL FLUSH VALVES TO ELECTRONIC OPERATION

81TWCBTRKA – Battery 81TURBTRKA – Battery 81TWCBTRKA: Factory set at 1.6 gal. (6 Litre) flush – field adjustable 81TURBTRKA: Factory set at 0.5 gal. (1.9 Litre) flush – field adjustable



EXPOSED FLUSH VALVE WITH WALL-MOUNT SENSOR FOR 1 1/2" TOP INLET WATER CLOSET

81T201-WMSHWA — Hardwire Factory set at 1.6 gal. (6 Litre) flush field adjustable



EXPOSED ELECTRONIC WASHDOWN URINAL FLUSH VALVE

Remote control available, order 060967A Factory set at 0.5 gal. (1.9 Litre) flush – field adjustable DEMD-86505 – Battery



SIDE MOUNT RETROFIT KIT FOR DELTA EXPOSED MANUAL FLUSH VALVES

For use on 81T TECK® exposed manual flush valves and 86T metering washdown urinal flush valves DEFM-100 – Battery

DELTA® COMMERCIAL - MANUAL FLUSHVALVES



FLUSH VALVE FOR 1 1/2" TOP INLET WATER CLOSET

Factory set at 1.6 gal. (6 Litre) flush Also available in this series: 1.1 and 1.27 gpf (4.2 and 4.8 Lpf) fixed models 81T201



FLUSH VALVE FOR 3/4" TOP INLET FLUSHING URINAL

Factory set at 0.5 gal. (1.9 Litre) flush at 60 psi Also available in this series: WaterSense® listed 0.125 and 0.5 gpf (0.5 and 1.9 Lpf) fixed models 81T231



FLUSH VALVE FOR 3/4" TOP INLET WASHDOWN URINAL

Factory set at 0.5 gal. (1.9 Litre) flush — field adjustable 867505



CONCEALED FLUSH VALVE FOR WALL-HUNG 1 1/2" BACK INLET WATER CLOSET

Factory set at 1.6 gal. (6 Litre) flush – field adjustable 83T141



CONCEALED FLUSH VALVE FOR WALL-HUNG 3/4" BACK INLET URINAL

Factory set at 0.5 gal. (1.9 Litre) flush – field adjustable 83T431

DELTA® COMMERCIAL - TUB / SHOWERS





TUB AND SHOWER TRIM ONLY

H20kinetic® Technology shower head, 1.5 gpm (5.7 L/min) Single function pressure balance cartridge T13H283 / R10000-UNWS Rough Included



SHOWER TRIM ONLY

Touch-Clean® 3-setting shower head, 1.75 gpm (6.6 L/min) Single function pressure balance cartridge T13H123 / R10000-UNWS Rough Included



TUB AND SHOWER TRIM ONLY

Touch-Clean® shower head, 1.5 gpm (5.7 L/min) Single function pressure balance cartridge T13H233 / R10000-UNWS Rough Included



SHOWER TRIM ONLY

Touch-Clean® 3-setting shower head, 1.75 gpm (6.6 L/min) TempAssure® thermostatic shower cartridge T17TH125 / R10000-UNWS Rough Included



SHOWER TRIM ONLY

Touch-Clean® shower head, 1.5 gpm (5.7 L/min) Hand shower with 24" stainless steel slide bar with ADA adjustable slide and 70" vinyl hose T13H332 / R10700-UNWS Rough Included



SHOWER TRIM ONLY

2.5 gpm (9.5 L/min) hand shower TempAssure® thermostatic shower cartridge 24" stainless steel slide bar with ADA adjustable slide T17TH155 / R10000-UNWS Rough Included



PUSH BUTTON ELECTRONIC SHOWER

Field adjustable shower times Vandal-resistant forged brass shower head, 1.5 gpm (5.7 L/min) 861T177 - Battery



ADA GRAB BAR

40118-SS - 18" 40136-SS - 36" 40124-SS - 24" 40142-SS - 42" 40130-SS - 30" 40148-SS - 48"

1 1/2" diameter

Supports up to 500 pounds when properly installed



ADA GRAB BAR

41124-SS - 24" 41136-SS - 36" 41130-SS - 30" 41142-SS - 42"

Stainless Steel (SS)

1 1/4" diameter

Supports up to 500 pounds when properly installed

DELTA® COMMERCIAL -SHOWER HEADS & DRAINAGE



All shower heads are at 80 psi (552 kPa).



3-SETTING TOUCH-CLEAN® SHOWER HEAD

1.75 gpm (6.6 L/min) RP43381



TOUCH-CLEAN® HAND SHOWER

1.5 gpm (5.7 L/min), 1.75 gpm (6.6 L/min) and 2.5 gpm (9.5 L/min) models available Pause feature 59462-WHB15-BG



CAST LAVATORY WASTE

Offset open grid strainer less overflow holes 5" (127 mm) fixed centres offset 33T290–1



WATER CLOSET SUPPLY

3/8" IP inlet water closet supply Brass supply nipple Lockshield screwdriver slot angle stops 3/8" OD x 12" flexible riser S/S wall flange 47P1316SD-B1



TOUCH-CLEAN® SHOWER HEAD

1.75 gpm (6.6 L/min) RP38357



30° VANDAL-RESISTANT FORGED WALL-MOUNT SHOWER HEAD

 $1.5~\rm{gpm}$ (5.7 L/min) and 2.0 gpm (7.6 L/min) models available 063196A



HOODED OPEN GRID STRAINER

Prevents direct flow of water into drain Hood is removable for cleaning Less overflow holes 5" (127 mm) fixed centres offset 33T290-1DC



CAST LAVATORY WASTE

Open grid strainer less overflow holes With overflow model available (33T260) 33T260-1



CAST P TRAP

With cleanout Also available less cleanout 33T311 – 1 1/4" | 33T360 – 1 1/2"



TOUCH-CLEAN® SHOWER HEAD

1.5 gpm (5.7 L/min) 52102-MB



30° VANDAL-RESISTANT CAST WALL-MOUNT SHOWER HEAD

1.5 gpm (5.7 L/min), 1.75 gpm (6.6 L/min), 2.0 gpm (7.6 L/min) and 2.5 gpm (9.5 L/min) models available 061011A



LAVATORY SUPPLIES

3/8" IP inlet lavatory supplies Brass supply nipples Lockshield screwdriver slot angle stops S/S wall flanges 47P2312SD



HOODED OPEN GRID STRAINER

Prevents direct flow of water into drain Hood is removable for cleaning Less overfl ow holes 33T260-1DC



GRAYCIE - OVAL DROP-IN SINK 16¼" W x 16¼" D x 6¾" H 4111BPU Single Hole 4114BPU 4" Center 4118BPU 8" Center



GRECO - OVAL UNDERMOUNT SINK 19" W x 1534" Dx 534" H 4220CFX



CHELSEA - WALL MOUNTED SINK 191/8" W x 173/4" D x 85/8" H 4610BHW Single Hole 4640BHW 4" Center



CARMIN - WALL MOUNTED SINK 20" W x 18½" Dx 10½" H 4610BHZ Single Hole 4640BHZ 4" Center 4680BHZ 8" Center



CASSIDY II - SEMI-RECESSED SINK 25%" W x 21%" D x 6%" H 4313DNX Single Hole 4343DNX 4" Center 4383DNX 8" Center



CLAYTON - WALL MOUNT SINK WITH SHROUD
20½" W x 22¾" D x 21½" H
4610CHZ Single Hole
4640CHZ 4" Center
4680CHZ 8" Center
4644CHZ Shroud



HYGIENIC - WALL MOUNT SINK WITH SHROUD 20¼" W x 18¼" D x 23¾" H SINGLE HOLE 4610AFV



BARRIER FREE HYGIENIC SINK 20" W x 20%" D x 16%" H SINGLE HOLE 4660AFX



IZOBELLE WALL MOUNTED SINK 20" W x 17¾" D x 5½" H 6610ANX Single Hole

COMMERCIAL - CONTRAC TOILETS / URINALS



CORNELL WALL MOUNTED URINAL

High efficiency urinal 1.9Lpf / 0.5Gpf 12%" W x 1234" D x 18" H 4810BEX Top Inlet



KOLBY WALL MOUNTED URINAL

Ultra High efficiency urinal 0.47Lpf / 0.125Gpf 13%" W x 12%" D x 21%" H 4810BSX Top Inlet | 4810BSY Rear Inlet



CLAY FLUSHOMETER BOWL

High efficiency flush valve bowl 14¾" W x 27¾" D x 16½" H 4765BOX - 4.2Lpf / 1.1Gpf Top Inlet 4762BOX - 4.8Lpf / 1.28Gpf Top Inlet



CLEO PRESSURE ASSIST TOILET

High efficiency pressure assist toilet 3.8Lpf / 1.0Gpf 17%" W x 281%" D x 311½" H 5722BOY Bowl



CARLTON WALL MOUNTED URINAL

High efficiency urinal 1.9Lpf / 0.5Gpf 4810BFX Top Inlet $17\frac{1}{2}$ " W x $14\frac{1}{4}$ " D x 27" H



CALEDON KINDERGARTEN TOILET

4.8Lpf / 1.28Gpf 17" W x 24¼" D x 26¾" H 4760BKV Lined Tank With Bowl



COLTER FLUSHOMETER BOWL

High efficiency flushometer valve bowl 14½" W x 27¾" D x 15" H 4765BEX - 4.2Lpf / 1.1Gpf Top Inlet TOP INLET 4762BEX - 4.8Lpf / 1.28Gpf



COMEAU PRESSURE ASSIST TOILET

High efficiency pressure assist toilet 3.8Lpf / 1.0Gpf 17 3/8" W x 28¾" D x 30" H 5722BEY Bowl



BARTLEIGH WALL MOUNTED URINAL

Ultra high efficiency urinal 0.47Lpf / 0.125Gpf 18½" W x 13¾" D x 26¾" H 4810BNY Top Inlet | 4810BNY Rear Inlet



DEBLIN 4.8 L KINDERGARTEN TOILET

High efficiency flushometer valve bowl 4.8Lpf / 1.28Gpf 13½" W x 23" D x 11" H 4762BKX Top Inlet



CLARK FLUSHOMETER BOWL

141/8" W x 261/8" D x 141/8" H 4765CEX Top Inlet- 4.2Lpf / 1.1Gpf 4765CEU Rear Inlet - 4.2Lpf / 1.1Gpf 4762CEX Top Inlet - 4.8Lpf / 1.28Gpf 4762CEU Rear Inlet - 4.8Lpf / 1.28Gpf

COMMERCIAL - CENTOCO SEATS



COMMERCIAL STANDARD

Includes commercial grade hinges 550STSCC-001 - Elongated



COMMERCIAL HEAVY DUTY

Self Sustaining , Antimicrobial, Commercial Hinge AM500STSCCSS-001 – Elongtaged



RESIDENTIAL WITH LID

Closed Front Length Adjustment 1100-001 — Round



COMMERCIAL HEAVY DUTY

FAST-N-LOCK & Commercial Hinge 500STSCCFE-001— Elongtaged



COMMERCIAL HEAVY DUTY

FAST-N-LOCK, Self Sustaining, Antimicrobial, Commercial Hinge AM500STSCCSSFE-001— Elongtaged



COMMERCIAL HEAVY DUTY WITH LID

FAST-N-LOCK & Commercial Hinge 820STSFE-001— Elongtaged



COMMERCIAL HEAVY DUTY

ADA Compliant Raised Seat Commercial Hinge HL500STSCC-001— Elongtaged





ACCESS 66™ OBC COMPLIANT

66" Easy Access Shower AROS66L/R 66" x 37 1/4" x 88"

FEATURES

1½" threshold for easy entry and exit Includes chrome floor drain Stainless steel shower curtain rod installed Patterned bottom Available in White Only



MADISON™ 5 FREE LIVING ONE PIECE

60" Shower Stall FS5LS/RS, FS5L/R 60" x 33 1/4" x 88"

FEATURES

Low 4" threshold for easy entry and exit
Generous shelving
Includes colour coordinated "S" shape grab bar,
1 – 24" white vertical grab bar and
1 – 24" x 16" white L-shape grab bar
Available with or without seat option
16 ½" comfort height seat
Available in left/right configuration
End drain

Includes chrome floor drain



PARKER™ 16 FREE LIVING MULTI PIECE

60" Tub Shower FPL13L/R 60" x 33" x 85 ½"

Patterned bottom

FEATURES

Includes right and left side grab bars for safe and easy entry
Low 16" threshold for easier entry and exit
Sloped lumbar support
Generous shelving
Includes colour coordinated "S" shape grab bar and 2-24" white vertical grab bars
Snap Fit System Assembly on multi piece

FRANKE - COMMERCIAL SINKS

A Sink for Every Space

The exact size you need with the functionality you deserve.

18 and 20 Gauge Stainless Steel

When only the best quality will do.



SINGLE BOWL TOPMOUNTS

With or Without Faucet Ledge

Choose the best design for your space.

Wheelchair Accessible Dozens of models to meet AODA standards.



DOUBLE BOWL TOPMOUNTS



TRIPLE BOWL TOPMOUNTS

Model numbers available upon request.

Multiple sizes and configurations available.




UNDERMOUNTS

TOPMOUNT STAINLESS STEEL SINKS ENGINEERED FOR QUICK AND EASY INSTALLATION.



Factory Installed Rimseal Contractors and installers love the ease of installation of the Franke Rimseal. Simply peel off the backing and the sink is ready to install. No silicone mess.



EZ Torque FastenersSecure the sink rim to the countertop in two easy steps. Drop the sink into the countertop then tighten with a drill. Clamps are preinstalled to sink, and won't get lost on the job site or left behind the box.

FRANKE - VANITY

Choose gleaming stainless steel vanity basins for a lifetime of use.



ROUND VANITY BASINS

V17-5 0V17-5 V17-6 0V17-6



OVAL VANITY BASINS

V1114-5 V1418-5 V1418-6 OV1418-6



UNDERMOUNT VANITY BASINS

WB1420U-5 OWB1420U-5 OV1317U-5 OV1420U-5

DFFERING

FRANKE COMMERCIAL - HEALTHCARE SINKS



FRANKE MEDI-FLO


Patient room sink with integrated spout for infection control

Flow rate is 5.7 Lpm/1.5 gpm.

Overall dimensions 21 x 23 x 23 1/2" (FB x LR x H) Optional: Pre-set thermostatic mixing valve MEDI-MIX.

Optional: In-wall carrier IWC2104 for quicker installation.

HWSS2321W-00



NIGHTINGALE PATIENT ROOM SINKS

Wheelchair accessible hand hygiene sinks with engineered infection control



Patient room sink with integrated laminar flow spout AHWSS1720WIS-00



Patient room sink with integrated laminar flow spout and ligature-resistant AHWSS1720WIS-AL



Patient room sink only AHWSS1720W-00



Patient room sink with temperature adjustable faucet (HHF23T) AHWSS1720W-T



Patient room sink with gooseneck faucet (HHF49G) AHWSS1720W-G

FRANKE COMMERCIAL - HEALTHCARE SINKS

SURGICAL SCRUB STATIONS

Meeting the specific needs of the operating room.



Surgical scrub station Single compartment, 16 gauge SSU1-00



Surgical scrub station Double compartment, 16 gauge SSU2-00



Surgical scrub station Triple compartment, 16 gauge SSU3-00

CLINICAL HAND WASH BASINS

Helps contain splashing and eliminates standing water.



Clinical hand wash basin HWSS1518P-00



Clinical hand wash basin HWS1420P-00



Clinical hand wash basin AWHB1414P-7MOD

FRANKE COMMERCIAL - HAND WASH BASINS

Designer wall hung basins from Franke are a beautiful look for semi-public washrooms. Choose stainless steel for vandal-resistance and durability.



CLEOPATRA HAND WASH BASIN

18 15/16 x 24 x 17 11/16" Wheelchair accessible IWC2203 - Optional wall carrier AWHBS2419-7



DESIGNER DOUBLE HAND WASH BASIN

18 15/16 x 24 x 17 11/16" IWC2203 - Optional wall carrier WHB5222-7



DESIGNER WALL HUNG BASIN

17 13/16 x 15 3/4 x 6" WT400C-7

Accepts 1 1/4" waste assembly WT400C-8

Accepts 1 1/4" waste assembly with overflow Accepts 1 1/4" waste assembly, not included



WALL HUNG BASIN

19 x 18 1/2 x 7" (LR x FB x D)
Optional shroud WT-RS sold separately
Includes 1 1/2" duplex waste assembly
with overflow
WHB1819-6



WALL HUNG BASIN

17 x 16 1/2 x 6"
Optional shroud WT-RS sold separately Wheelchair accessible Includes 1 1/2" duplex waste assembly with overflow WHB1617-6

FRANKE COMMERCIAL - EDUCATION

The utmost in quality and durability for classrooms and high school laboratories.



TYPE 316 STAINLESS STEEL SINKS

Topmount and undermount models available, as well as wall hung basins and scullery sinks



CLASSROOM SINKS

Single compartment topmount sinks Available in three standard widths: 36", 48" and 60" ART36-1



GRID ACCESSORY

Stainless steel grid strainer accessory, Type 316, vandal-resistant 1140G

FRANKE COMMERCIAL -UTILITY AND SCULLERY SINKS



SMALL MOP SINKNo side splashes
17 ½ x 17 ½"
FSS151509-316-1



CORNER MOP SINKSquare construction 24 x 24"
FSS222210-316-1



CORNER MOP SINK Drop front 24 x 24" FSS2210-316-1



LEFT SPLASH MOP SINKStraight front
24 x 36"
FSSL223410-316



RIGHT SPLASH MOP SINK Straight front 24 x 36" FSSR223410-316



CORNER MOP SINK Angled front 24 x 24" FSSO2210-316



LEFT SPLASH MOP SINKDrop front
24 x 36"
FSSOL223410-316



RIGHT SPLASH MOP SINK Drop front 24 x 36" FSSOR223410-316-1

Franke Commercial mop sinks are hand fabricated from Type 316, 16 gauge stainless steel for added corrosion-resistance.

SCULLERY SINKS

NSF certified models, 16 gauge, radius coved bowl corners.



SINGLE BOWL SCULLERY
RSL2424-1
RSL2424L-1, left drainboard
RSL2424R-1, right drainboard
RSL2424LR-1, left and right drainboards



DOUBLE BOWL SCULLERY
RDL2448-1
RDL2448L-1, left drainboard
RDL2448R-1, right drainboard
RDL2448LR-1, left and right drainboards



TRIPLE BOWL SCULLERY
RTL2472-1
RTL2472L-1, left drainboard
RTL2472R-1, right drainboard
RTL2472LR-1, left and right drainboards

FRANKE COMMERCIAL -DRINKING FOUNTAINS AND BOTTLE FILLERS



RETROFIT BOTTLE FILLER. **SENSOR ACTIVATED**

1.0 gpm (3.7 Lpm) flow rate 2.0 Sensor activated bottle filler with electronic digital counter Overall dimensions 6 x 16 1/4 x 19 5/16" (FB x LR x H) KEPWEBF



UNIVERSAL COMBINATION. SENSOR ACTIVATED BOTTLE FILLER

Chilled:

Standard Features:

- Waterways are Lead-Free in materials & construction
- Flexible one-piece water saver bubbler guard
- · Contactless sports bottle filler Overall dimensions 17 5/8 x 18 1/2 x 37 7/8"

(FB x LR x H) KEP8AC-EBF-GRY

Non-Chilled:

Greystone finish cabinet KEPAC-EBF-GRY



SENSOR ACTIVATED BOTTLE FILLER

Tailpiece is sized to accept either 1 1/2" (38mm) or 1 1/4" (32 mm) P-trap. P-Trap not included. Sensor activated with bottle counter. Overall dimensions 5 11/16 x 16 5/16 x 24 15/16" (FB x LR x H) KEPWSMEBF-STN



SURFACE MOUNT, NON-CHILLED, SENSOR ACTIVATED BOTTLE FILLER

Included tailpiece to accept either 1 1/2" (38 mm) or 1 1/4" (32 mm) P-trap not Included.

- Waterways are Lead-Free in materials & construction
- · Heavy duty galvanized steel frame
- · Contactless sports bottle filler

Overall dimensions 5 5/16 x 20 5/16 x 41 1/4" (FB x LR x H) KEMWSMEBF-STN



UNIVERSAL CHILLED CONTACTLESS DRINKING FOUNTAIN

Complies with ANSI 117.1 and ADA. Standard Features

- · Waterways are Lead-Free in materials & construction
- Contactless infrared sensor activation Overall dimensions 18 5/8 x 18 1/2 x 21 3/16" (FB x LR x H) KEP8ACT-GRY



UNIVERSAL RETROFIT KIT

Convert push pad to sensor activated, single fountain Features:

- Easily converts manual units to contactless in just minutes
- Eliminates high-use contact points that can harbour dangerous pathogens.
- · All necessary components are included in one kit; no wiring required.

KE041208-101



UNIVERSAL, VANDAL-RESISTANT DRINKING FOUNTAIN. CHILLED

- 8 gph chiller, vandal resistant push button
- No external stream height adjustment
- · Stainless steel cabinet.

Overall dimensions 18 5/8 x 17 5/8 x 21 3/16" (FB x LR x H) KEPV8AC-STN KEPVAC-STN - Non-Chilled



UNIVERSAL, SPLIT-LEVEL DRINKING FOUNTAIN, NON-CHILLED

Standard Features

- Waterways are Lead-Free in materials & construction
- Stainless steel top and heavy-duty galvanized steel frame in greystone finish
- · External stream height adjustment on each fountain

Overall dimensions 18 5/8 x 36 1/8 x 27 3/16" (FB x LR x H) KEPACSL-GRY



UNDER-CABINET REMOTE CHILLER

- 4' insulated power cord with NEMA 5-15 plug.
- 1/4" OD stainless steel cabinet water sub connection
- Chills 0.8 gallons per hour. HFC refrigerant
- · Dial on front of unit allows control of water temperature

Overall dimensions 8 13/16 x 10 1/2 x 14 11/16" (FB x LR x H) KER1P



Franke is the exclusive Canadian distributor for I-CON systems.

- Correctional facilities across Canada trust I-CON systems to deliver reliable, tailor-made solutions.
- Custom solutions for retrofit and new construction.
- Simple yet robust valves, sensors, solenoids mean fewer parts to keep on hand.
- Up to 70% water savings with an I-CON system installation.
- Start with one cell, or one block. We work with your facility's existing systems to provide the equipment you need to start saving on water, maintenance, and parts.





LAVATORY-TOILET COMBINATION FIXTURE

- Lavatory-toilet combination fixture
- Combination lavatory sink with various sizes of toilets
- Anti-ligature model available
- Toilet features blowout flushing action
- Wheelchair accessible model has integrated grab bars and withstands up to 5,000 lbs loading



URINALS

- Wall hung urinals with washdown action
- Straddle model avaialble
- Optional back or top supply



WATER MANAGEMENT SOFTWARE

- Manage your facility with complete control over all inmate water usage
- · Log and monitor plumbing usage in real time
- Restrict plumbing usage from individual cell fixtures to the entire facility with the tap of a finger
- For safer, more efficient inspections, lockdowns, and extractions. Envisage® features an intuitive graphic interface with a map of your facility and touchscreen interface for each cell



LAVATORIES

- Stainless steel oval or rectangular shaped basins with backsplash
- Customize the controls to the needs of your facility



SHOWER PANELS AND CABINETS

- Stainless steel shower panels with vandal-resistant shower head
- Cabinet showers available in different sizes
- Slip-resistant floor



CONTROLLER

- The NEXUS® system of controllers can operate as standalone units or as part of the ENVISAGE® water management network in your facility
- Stay in complete control of your plumbing system
- Options include wired or wireless communication, AC or battery power



STAINLESS STEEL TOILETS

- Floor mount or wall mount models with either siphon jet or blowout operation
- · Self-draining flushing rim
- Fully enclosed trap
- Optional top or back supply



STAINLESS STEEL TOILETS

- Stainless steel vandalresistant construction with no moving parts
- Available with or without LED status indicator



VALVE SYSTEM

- I-CON's electronic valve system ensures accuracy, performance, and longevity in high grade materials designed to outlast the competition
- Flush valves, lavatory valves, and shower valves that operate without diaphragms
- Maximum water savings and minimal maintenance costs







The innovative method of using abovefloor technology allows the installation of any sanitary application you can imagine, anywhere! Whether it's a small project requiring drain and condensate pumps to more complex engineered jobs, such as a whole building with multiple fixture units, SFA Saniflo has a solution; all you need is a water supply and electricity. Try SFA Saniflo for your next bathroom addition or home project!



Sanibest Pro®

The Sanibest Pro is a 1 HP pump system used to install a complete bathroom up to 25 feet below the sewer line, or even up to 150 feet away from a soil stack. It incorporates a grinder system which is ideal for uncontrolled environments in both residential and commercial applications (i.e.. rental unit, offices, warehouses, etc). The Sanibest Pro is designed to handle sanitary products that may have been flushed down the toilet; such may consist of condoms, sanitary napkins, q-tips, dental floss, etc.



Sanicompact®

The Sanicompact is a self-contained dual-flush toilet system used to install a half-bathroom up to 9 feet below the sewer line, or even up to 120 feet away from a soil stack. It incorporates a macerating system which can handle human waste and toilet paper in residential applications. The blade is made out of a hardened stainless steel material which eliminates the need for any service or replacement.



Sanicom®1

The Sanicom 1 drain pump is used to pump gray water away from a variety of fixtures in commercial applications. The system is able to discharge the waste up to 25 feet vertical and/or 250 feet horizontal. This model was designed to sustain the toughest applications in commercial installations where hot water can be an issue as it is capable of handling up to 194°F as well as grease.



Sanicom®2

The Sanicom 2 duplex drain pump system is used to pump gray water away from a variety of fixtures in commercial and industrial applications. The system is able to discharge the waste up to 32 feet vertical and/or 390 feet horizontal. This model was designed to sustain the toughest applications in commercial installations where hot water can be an issue as it is capable of handling up to 194°F as well as grease.



Saniswift® Pro

The Saniswift Pro drain pump is used to pump gray water away from a variety of fixtures in residential and commercial applications. The system is able to discharge the waste up to 14 feet vertical and/or 140 feet horizontal.



Sanicondens®

The Sanicondens is a small pump used to pump condensate from condensing boilers, HVAC systems, water heater systems, etc. The Sanicondens will pump condensate waste up to 15 feet in height and/or 150 feet away from a soil stack



Sanineutral®

The Sanineutral is a system that neutralizes acidic condensate from condensing boilers, HVAC systems, water heater systems, etc. The Sanineutral works without a pump or it can be placed before the Sanicondens or Sanicondens Best.



Sanicubic® 1

The Sanicubic 1 is a 1 HP heavy duty simplex grinder system used to pump away wastewater from several bathrooms and fixtures from an entire building structure. This system is able to discharge the waste up to 36 feet vertical and/or 328 feet horizontal. It incorporates a grinder system which is ideal for uncontrolled environments in both residential and commercial applications (i.e.. rental unit, offices, warehouses, etc). The Sanicubic 1 is designed to handle sanitary products that may have been flushed down the toilet; such may consist of condoms, sanitary napkins, q-tips, dental floss, etc.





HeatLink's radiant heating systems create a comfortable and energy efficient environment for living. Our snow melt systems create safer public and private spaces that reduce liability for property owners, reduce maintenance, and ensure accessibility. Our well engineered plumbing systems provide peace of mind for property owners through extensive warranty protection, and enable quick and efficient installations for builders and contractors.

Contact Centon Sales for your Radiant Floorheating & Snowmelt Projects

Please contact Centon Sales for your Radiant projects. When you provide us with the project drawings, HeatLink will provide a detailed quote and heat loss information at no cost.




HeatLink® puts comfort at your fingertips with the new Smart System. Feel secure in knowing that no matter where you are, monitoring and controlling your home systems has never been easier with our simple to use app for iOS and Android devices.

The HeatLink® Smart System uses the Zigbee Home Automation wireless protocol, ensuring a strong connection between all wireless devices, and a secure path to the HeatLink® app. Without the need to run wires*, installation and setup are a snap, and adding devices to the system is hassle-free.










HeatLink 40328 8 Zone Wireless Module





HeatLink 46801W Wireless Thermostat



Making the Complex Simple

HeatLink has found a way to make the complex more simple. With the Mechanical Room in a Box, some of the most common components of a radiant hydronic installation (mainly the wiring, pumps, and mixing valves), are installed on a panel with a plug, and boxed with a steel cover. This pre-wired, pre-fabricated, pre-engineered box is a time and money saving way to add control and consistency to an installation. Plug it in, and presto...you've got play!

Making the Complex Simple

- Versatile solutions for simple or complex hydronic heating applications.
- Pre-fabricated, pre-engineered, pre-wired... pre-cise!
- High quality, reliable and standardized construction.
- Modular approach for ease of installation.
- Appliance-like protective steel cover; tamper-resistant.
- Closed hydronic systems can be extensively

 zoned.
- Solar energy sources can be seamlessly added.
- When properly piped, there is less component cycling...and more silence.

New Stainless Steel Manifolds

HeatLink is pleased to announce our new line of Stainless Steel Manifolds. They offer some of the highest quality and reliability in the North American market. Compared to previous versions, they boast improved performance characteristics and stable pricing. All sizes and configurations are being produced in Italy.

This change affects all 1^{1/4}" and 2" Stainless Steel Manifolds as well as all panel models that utilize stainless manifolds. To be able to differentiate from past manifolds (for service/repair), new SKU/part numbers have been created. Also note, that although the 2" manifold will be replaced with a 1^{1/2}" manifold, the specifications are comparable.





Standard Boiler Panel - 3 Pump





Dual Pump 3-Way Mixing Panel



TMP Multi Panel Series



New Stainless Steel Manifolds



Potable Water Expansion System



Potable Water Press System

Sundries

With our broad selection of products, features and configurations, we have solutions pros need. And, most importantly, we stand behind our products and the pros who use them.

Ours products are made to stand up to the toughest jobs and scrutiny. They're built with pride and crafted with quality, for a job done right the first time. Pros put their craft, customers and character first. For us, it's quality they can count on.







DECORATIVE SHOWER DRAINS

Decorative shower drains offer rugged dependability under the sophistication of the latest, tasteful flair in plumbing. Whisking away water quickly and elegantly.







OATEY® 130 SERIES SHOWER DRAIN FOR TILE SHOWER BASES



- Designed for use on built-up shower bases of tile or marble, where a shower pan liner is used.
- Quarter turn reusable test plug available
- Base features four countersunk holes to secure to the substrate/deck
- Low profile design for use in tight spaces.
- Solvent welds over 2" or inside 3" Schedule 40 DWV pipe.
- Reversible clamping collar is secured with stainless steel bolts into brass inserts to prevent stripping.
- Tile ring helps preserve grout lines

130 SERIES ABS COMPLETE DRAIN ASSEMBLY

42267	2" or 3"	Square Low Profile Drain Polished SS Screw-In Strainer w/Ring	Square	Polished Stainless Steel
42274	2" or 3"	Square Low Profile Drain Polished SS Screw-In Strainer w/Ring w/Plug	Square	Polished Stainless Steel
42262	2" or 3"	Round Low Profile Drain Polished SS Screw-In Strainer w/Rin	Round	Polished Stainless Steel
42272	2" or 3"	Round Low Profile Drain Polished SS Screw-In Strainer w/Ring w/Plug	Round	Polished Stainless Steel

130 SERIES PVC COMPLETE DRAIN ASSEMBLY

42266	2" or 3"	Square Low Profile Drain Polished SS Screw-In Strainer w/Ring	Square	Polished Stainless Steel
42273	2" or 3"	Square Low Profile Drain Polished SS Screw-In Strainer w/Ring w/Plug	Square	Polished Stainless Steel
42263	2" or 3"	Round Low Profile Drain Polished SS Screw-In Strainer w/Ring	Round	Polished Stainless Steel
42271	2" or 3"	Round Low Profile Drain Polished SS Screw-In Strainer w/Ring w/Plug	Round	Polished Stainless Steel

OATEY® 102 SERIES SOLVENT WELD SHOWER DRAIN WITH RECEPTOR BASE



- Solvent weld over 2" Sch. 40 DWV pipe.
- Universal 4-1/4" Snap-Tite Strainer.
- Drain body is sealed to shower base with rubber gasket and fiber slip washer.

130 SERIES PVC BARREL WITH STRAINER (TO BE USED WITH DRAIN BASE)

Product No.	Size	Description	Style	Finish
42033	2" 2-part	ABS Solvent Weld Shower Drain w/brushed nickel	Square Strainer	Brushed Nickel
42034	2" 2-part	ABS Solvent Weld Shower Drain w/stainless steel	Square Strainer	Stainless Steel
42035	2" 2-part	PVC Solvent Weld Shower Drain w/brushed nickel	Square Strainer	Brushed Nickel
42036	2" 2-part	PVC Solvent Weld Shower Drain w/stainless steel	Square Strainer	Stainless Steel
42044	2" 2-part	ABS Solvent Weld Shower Drain w/stainless steel	Round Strainer	Stainless Steel
42045	2" 2-part	PVC Solvent Weld Shower Drain w/stainless steel	Round Strainer	Stainless Steel
42049	2" 2-part	PVC Solvent Weld Shower Drain w/plastic	Round Strainer	Plastic
42052	2" 2-part	ABS Solvent Weld Shower Drain w/matte black	Strainer	Matte Black
42053	2" 2-part	ABS Solvent Weld Shower Drain w/matte black	Square Strainer	Matte Black

OATEY® BATH WASTE AND OVERFLOW



True Blue was thoughtfully designed for pros with a variety of cutting-edge features, like integrated locking components that simplify installation, and quarter-turn test plugs that make testing quick and painless.

DEARBORN® TRUE BLUE™ FULL KIT PVC

Product No.	Description
P9850CP	True Blue PVC Full Kit, Touch Toe Stopper, w/ Test Kit
P9850BNPS	True Blue PVC Full Kit, Touch Toe Stopper, w/ Test Kit BN
P9850RBPS	True Blue PVC Full Kit, Touch Toe Stopper, w/ Test Kit ORB
P9840BNPS	True Blue PVC Full Kit, Push & Pull Stopper w/ Test Kit BN
P9840RBPS	True Blue PVC Full Kit, Push & Pull Stopper w/ Test Kit ORB
P9860CP	True Blue PVC Full Kit, Uni-Lift Stopper, w/ Test Kit CHR
P9860BNPS	True Blue PVC Full Kit, Uni-Lift Stopper, w/ Test Kit BN
P9860RBPS	True Blue PVC Full Kit, Uni-Lift Stopper, w/ Test Kit ORB

ABS A9850CP True Blue ABS Full Kit, Touch Toe Stopper, w/ Test Kit CHR A9850BNPS True Blue ABS Full Kit, Touch Toe Stopper, w/ Test Kit BN A9850RBPS True Blue ABS Full Kit, Touch Toe Stopper, w/ Test Kit ORB A9840BNPS True Blue ABS Full Kit, Push & Pull Stopper w/ Test Kit BN A9840RBPS True Blue ABS Full Kit, Push & Pull Stopper w/ Test Kit ORB A9860CP True Blue ABS Full Kit, Uni-Lift Stopper, w/ Test Kit CHR True Blue ABS Full Kit, Uni-Lift Stopper, w/ Test Kit BN A9860BNPS A9860RBPS True Blue ABS Full Kit, Uni-Lift Stopper, w/ Test Kit ORB

OATEY® ABS FREESTANDING TUB DRAIN WITH STAINLESS STEEL FLANGE



- 304 stainless steel asymmetrical flange
- Pre-installed, tool-free 1/4 turn test plug allows for testing up to 40 ft. of pressure
- Easy to remove, high visibility, trip resistant protective cover keeps tile from being installed over the drain opening
- For various configurations, kit contains:
- 1-1/2" x 8" flanged slip-joint brass tailpiece
- 1-1/2" x 8" finely threaded brass tailpiece
- Sch. 40 tailpiece adapter

Product No.	Description
FTD35C	ABS Freestanding Tub Drain with Stainless Steel Flange
FTD36C	PVC Freestanding Tub Drain with Stainless Steel Flange
FTD37C	Cast Iron Freestanding Tub Drain with Stainless Steel Flange

OATEY® MODA™ WASHING MACHINE OUTLET BOXES



- One universal faceplate is compatible with all box types.
- All boxes can snap to one another, and common brackets can be used on any MODA supply box.
- Unique interlocking wing flanges accommodate on-stud, straddle-stud and three-box installations.
- Two piece valve design makes valve replacement easy to repair, without dam aging drywall.

TWO VALVE BOX + STANDARD DRAIN BOX WITHOUT HAMMER

Product No.	Description
37601	MODA, Copper (Male) – Standard Pack
3760	MODA, F1807 PEX (Brass) – Standard Pack
37605	MODA, F1960 PEX (Brass) – Standard Pack

SINGLE BOX (TWO VALVE + DRAIN) WITHOUT HAMMER

Product No.	Description	
37540	MODA, Copper (Male) – Standard Pack	
37541	MODA, F1807 PEX (Brass) – Standard Pack	
37543	MODA, F1960 PEX (Brass) – Standard Pac	

TWO VALVE BOX + STANDARD DRAIN BOX WITH HAMMER

Product No.	Description
37609	MODA, Copper (Male), Hammer – Standard Pack
37611	MODA, F1807 PEX (Brass), Hammer – Standard Pack
37613	MODA, F1960 PEX (Brass), Hammer – Standard Pack

OATEY® MODA™ TOILET OR DISHWASHER SUPPLY BOXES



- One universal faceplate is compatible with all box types.
- All boxes can snap to one another, and common brackets can be used on any MODA supply box.
- Unique interlocking wing flanges accommodate on-stud, straddle-stud and three-box installations.

ONE VALVE BOX WITHOUT HAMMER

Product No.	Description
37897	MODA, Copper (Male) – Standard Pack
37899	MODA, F1807 PEX (Brass) – Standard Pack
37901	MODA, F1960 PEX (Brass) – Standard Pack

ONE VALVE BOX WITH HAMMER

Product No.	Description
37905	MODA, Copper (Male), Hammer – Standard Pack
37907	MODA, F1807 PEX (Brass), Hammer – Standard Pack
37909	MODA, F1960 PEX (Brass), Hammer – Standard Pack

OATEY® MODA™ ICE MAKER SUPPLY BOXES



- One universal faceplate is compatible with all box types.
- All boxes can snap to one another, and common brackets can be used on any MODA supply box.
- Unique interlocking wing flanges accommodate on-stud, straddle-stud and three-box installations.

ONE VALVE BOX WITHOUT HAMMER

Product No.	Description
37679	MODA, Copper (Male) – Standard Pack
37681	MODA, F1807 PEX (Brass) – Standard Pack
37683	MODA, F1960 PEX (Brass) – Standard Pack

OATEY® MODA™ LAVATORY SUPPLY BOXES



- One universal faceplate is compatible with all box types.
- All boxes can snap to one another, and common brackets can be used on any MODA supply box.
- Unique interlocking wing flanges accommodate on-stud, straddle-stud and three-box installations.
- Two piece valve design makes valve replacement easy to repair, without damaging drywall.

TWO VALVE BOX WITHOUT HAMMER

Product No.	Description
37741	MODA, Copper (Male) – Standard Pack
37743	MODA, F1807 PEX (Brass) – Standard Pack
37745	MODA, F1960 PEX (Brass) – Standard Pack

TWO VALVE BOX WITH HAMMER

Product No.	Description
37749	MODA, Copper (Male), Hammer – Standard Pack
37751	MODA, F1807 PEX (Brass), Hammer – Standard Pack
37753	MODA, F1960 PEX (Brass), Hammer – Standard Pack

OATEY® $MODA^{TM}$ SURE-VENT® AIR ADMITTANCE VALVE BOX



- Includes 160 branch, 24 stack DFU AAV with louvered faceplate
- Louvered, solid and semi-cover faceplate inserts available. See MODA Accessories

SURE-VENT® AIR ADMITTANCE VALVE BOX

Product No.	Description
37981	MODA, Sure-Vent AAV Standard Drain – Standard Pack

OATEY® MODA™ ACCESSORIES



- One universal faceplate is compatible with all box types.
- All boxes can snap to one another, and common brackets can be used on any MODA supply box.
- Unique interlocking wing flanges accommodate on-stud, straddle-stud and three-box installations.
- Two piece valve design makes valve replacement easy to repair, without damaging drywall.

Product No. Description

37531 - MODA Faceplate

OATEY® QUADTRO® WASHING MACHINE OUTLET BOXES



- 2" drain opening fits PVC or ABS Sch. 40 DWV pipe.
- Easy to remove knockout, Patent Pending Hammer Valves.
- Snap-on Faceplate Frame accommodates up to 1" drywall.
- Box made of high impact polystyrene.
- Top or Bottom Valve Mount.
- 4 support brackets included for mounting.
- Dimensions: Box: 8-3/4" W x 7-1/2" H x 3-5/8" D
- Faceplate: 11-3/4" W x 10-1/8" H

NO HAMMER

Product No.	Description
38530	Quadtro, 1/4 Turn, Copper – Standard Pack
38531	Quadtro, 1/4 Turn, CPVC – Standard Pack
38538	Quadtro, Single Lever, F1960 – Standard Pack

HAMMER

Product No.	Description
38540	Quadtro, 1/4 Turn, Copper, Hammer – Standard Pack
38542	Quadtro, 1/4 Turn, F1807, Hammer – Standard Pack
38543	Quadtro, 1/4 Turn, F1960, Hammer – Standard Pack

OATEY® I2K® ICE MAKER OUTLET BOXES



- Nails preloaded.
- Right or left hand installation.
- Provides quick, safe water supply and shut-off for refrigerator ice maker and water dispenser.
- Valves comply with requirements of NSF 61, Section 9.
- No support bracket needed.
- Dimensions: Box: 3-1/4" W x 4" H x 2-1/2" D , Faceplate: 5" W x 6" H

NO HAMMER LOW LEAD

Product No.	Description
39134	I2K, 1/4 Turn, Copper, Low Lead - Standard Pack
39136	I2K, 1/4 Turn, F1807, Low Lead - Standard Pack
39132	I2K 1/4 Turn F1960 Low Lead - Contractor Pac

OATEY® CENTRO II WASHING MACHINE OUTLET BOXES



- Takes up less space and will fit almost anywhere.
- Made of high impact polystyrene.
- . Knockout drain cap.
- 3 knockouts on box top.
- Two piece valves come installed.
- Two support brackets.
- Available in a wide-variety of tailpiece configurations and packaging options.
- Dimensions: Box: 8" W x 4-3/4" x 3" D , Faceplate: 10" W x 6-3/4" H

NO HAMMER

Product No.	Description
38100	Centro II, 1/4 Turn, Copper – Assembled – Standard Pack
38104	Centro II, 1/4 Turn, ASTM F1807 – Assembled – Standard Pack
38106	Centro II, 1/4 Turn, ASTM F1960 – Assembled – Standard Pack

CENTRO II ACCESSORIES

Product No.	Description
38381	Centro II Plastic Faceplate

MASTERS® AQUAPROOF™ SHOWER PAN LINER



Masters® Aquaproof™ PVC Shower Pan Liner is flexible and easy to cut and install in any shape or form. It is 30 mil thick and comes in 200 sq ft rolls. To install, just staple or nail into place for permanent waterproofing under tile, concrete, etc.

Part #: AQ430 - 4 Foot Part #: AQ530 - 5 Foot Part #: AQ530 - 6 Foot

ABS-PRO MEDIUM YELLOW CEMENT TECHNICAL SPECIFICATION



Medium-bodied yellow cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.

Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

Product No.	Size	DESCRIPTION	CTN. QTY
ABS500-1	16 oz.	ABS Medium Yellow Cement	24
ABS1L-1	32 oz.	ABS Medium Yellow Cement	12
ABS4L-1	Gallon	ABS Medium Yellow Cement	6

MASTERS® ABS-PRO-X MEDIUM BODY/FAST SET YELLOW CEMENT



Medium-bodied yellow cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.

Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

Product No.	Size	Size DESCRIPTION	
ABS500-X	16 oz.	ABS Medium Yellow Cement	24
ABS1L-X	32 oz.	ABS Medium Yellow Cement	12
ABS4L-X	Gallon	ABS Medium Yellow Cement	6

MASTERS® PRO-DOPE



Masters® Pro-Dope® is a non-toxic, noncorrosive, non-hardening paste. It effectively seals both metal and plastic threaded connections. It will not dry out, stain, harden or separate. It lubricates during assembly and can easily be disassembled even after years of service.

Product No.	Size	DESCRIPTION	CTN. QTY
PD500BT	500 ml	(1 pt) Brush-Top Can	12
PD1L	1L	(1 qt) Flat-Top Can	4
PD20L	20 L	(5 gal) Pail	1

HERCULES[®] UNIVERSAL CRYO-TEK[™] ANTIFREEZE



Hercules® Universal Cryo-Tek™ Anti-Freeze stabilizes PH to prevent corrosion, chelates, hard water minerals, and inhibits the formation of scale and sediment. Blend of virgin (not recycled) propylene glycol and exclusive Triple Protection additives. Behold the power of Hercules®, products built to last and trusted by plumbers to withstand even the toughest conditions. Part #: 353319

OATEY® FLEX FLASH™ NO-CALK® ROOF FLASHINGS



Oatey[®] Flex Flash™ No-Calk® Roof Flashings are manufactured with a 100% flexible, foldable plastic base for commercial and residential applications that require a watertight seal for roof penetrations around the plumbing vent pipe. Self-sealing collar slides over pipe and requires no caulking. Oatey products have earned the trust of plumbing professionals for over 100 years. Part #: 14046

HERCULES® RTU-35 CRYO-TEK™ ANTIFREEZE



Hercules® Universal Cryo-Tek™ Anti-Freeze stabilizes PH to prevent corrosion, chelates, hard water minerals, and inhibits the formation of scale and sediment. Blend of virgin (not recycled) propylene glycol and exclusive Triple Protection additives. Behold the power of Hercules®, products built to last and trusted by plumbers to withstand even the toughest conditions. Part #: 353319

MASTERS® SILICONE SEALANT



Masters® Silicone Sealant creates a water tight, mildew and crack resistant seal. The re-sealable,removable cap keeps product from drying out after opening. Masters® Silicone Sealant is rated for interior and exterior use from -50°F to 450°F (-45°C to +232°C).

Product No.	DESCRIPTION	QUANTITY PER CASE
SS80-W	80 ml Squeeze Tube - White	12
SS80C	80 ml Squeeze Tube - Clear	12
SS300-W	300 ml Cartridge - White	12
SS300-C	300 ml Cartridge - Clear	12
SS300-T	300 ml Cartridge - Translucent	12
SS300-AL	300 ml Cartridge - Aluminum	12
SS300-B	300 ml Cartridge - Bone	12
SS300-G	300 ml Cartridge - Grey	12



PRESS CONNECT WATER STOPS



Straight - 1/4 Turn Press Connect Stops 1/2" Press Connect X 3/8" Od Comp G2CP14X CPEF



Angle - 1/4 Turn Press Connect Stops 1/2" Press Connect X 1/4" Od Comp G2CP09X CPEF



Angle - 1/4 Turn Press Connect Stops 1/2" Press Connect X 3/8" Od Comp G2CP19X CPEF



FAUCET CONNECTORS - SPEEDI PLUMB® PLUS CONNECTORS

Product No.	UPC	Description	LENGTH	CASE	LBS.
B1-9AFEF	026613175881	3/8"Compx1/2"FIP	9"	25	5
B1-12AFEF	026613175898	3/8"Compx1/2"FIP	12"	25	5
B1-16AFEF	026613175904	3/8"Compx1/2"FIP	16"	25	5
B1-20AFEF	026613175911	3/8"Compx1/2"FIP	20"	25	6
B1-30AFEF	026613175928	3/8"Compx1/2"FIP	30"	25	8
B1-36AFEF	026613175935	3/8"Compx1/2"FIP	36"	25	10
B3-20AFEF	026613176024	1/2"Compx1/2"FIP	20"	25	6
B8-12AFEF	026613176031	1/2"FIPx1/2"FIP	12"	25	5
B8-20AFEF	026613176048	½" FIPx1/2"FIP	20"	25	7



FAUCET CONNECTORS - COMPRESSION INLET X KC NOSEPIECE OUTLET

Product No.	UPC	Description	LENGTH	CASE	LBS.
B1-12KCFEF	026613175942	3/8"Compx3/8"ODComp	12"	25	4
B1-20KCFEF	026613175959	3/8"Compx3/8"ODComp	20"	25	6



TOILET CONNECTORS

Product No.	UPC	Description	LENGTH	CASE	LBS.
B1-9DLFEF	026613176062	3/8"Compx7/8"Ballcock	9"	25	4
B1-12DLFEF	026613176079	3/8"Compx7/8"Ballcock	12"	25	4
B1-16DLFEF	026613176086	3/8"Compx7/8"Ballcock	16"	25	5
B1-20DLFEF	026613176093	3/8"Compx7/8"Ballcock	20"	25	5
B3-12DLFEF	026613176116	1/2"Compx7/8"Ballcock	12"	25	4



WASHING MACHINE CONNECTORS

Product No.	UPC	Description	LENGTH	CASE	LBS.
BL12-48WAFEF	026613176253	3/4"FemaleHoseThreadx3/4"Female Hose Thread	48"	25	17
BL12-60WAFEF	026613176260	3/4"FemaleHoseThreadx3/4"Female Hose Thread	60"	25	20
RI 12-72WAFFF	026613176277	3/4"FemaleHoseThreadx3/4"Female Hose Thread	72"	25	22



DISHWASHER CONNECTORS

Product No.	UPC	Description	LENGTH	CASE	LBS.
B1-12DWFEF	026613176147	3/8"Compx3/8"Comp	12"	10	2
B1-20DWFEF	026613176154	3/8"Compx3/8"Comp	20"	10	2
B1-60DWFEF	026613176192	3/8"Compx3/8"Comp	60"	10	6
B1-72DWFEF	026613176222	3/8"Compx3/8"Comp	72"	10	6
B1-48DW6FEF	026613176178	3/8"Compx3/8"Compw/3/8"MIPElbow	48"	25	15
B1-60DW6FEF	026613176208	3/8"Compx3/8"Compw/3/8"MIPElbow	60"	25	17
B1-72DW6FEF	026613176239	3/8"Compx3/8"Compw/3/8"MIPElbow	72"	25	20
B1-48DW12FEF	026613176185	3/8"Compw/3/8"Compw/3/4"GardenHoseElbow	48"	25	15
B1-60DW12FEF	026613176215	3/8"Compw/3/8"Compw/3/4"GardenHoseElbow	60"	25	17
B1-72DW12FEF	026613176246	3/8"Compw/3/8"Compw/3/4"GardenHoseElbow	72"	25	20



ICE MAKER/HUMIDIFIER/WATER FILTER CONNECTORS

Product No.	UPC	Description	LENGTH	CASE	LBS.
B0-60IMPEF	026613175836	1/4"Compx1/4"Comp	60"	10	5
B0-72IMPEF	026613175843	1/4"Compx1/4"Comp	72"	10	6
B0-84IMPEF	026613175850	1/4"Compx1/4"Comp	84"	10	6
B0-96IMPEF	026613175867	1/4"Compx1/4"Comp	96"	10	7
B0-120IMPFF	026613175874	1/4"Compx1/4"Comp	120"	10	8

PEX WATER STOPS



MULTI-TURN STOPS

- Multi-turn operation to control water flow with a few turns of the handle
- Machined, one-piece brass body construction for strength, durability, and quality
- Easy-to-remove handle to protect against accidental operation during rough-ins
- Repairable stem
- Available as SpeediOne one piece supply-an all-in-one water stop and connector – for added efficiency
- Available in crimp and cold expansion options for PEX installs



G2 1/4 TURN STOPS

- One-piece shutoff mechanism for smooth operation, even after long periods of non-use
- Machined, one-piece brass body for strength, durability, and quality construction
- Easy-to-remove handle to protect against accidental operation during rough-ins
- 100% leak tested and low-lead certified
- Available as SpeediOne one piece supply-an all-in-one water stop and connector – for added efficiency
- Available in crimp and cold expansion options for PEX installs



KT 1/4 TURN STOPS

- Quality brass ball valve with PTFE seatsfor easy operation and a secure seal
- Machined one-piece brass body for strength, durability, and quality construction
- Two high-performance O-rings withstand high temperatures and corrosion
- Easy-to-remove handle to protect against accidental operation during rough-ins
- 100 % leak tested
- Ideal for recirculating water systems above115° F
- Available in crimp and cold expansion options for PEX installs

Plumbshop®

Plumbshop® 1/4-turn ball stops are available in multiple configurations. They feature tough chrome plating for corrosion resistance, easy-grip 1/4-turn handles, and a 1-year limited warranty. Certified lead-free.







PLB104X B Crimp Pex Barb 1/4 Turn Angle Stop, 1/2" Nom PEX x 3/8" OD Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance



Product No. Description

PLB107X B Cold Expansion Pex Barb 1/4 Turn Angle Stop, 1/2" Nom Cold Exp x 3/8" OD Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance



Product No. Description

PLB103X B Sweat 1/4 Turn Angle Stop, 1/2" Nom Sweat x 3/8" OD Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance



Product No. Description

PLB100X B Compression 1/4 Turn Angle Stop, 1/2" Nom Comp. x 3/8" OD Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance




Product No. Description

PLB101X B Push Connect 1/4 Turn Angle Stop, 1/2" Nom Push Connect x 3/8" OD Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance







PLB204X B Crimp Pex Barb 1/4 Turn Straight Stop, 1/2" Nom PEX x 3/8" OD Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance



Product No. Description

PLB207X B Cold Expansion Pex Barb 1/4 Turn Straight Stop, 1/2" Nom Cold Exp x 3/8" Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance



Product No. Description

PLB203X B Sweat 1/4 Turn Straight Stop, 1/2" Nom Sweat x 3/8" OD Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance



Product No. Description

PLB200X B Compression 1/4 Turn Straight Stop, 1/2" Nom Comp. x 3/8" OD Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance



Product No. Description

PLB201X B Push Connect 1/4 Turn Straight Stop, 1/2" Nom Push Connect x 3/8" OD Comp.

FEATURES:

- 1/4 Turn angle ball stop
- Chrome plated for corrosion resistance



The product line also includes a comprehensive selection of both Non-O.E.M. and universal fit replacement parts for repair and installation of most Canadian plumbing fittings and fixtures.


The Master Plumber® collection includes a comprehensive assortment of plumbing parts & accessories which is supported by Canadian product development, engineering, sales, and marketing teams.

The Master Plumber® organized packaged parts system is designed to help customers with their individual parts and accessories service program needs.



Master Plumber displays are available to all participating Master Plumber dealers in a variety of sizes.

Master Plumber.



Get in Touch

CONTACT US

Visit our Training and Presentation Centre at: 56 Pennsylvania Ave, UNIT 10 &11 Concord, ON L4K 3V9

SALES TEAM

Bryan Richardson

Principal – Outside Sales Commercial Specialist P: 416-729-5083 E: brichardson@centonsales.com

Mike Misasi

Principal - Outside Sales RNC P: 647-287-7910 E: michaelm@centonsales.com

Doug Sloan

Sales Manager P: 416-523-3353 E: dsloan@centonsales.com

David Di Giovanni

Outside Sales - Commercial Specialist P: 416-518-7470 E: davidd@centonsales.com

Ryan Forde

Outside Sales - RNC GTA & Wholesale Counter Specialist P: 905-599-6865 E: rforde@centonsales.com

Josey Lo Vetere

Outside Sales - Luxury Specialist P: 647-300-5084 E: joseyl@centonsales.com

Frank Algieri

Parts, Warranty and Service P: 416-552-9996 E: falgieri@centonsales.com

Art Pieterman

Outside Sales - SW Ontario P: 519-639-1976 E: apieterman@centonsales.com

Jeff Hynes

Outside Sales - Northern Ontario P: 705-331-6413 E: jhynes@centonsales.com

Kim Martin

Outside Sales - Niagara Region P: 905-973-4800 E: kmartin@centonsales.com

Troy von Treuenfels

Outside Sales - Eastern Ontario P: 416-553-8849 E: troyv@centonsales.com

Liam Richardson

Wholesale Counter Specialist P: 416-700-3991 E: liamr@centonsales.com

Deborah Di Giovanni

Office Manager & Brand Specialist P: 416-721-5672 E: deb@centonsales.com

www.centonsales.com

For General Inquiries: info@centonsales.com For Service: service@centonsales.com

f Centon Sales

Centonsales

in Centon Sales

Centon Sales



PASSION | INTERGRITY | COLLABORATION | SERVICE

centonsales.com

f in D