

Certificate of Analysis

Compliance Test

Batch # F02018
Batch Date: 2025-02-21
Extracted From: Hemp

Test Reg State: Florida

Production Date: 2025-02-21

Order # JAG250306-010001
Order Date: 2025-03-06
Sample # AAGL889

Sampling Date: 2025-03-07
Lab Batch Date: 2025-03-07
Completion Date: 2025-03-17

Initial Gross Weight: 198.382 g
Net Weight: 151.982 g

Number of Units: 1
Net Weight per Unit: 151982.000 mg



**Potency
Tested**

Product Image

Potency 10

Specimen Weight: 505.420 mg

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	SOP13.001 (LCUV)	
				Tested	
CBD	5.40E-5	0.015	14.490	1.449	
CBC	1.80E-5	0.015	<LOQ	<LOQ	
CBDA	1.00E-5	0.015	<LOQ	<LOQ	
CBDV	6.50E-5	0.015	<LOQ	<LOQ	
CBG	2.48E-4	0.015	<LOQ	<LOQ	
CBGA	8.00E-5	0.015	<LOQ	<LOQ	
CBN	1.40E-5	0.015	<LOQ	<LOQ	
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ	
THCA-A	3.20E-5	0.015	<LOQ	<LOQ	
THCV	7.00E-6	0.015	<LOQ	<LOQ	
Total Active CBD			14.490	1.449	
Total Active THC			<LOQ	<LOQ	

Potency Summary

Total Active THC	None Detected	Total Active CBD	2202.219 mg
Total CBG	None Detected	Total CBN	None Detected
Total Cannabinoids			1.449% 2202.219 mg

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta 8-THCP + Delta 9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (ug/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

