



VILLA ELEVATOR SERIES

别墅电梯系列

苏州立雅电梯有限公司 SUZHOU LIYA ELEVATOR CO. LTD

地址: 中国江苏省苏州市吴江区经济技术开发区甘泉西路南侧 ADD: South of Ganquan West Road, Economic & Technological Development Zone, Wujiang District , Suzhou City , Jiangsu Province , China

TEL: 0512-63339522 E-mail:sales@xyelevator.com Http://www.liyaelevator.com

这是一份普通的信息刊物。我们保留随时更改产品设计和指述的权利。 如因产品描述、使用或质量的学紊含义而产生任何争议措述和够改任何销售合同,我公司 你将不来担由此而来的任何责任。 由于可期技术的限制,如果实际加工的颜色与小图子上的有细薄的差别,请告知 以实际材料和颜色样品为标准

以来中的特殊使用的原则。

If there is any dispute out of the literal meaning of any product description, use or quality; the description and attention of any sales contract, our company will ont bear any responsibilities there—from.

Because of the restriction of the printing suchnology if there is any slight difference between the actually machining color and that from this pamphlet, please take the actual material and color sample as the criterion.



苏州立雅电梯有限公司 SUZHOU LIYA ELEVATOR CO. LTD

源自新加坡 Originate from Singapore









公司简介

Company profile

苏州立雅别墅电梯,专业从事高端别墅电梯产品的研发与定制,是集研发、制造、安装、维保、改造于一体的技术型企业。

企业引进全新技术,全套采用国际领先的数控折弯机、数控剪板机、数控转塔冲床、数控切割机等自动化先进生产设备,从产品设计、工程规划,到服务与现代化更新,用智造赋予电梯更多可能。

立雅,始终坚持对工艺的传承与创新,保持对用户的理解与尊重,通过丰富的实践经验与智能化信息技术资源整合,以高起点的设计理念,和国际先进的生产加工工艺,实现了电梯品质的全面升级,使产品更具安全、舒适、精美、节能和环保等特点,为每一位客户提供私人订制一站式服务,全方位满足人性化居家需求。

Suzhou Liya Villa Elevator specializes in researching into, developing and tailor-making various high-grade villa elevators. It is a high and new tech enterprise that integrates the elevator research, development, manufacture, installation, repair, maintenance, transformation into one.

The enterprise introduces brand-new technology. It applies a full set of the leading international digital bending machine, digital plate shearing machine, digital turret punch press, digital cutting machine etc. From product design; project planning to service and modern upgrading, elevators are richly endowed with more and more possibilities through the intellectual manufacture.

Liya Company always follows and innovates upon new craft and technology. We understand and esteem vast users. It integrates the rich practical experience with intellectual information technology resources. It fulfills overall upgrading to the elevator quality through high starting point design concept, the advanced international production and machining craft & technology. Our products feature as safe, comfortable, attractive, energy-saving and environment-protection and so on. It provides every client with exclusively tailor-made one-stop services. It satisfies the human-centered household requirements in an omni-bearing way.



卓越技术智能空间

Outstanding Technology Intellectual Space

安全新概念, 电梯永不关人

New safety concept Never trap any passengers

立雅别墅电梯具有领先的应急和故障自救功能,当电梯停电或出现故障保持时,电梯将自动启动自救功能,通过控制柜内的蓄电池开启电梯就近楼层区,自动打开轿门实现自救。即使老人小孩独自在家,也不必担心会被困在梯中。人性科技,安全无忧。

LIYA Villa elevator has leading emergency and trouble self-rescue functions. When power fails or it keeps trouble conditions, elevator automatically starts self-rescue function. It starts elevator through accumulator in control cabinet to nearby floor zone. It automatically opens car door to fulfill self-rescue. Even if kids or the old are at home alone, they will not be trapped in elevator. Human-centered technology fulfills safe and relaxing properties.



智能控制

Intellectual control

采用结合当代工控技术和通讯技术的无辐射一体式控制柜,全钢板封闭式设计,屏蔽辐射,维护方便;VVVF变頻控制门机系统,任意调节门机运行曲线,运行安全,质量稳定。

It applies radiaion-free integrated control cabinet which combines contemporary industrial control technology with communication technology. Enclosed steel plate design shields radiation with the convenient maintenance. VVVF variable frequency control door machine system freely adjust door machine running curve with safe operation and stable quality.



人脸识别系统

Human-face recognition system

为了满足高端智能化的用梯新需求,立雅别墅梯产品通过事先采集业主家庭成员的脸部图像信息并存储。当成员有用梯需求时,只需将人脸部对准安装在各楼层厅门旁的"人脸识别系统",扫描比对通过后,此系统会自动召唤别墅电梯到达您所在楼层并自动开门迎客,您进入轿内登记指令后即可用梯。

In order to satisfy new travel requirements from high-end intellectual elevators, LIYA villa elevator pre-collects and stores the facial image of the owners' family. When they have need, target their faces to "human-face recognition system" beside hoist-way doors at various floors, after it passes the scan comparison. System automatically calls villa elevator to your floor and opens the door automatically. After you enter, register the car command for use.



曳引式 别墅电梯

Traction Type Villa Elevator

曳引式别墅电梯的特点

Characteristics of a traction type villa elevator

◎ 无需传统机房: 节省建筑成本

○ VVVF驱动技术: 家用电梯专用微机板控制, 平稳舒适

◎ 专用曳引机机架:固定于导轨,建筑物可不承受力

© 采用普通家用220V单相电源,无需另外申请工业电源

◎ 自动专用门机:变频节能,安全可靠 ◎ UPS(后备电源)在停电时可以应急放人


- It does not need machine room. It saves the building cost.
- VVVF drive technology: Home elevator dedicated micro-computer control is smooth and comfortable.
- Special traction machine base frame is fixed on guiderail. The building does not bear any load.
- It applies ordinary home-use 220V single-phase power supply without additional application for industrial mains.
- Automatic door operator: Variable frequency energy-saving, safe and reliable
- O UPS (backup) can release the passengers during power failure.

多种开门方式选择不同品位生活

Various ways of opening modes, choose different grade of life

采用多种开门方式供用户选择,同时可根据用户的需求和使用情况特殊设计。

The products can be specially designed according to the users' requirements and use conditions.



中分式 Center-opening



旁开式 Side-opening



手拉门 Manually operated door



钢带型 别墅电梯

Steel Belt Villa Elevator

采用更加节能、环保、耐用的复合钢带,配以高效节能型主机、变频门机、安全可靠的光幕门保护装置等多项国际领先技术,将垂直运输电梯发展带入了新的阶段。

Applies the more energy-saving, environment protection and durable composite wire cable. It matches with multiple leading international technologies such as effective energy-saving host, variable frequency door machine, safe and reliable light curtain door protection device etc. It brings vertical transport elevator development into a new stage.

专用型钢带和保护装置

Special-purpose steel band and protection device

绳股重新排布,扁平设计使接触面积增大,提高曳引摩擦力; 聚氨酯包层既能保护钢丝绳股,又能增加柔韧性,减小曳引轮磨损; 钢带不需要额外润滑,无油渍污染; 比钢丝绳振动幅度低,更平稳舒适;

比传统钢丝绳轻,节省电能;

使用寿命更长。

Wire strands are re-arranged, flat design enlarges the contact area, it increases the traction frictional force.

Polyurethane cladding protects wire rope strand, reinforces its flexibility. It reduces wear-ability of traction sheave.

Steel band needs no extra lubrication. It has no oil stain pollution.

Compared with wire rope, it has the lower vibration amplitude. It travels more smoothly and comfortably.

It is lighter than traditional wire rope. It saves the electric energy. Longer service life.



复合钢带 Composite Steel Belt



传统钢丝绳 Traditional Wire Rope



强驱式 别墅电梯

Strong Drive Type Villa Elevator

采用先进的强制驱动主机和数字化控制变频调速技术,运行平稳、无需对重、无齿轮箱、体积小、安装便捷、更节省成本和建筑空间。

It applies the advanced forced drive host and digital control variable frequency speed regulation technology with smooth running. It needs no counterweight, no gearbox with small bulk, prompt and convenient installation. It saves more cost and building space too.

强驱式结构的特点:

Product features

高效齿轮箱与高效永磁电机相结合,实现无对重高效运行; 主机小型化和轻量化,可以适应最小井道,同时顶层高度、底坑 深度和井道利用率均达到最佳效果;

主机噪音控制在 48 分贝左右,1:1 安装,真正实现低噪音运行; 永磁电机配控制柜做封芯处理,机械或电动松闸后,电梯以低于 0.1m/s 速度向下运行,安全可靠;

启动电流比额定电流高 1A,对家庭电网无冲击;

上置式卧式安装和下置式立式安装,满足不同布置方案。

High efficiency gearbox and high efficiency permanent magnet motor are combined to realize high efficiency operation without counterweight;

The main engine is miniaturized and lightweight, which can adapt to the smallest well path. Meanwhile, the height of the top floor, the depth of the bottom pit and the utilization rate of the well path all achieve the best effect.

Host noise control in about 48 db, 1:1 installation, really achieve low noise operation;

The permanent magnet motor is equipped with control cabinet for core sealing. After mechanical or electric brake is released, the elevator will operate at a speed lower than 0.1m/s, which is safe and reliable.

The starting current is 1A higher than the rated current and has no impact on the household power grid;

The upper horizontal installation and the lower vertical installation meet different layout schemes.



钢结构井道

Steel structure well



钢结构切面 Section of steel structure

钢结构井道特点

Characteristics of steel structure well

性价比高,外包板后期由装修单位封装与设计风格一致, 安装位置可自选,简洁美观,并架表面以豪华汽车油漆工 艺标准及进口油漆喷涂 防锈耐腐 永保光亮如新。

It is of high cost performance. Later outer sheath coincides with the decoration unit package and design style. Installation position can be chosen by the client. It appears concise and attractive. Well-frame surface takes the deluxe car paint technological standard and imported oil-paint. It resists any rust / corrosion. It always keeps new and bright

高级喷涂框架

Advanced spray alloy frame



玻璃侧板 Glass side pane



全透明玻璃 Fully transparent glass



灰色透明玻璃 Gray transparent class



高级钢结构框架 High grade steel structure frame

铝合金井道 Aluminum alloy well

高级铝合金框架

High grade aluminum alloy frame



铝合金切面

Aluminum alloy section

铝合金井道特点

金 采用安全夹胶玻璃。

Characteristics of Aluminum alloy well

独立的框架玻璃设计,不额外增加建筑成本,透光性好, 与室内装潢为一体; 安装位置可自选,耐腐蚀,寿命周期长选用工业级铝合

Independent frame glass design does not add any extra building cost with fine transparency. It integrates with indoor decoration into one. Installation positions can be chosen by the clients. It resists any corrosion with long service life. It chooses the industrial-class aluminum alloy. It also applies safety laminated glass.

高级喷涂框架

Advanced spray alloy frame



玻璃侧板 Glass side panel



灰色透 lass Gray tr



茶色透明玻璃 Dark brown glass

轿厢装潢

The Car Decoration





LY-V01 选列Optional ②

吊 顶: LED灯点缀于镜面不锈钢

轿 壁: 360°全圆安全夹胶钢化观光玻璃

扶 手: 弧形不锈钢圆形扶手

地 板: 圆形大理石

Ceiling: LED lamp is decorated in mirror stainless steel Car wall; 360° all-round safety laminated roughened

observation glass

Handrail: Curved stainless steel circular handrails

Floor: Round marble



LY-V02 选配/Optional ②

吊 顶: LED灯点缀于镜面不锈钢

轿 壁: 360°全圆安全夹胶钢化观光玻璃

扶 手: 弧形不锈钢圆形扶手

地 板: 圆形大理石

Ceiling: LED lamp is decorated in mirror stainless steel Car wall: 360° all-round safety laminated roughened

observation glass

Handrail; Curved stainless steel circular handrails

Floor: Round marble

轿厢装潢

The Car Decoration





LY-V03 选配/Optional ②

吊 顶: 发纹不锈钢, 亚克力灯饰, LED筒灯

轿 壁: 发纹不锈钢, 观光玻璃

地 板: PVC或大理石可选

Ceiling:Hairline stainless steel, acrylic light decoration, LED down lamp

Car wall:Hairline stainless steel,observation glass Floor:Optional PVC or marble



LY-V04 选配/Optional ②

吊 顶: 玫瑰金不锈钢, 亚克力灯饰

轿 壁: 玫瑰金不锈钢, 安全夹胶玻璃

扶 手: 玫瑰金不锈钢单管

地 板: PVC

Ceiling:Rose gold stainless steel, acrylic lighting Car wall: Rose gold stainless steel, safety laminated glass Handrail: Rose gold stainless steel single tube Floor: PVC

轿厢装潢

The Car Decoration





LY-V05 选配/Optional ⊙

吊 顶:镜面不锈钢框架,中间亚克力喷绘顶板, 亚克力灯饰

轿 壁: 发纹不锈钢, 玫瑰金蚀刻

扶手:无

地 板: PVC

Ceiling: Mirror stainless steel frame, central acrylic air brushed top panel, acrylic light decoration Car wall: Hairline stainless steel, rose gold mrror etching, stainless steel Handrail:None Floor:PVC



LY-V06 选配/Optional ⊙

吊顶:木饰面,LED筒灯

轿 壁: 木饰面, 钛金镜面蚀刻不锈钢, 彩饰板

扶手:无

地 板: PVC

Ceiling: Wood decoration, LED lighting Car wall: Wood decoration, titanium gold mirror etched stainless steel, color decoration panel Handrail: None Floor: PVC





LY-V07 选配/Optional ②

吊顶:镜面不锈钢,亚克力灯饰,LED照明 轿壁:钛金不锈钢,钛金镜面蚀刻不锈钢

扶手: 无 地板:PVC

Ceiling: Mirror Stainless Steel, Acrylic Light

Decoration, LED Lighting

Car Wall : Titanium Stainless Steel, Titanium

Mirror Etching Stainless Steel

Handrail: None Floor: PVC



LY-V08 选配/Optional ②

吊 顶:钛金发纹不锈钢,亚克力透光板,LED灯 轿 壁:钛金发纹不锈钢,钛金镜面不锈钢蚀刻

扶 手:无 地 板:PVC

Ceiling:Titanium hairline stainless steel, acrylic translucent plate,LED light

Car wall:Titanium hairline stainless steel, titanium mirror stainless steel etching

Handrail: None Floor: PVC

轿厢装潢

The Car Decoration





LY-V09 选配/Optional ②

吊 顶: 香槟金镜面不锈钢蚀刻, 欧式吸顶灯, 筒灯

轿 壁: 香槟金发纹不锈钢, 香槟金镜面蚀刻

扶 手: 香槟金+实木组合扶手

地 板: PVC

Ceiling:Champagne gold mirror stainless steel etching, European ceiling light, downlight

Car wall:Champagne gold hairline stainless Steel, champagne gold mirror etched

Handrail:Champagne gold + solid wood combination handrail

Floor:PVC



LY-V10 选配/Optional ②

吊顶: 香槟金发纹不锈钢, 筒灯, LED灯带

轿壁: 香槟金发纹不锈钢, LED灯带

扶手: 香槟金扁扶手

地板: PVC

Ceiling:Champagne gold hairline stainless Steel downlight,

Car wall: Champagne gold hairline stainless Steel downlight,

Handrail: Champagne gold flat handrail

Floor: PVC





LY-V11 选配/Optional ②

吊 顶:镜面不锈钢框架,中间亚克力喷绘顶板, 亚克力灯饰

轿 壁: 发纹不锈钢, 玫瑰金蚀刻

扶手:无

地 板: PVC

Ceiling: Mirror stainless steel frame, central acrylic air brushed top panel,acrylic light decoration Car wall:Hairline stainless steel,rose gold mrror etching ,stainless steel

Handrail:None Floor:PVC



LY-V12 选配/Optional ②

吊顶:黑钛金镜面,亚克力透光板,LED灯

轿 壁:水镀黑发丝不锈钢,水镀黑镜面不锈钢,灯带

扶手:无 地板:PVC

> Ceiling:Mirror stainless steel, middle acrylic transparent plate, gold downlight

Car wall: mirror etching,titanium etching

Handrail: None

Floor: PVC

14

人机界面 Human Machine Interface











LY-WH03

选配 Optional

LY-WH04

选配 Optional

16

LY-WH02

选配 Optional

0

LY-WH01

选配 Optional





LY-M001 标配 Standard



LY-M002 选配 Optional



选配 Optional



LY-M004 选配 Optional



LY-M005 选配 Optional



LY-M006 选配 Optional




LY-M007 选配 Optional




LY-M008 选配 Optional



LY-D001 选配 Optional



LY-D002 选配 Optional



LY-D003 选配 Optional



LY-D004 选配 Optional




LY-D004 选配 Optional



LY-D005 选配 Optional













LY-B003

选配 PVC








LY-B004 选配 PVC




LY-B007 选配 PVC



LY-B005

LY-B008 选配 PVC



选配 PVC

LY-B009 选配 PVC

电梯功能表 Elevator function table

安全功能 Safety features

B	标准功能
•	Standard features

0	可选功能
_	Optional feature

拯救及故障监测 ————————————————————————————————————		
主机过热保护 Host over-heat protection	B 限速器张紧安全触点 Speed limiter tensioning safety contactor	$oldsymbol{\mathbb{B}}$
安全回路分段检测	B 新门触点 Car door contactor	$oldsymbol{\mathbb{B}}$
Safety loop sectional detection 总电源开关箱	新厢照明主开关盒主保险-控制柜内	₿
Main power switch box 运行小时累计	Main fuse of car lighting main switch box — inside control cabinet 底坑撑杆触点	₿
Accumulated running hours 轿厢位置开关 Car position switch	Pit supporting rod contactor 新顶撑杆触点 Car-top supporting rod contactor	₿
新厢紧停开关-新顶 Car emergency-stop switch — car-top	B 手动松闸功能 Manual brake-releasing function	B
新厢紧停开关-底坑 Car emergency-stop switch — pit	B 紧急轿厢照明 Emergency car lighting	₿
安全钳安全触点 Safety tongs safety contactor	B 手动紧急救援 Manual emergency rescue	$oldsymbol{\mathbb{B}}$
限速器安全触点 Speed limiter safety contactor	B 断电紧急平层ARD Power-failure emergency leveling ARD	\odot
电梯主开关-控制柜内 Main elevator switch — inside control cabinet	D 应急电话 (一键拨号电话) Emergency telephone (one-key dial telephone)	\odot
禁止开门开关 No-opening switch	B 自动发送救援信息功能(GSM功能) Automatic sending function of rescue information (GSM function)	\odot
	家用设备断电应急供电功能(UPS功能) Home equipment power-failure emergency power-supply function (UPS function)	0

信息功能 Information function

厅外信息显示 —————	
カタロ音感並が Hall information display	
外呼登陆显示灯 Outer calling log-in display lamp 各层均有方向箭头,层位显示 Directional arrow, landing display at each floor	B
轿内信息显示 ————————————————————————————————————	
内呼登陆显示灯 Inner calling log-in display lamp 超载功能图案及蜂鸣器 Overload functional design and buzzer 轿厢位置指示 Car position indication 运行方向指示 Running direction indication	(B) (B) (B)
监控信息 Monitor information 门区指示灯 Door zone indication lamp 运行次数累计 Accumulated running times 一般故障信号 Common trouble signal	(B) (B)
控制功能 Control function	

一般故障信号 Common trouble signal	B
控制功能 Control function	
优先和特殊服务功能 ——————————————————Prior and special service function	
禁止外呼 No outer calling 自动门 Automatic door	B
各层开关门时间可统一调节 Door opening / closing time at each floor can be unanimously adjusted	₿
检修运行 Inspection operation	₿
紧急召回 Emergency recall 测试运行	B
Testing operation	

If elevator door does not open, it automatically goes to next landing

电梯门未开则自动开往下一站

NMS远程监控

NMS long-distance monitor

来各都迫功能 Passengers comfortable function	
出入轿厢 ————————————————————————————————————	
开门按钮 Door-opening button 关门按钮 Door-closing button	
光幕	

天门按钮 Door-closing button	B
光幕 Light curtain	B
滥用/误用保护 ————	
Abuse / error-use protection	_
二次按钮取消错误内呼 Secondary button-pressing cancelling of error inner-calling	B
按钮黏滞监察	B
Monitor of sticky button-pressing	~
反向内呼 Reversal inner-calling	В
运行舒适度 —————	
Operational comfort-ness	
轿内照明 Car lighting	В
轿内风扇	B
Car fan	
轿内照明监察	B
Car lighting monitor	<u> </u>
背景音乐/语音报站	•
Background music / voice arrival	

背景音乐/语音报站 Background music / voice arrival	•
特殊功能 ————————————————————————————————————	
残疾人使用功能(盲人按钮,语音提示) Use functions for disabled (buttons for the blind, voice prompt)	B
外呼再开门 Outer calling re-opening	
贯通门 Opposite door	
可选开门(如有通门) Optional opening (if opposite door is available)	
Optional opening (if opposite door is available)	

注:o为选配功能 Note:o is optional function

服务体系

Service System

温情解析 量身定制

Warm analysis, specially custom-made for you

专人负责跟踪客户项目,努力为客户提供性价比最高的产品。

It has special people to be responsible for tracking the customers' projects. We try our best to provide the clients with the products with maximum cost performance.

公平买卖 诚实守信

Honest, impartial and promisekeeping business

恪守合同条款,产品按时发货、按时安装、按时交付使用,是立雅最朴实的承诺。

It abides by the contract clauses, promptly deliver the products with in–time installation and use. It is the most fundamental pledge of LIYA Elevator.

后顾无忧 满意一百

The clients can rest assured in buying Autors elevators with 100% satisfaction rate.

1年免保期,24小时服务中心热线,最近的维保人员应急响应,立雅提供的服务是值得终生相托。

LIYA offers life-long trustworthy services such as one-year free maintenance period, 24-hour service center hot-line, emergency response from the nearest repairers & maintainers etc.



专业团队 Professional team



服务专线 Service line



快捷服务 Convenient service



专业维保 Professional maintenance

