



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, RAPTOR RP-1 RADAR, serial number RP20294, performed on May 09, 2019 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 5/14/2019 8:47 AM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Cicero Town Police Department
 Manufacturer: KUSTOM ELECTRONICS Model: RAPTOR RP-1
 Date: May 09, 2019 Serial Number: RP20294

I hereby certify that KUSTOM ELECTRONICS RADAR, model RAPTOR RP-1, serial number RP20294// RK27328 // RK27331, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	65 MPH	65 MPH
2	35 MPH	35 MPH
Test No	Certification Standard (Moving)	Test Result
1	65 MPH	30 MPH
	35 MPH	

Turning Fork Certification / Date of Certification: May 09, 2019

Serial Number	Frequency	Test Result
61963	4736 HZ	65 MPH

The above stated tuning fork has been tested and found to oscillate at 4736 Hertz. It will cause a calibration signal of 65 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
67665	2547 HZ	35 MPH

The above stated tuning fork has been tested and found to oscillate at 2547 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

Joseph Iavarone

Digitally signed under ESRA
 by Joseph Iavarone
 on 5/9/2019 3:30 PM

Joseph Iavarone
Highway Safety Equipment Technician
Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cicero Town Police Department
Manufacturer: KUSTOM ELECTRONICS
Model: RAPTOR RP-1
Serial Number: RP20294
Date: May 09, 2019

- 1. General appearance and condition of this device -----: OK**

- 2. Turn system ON -----: OK**

- 3. Check visual displays/indicators -----: OK**

- 4. System cycles through all modes -----: OK**

- 5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION**



Joseph Iavarone

Digitally signed under ESRA
by Joseph Iavarone
on 5/9/2019 3:30 PM

Joseph Iavarone
Highway Safety Equipment Technician
Office of Public Safety



**CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS
MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, RAPTOR RP-1 RADAR, serial number RP20294, performed on May 04, 2020 by Office of Public Safety employee George Coffin, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 5/11/2020 3:25 PM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Cicero Town Police Department
 Manufacturer: KUSTOM ELECTRONICS Model: RAPTOR RP-1
 Date: May 04, 2020 Serial Number: RP20294

I hereby certify that KUSTOM ELECTRONICS RADAR, model RAPTOR RP-1, serial number RP20294// RK27328 // RK27331, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	65 MPH	65 MPH
2	35 MPH	35 MPH
Test No	Certification Standard (Moving)	Test Result
1	65 MPH	30 MPH
	35 MPH	

Turning Fork Certification / Date of Certification: May 04, 2020

Serial Number	Frequency	Test Result
61963	4732 HZ	65 MPH

The above stated tuning fork has been tested and found to oscillate at 4732 Hertz. It will cause a calibration signal of 65 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
67665	2546 HZ	35 MPH

The above stated tuning fork has been tested and found to oscillate at 2546 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA
 by George Coffin
 on 5/4/2020 2:58 PM

George Coffin
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cicero Town Police Department
Manufacturer: KUSTOM ELECTRONICS
Model: RAPTOR RP-1
Serial Number: RP20294
Date: May 04, 2020

- 1. General appearance and condition of this device -----: OK**

- 2. Turn system ON -----: OK**

- 3. Check visual displays/indicators -----: OK**

- 4. System cycles through all modes -----: OK**

- 5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION**



George Coffin Digitally signed under ESRA
by George Coffin
on 5/4/2020 2:58 PM

George Coffin
Highway Safety Equipment Technician
Office of Public Safety



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, RAPTOR RP-1 RADAR, serial number RP20294, performed on May 12, 2021 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Joshua Vinehout".

Digitally signed under
ESRA by Joshua Vinehout
on 5/20/2021 8:31 AM

Joshua Vinehout
Supervisor of Public Safety Programs
Office of Public Safety

An Equal Opportunity/Affirmative Action Agency

RADAR RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Cicero Town Police Department
 Manufacturer: KUSTOM ELECTRONICS Model: RAPTOR RP-1
 Date: May 12, 2021 Serial Number: RP20294

I hereby certify that KUSTOM ELECTRONICS RADAR, model RAPTOR RP-1, serial number RP20294// RK27331 // RK27328, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	50 MPH	50 MPH
2	35 MPH	35 MPH
Test No	Certification Standard (Moving)	Test Result
1	50 MPH	15 MPH
	35 MPH	

Turning Fork Certification / Date of Certification: May 12, 2021

Serial Number	Frequency	Test Result
44419	3651 HZ	50 MPH

The above stated tuning fork has been tested and found to oscillate at 3651 Hertz. It will cause a calibration signal of 50 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
59168	2541 HZ	35 MPH

The above stated tuning fork has been tested and found to oscillate at 2541 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

Joseph Iavarone

Digitally signed under ESRA
 by Joseph Iavarone
 on 5/12/2021 2:48 PM

Joseph Iavarone
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cicero Town Police Department
Manufacturer: KUSTOM ELECTRONICS
Model: RAPTOR RP-1
Serial Number: RP20294
Date: May 12, 2021

- 1. General appearance and condition of this device -----: OK**

- 2. Turn system ON -----: OK**

- 3. Check visual displays/indicators -----: OK**

- 4. System cycles through all modes -----: OK**

- 5. Record any repairs made to this instrument and list services provided:
VERIFIED CALIBRATION**



Joseph Iavarone

Digitally signed under ESRA
by Joseph Iavarone
on 5/12/2021 2:48 PM

Joseph Iavarone
Highway Safety Equipment Technician
Office of Public Safety



**CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS
MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Steven J. Carluccio, Highway Safety Equipment Technical Supervisor, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM SIGNALS, RAPTOR RP-1 RADAR, serial number RP20294, performed on May 03, 2022 by Office of Public Safety employee Joseph Iavarone, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection/ maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Steven J. Carluccio".

Digitally signed under ESRA
by Steven J. Carluccio
on 05/13/2022 10:50 AM

**Steven J. Carluccio
Highway Safety Equipment Technical Supervisor
Office of Public Safety**

RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Cicero Town Police Department

Manufacturer: KUSTOM SIGNALS

Model: RAPTOR RP-1

Serial Number: RP20294

Date: May 03, 2022

I hereby certify that KUSTOM SIGNALS RADAR, model RAPTOR RP-1, serial number RP20294/ RK27331 / RK27328, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	50 MPH	50 MPH
2	35 MPH	35 MPH
Test No	Certification Standard (Moving)	Test Result
1	50 MPH	15 MPH
	35 MPH	

Tuning Fork Certification / Date of Certification: May 03, 2022

Serial Number	Frequency	Test Result
44419	3650 HZ	50 MPH

The above stated tuning fork has been tested and found to oscillate at 3650 Hertz. It will cause a calibration signal of 50 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
59168	2541 HZ	35 MPH

The above stated tuning fork has been tested and found to oscillate at 2541 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection/maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA
by Joseph Iavarone
on 05/03/2022 01:39 PM

Joseph Iavarone
Highway Safety Equipment Technician
Office of Public Safety

RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Cicero Town Police Department

Manufacturer: KUSTOM SIGNALS

Model: RAPTOR RP-1

Serial Number: RP20294

Date: May 03, 2022

1. General appearance and condition of this device -----: OK

2. Turn system ON -----: OK

3. Check visual displays/indicators -----: OK

4. System cycles through all modes -----: OK

**5. Record any repairs made to this instrument and list services provided : VERIFIED
CALIBRATION**



**Division of Criminal
Justice Services**

A handwritten signature in black ink that reads "Joe Iavarone".

Digitally signed under ESRA
by Joseph Iavarone
on 05/03/2022 01:39 PM

Joseph Iavarone
Highway Safety Equipment Technician
Office of Public Safety



**CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS
MAINTAINED IN THE REGULAR COURSE OF BUSINESS**

I, Steven J. Carluccio, Highway Safety Equipment Technical Supervisor, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM SIGNALS, RAPTOR RP-1 RADAR, serial number RP20294, performed on May 09, 2023 by Office of Public Safety employee Frank Sgarlata, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection/ maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Steven J. Carluccio".

Digitally signed under ESRA
by Steven J. Carluccio
on 05/16/2023 12:06 PM

**Steven J. Carluccio
Highway Safety Equipment Technical Supervisor
Office of Public Safety**

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cicero Town Police Department

Manufacturer: KUSTOM SIGNALS

Model: RAPTOR RP-1

Serial Number: RP20294

Date: May 09, 2023

I hereby certify that KUSTOM SIGNALS RADAR, model RAPTOR RP-1, serial number RP20294/ RK27331 / RK27328, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	50 MPH	50 MPH
2	35 MPH	35 MPH
Test No	Certification Standard (Moving)	Test Result
1	50 MPH	15 MPH
	35 MPH	

Tuning Fork Certification / Date of Certification: May 09, 2023

Serial Number	Frequency	Test Result
44419	3650 HZ	50 MPH

The above stated tuning fork has been tested and found to oscillate at 3650 Hertz. It will cause a calibration signal of 50 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
59168	2540 HZ	35 MPH

The above stated tuning fork has been tested and found to oscillate at 2540 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection/maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA
by Frank Sgarlata
on 05/09/2023 11:53 AM

**Frank Sgarlata
Highway Safety Equipment Technician
Office of Public Safety**

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cicero Town Police Department

Manufacturer: KUSTOM SIGNALS

Model: RAPTOR RP-1

Serial Number: RP20294

Date: May 09, 2023

1. General appearance and condition of this device -----: OK

2. Turn system ON -----: OK

3. Check visual displays/indicators -----: OK

4. System cycles through all modes -----: OK

**5. Record any repairs made to this instrument and list services provided : VERIFIED
CALIBRATION**



**Division of Criminal
Justice Services**

A handwritten signature in black ink that reads "Frank Sgarlata".

Digitally signed under ESRA
by Frank Sgarlata
on 05/09/2023 11:53 AM

**Frank Sgarlata
Highway Safety Equipment Technician
Office of Public Safety**



Division of Criminal Justice Services

CERTIFICATION PURSUANT TO CPLR 4518 OF RECORDS MAINTAINED IN THE REGULAR COURSE OF BUSINESS

I, Frank Sgarlata, Highway Safety Equipment Technician 2, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM SIGNALS, RAPTOR RP-1 RADAR, serial number RP20294, performed on May 03, 2024 by Office of Public Safety employee Martin Schilling, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection/ maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

A handwritten signature in black ink that reads "Frank Sgarlata".

Digitally signed under ESRA
by Frank Sgarlata
on 05/03/2024 11:38 AM

Frank Sgarlata
Highway Safety Equipment Technician 2
Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cicero Town Police Department
 Manufacturer: KUSTOM SIGNALS
 Model: RAPTOR RP-1
 Serial Number: RP20294
 Date: May 03, 2024

I hereby certify that KUSTOM SIGNALS RADAR, model RAPTOR RP-1, serial number RP20294/ RK27328 / RK27331, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

Test No	Internal Standard	Test Result
1	PAS MPH	PAS MPH
Test No	Certification Standard (Stationary)	Test Result
1	50 MPH	50 MPH
2	35 MPH	35 MPH
Test No	Certification Standard (Moving)	Test Result
1	50 MPH	15 MPH
	35 MPH	

Tuning Fork Certification / Date of Certification: May 03, 2024

Serial Number	Frequency	Test Result
44419	2541 HZ	50 MPH

The above stated tuning fork has been tested and found to oscillate at 2541 Hertz. It will cause a calibration signal of 50 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

Serial Number	Frequency	Test Result
59168	3651 HZ	35 MPH

The above stated tuning fork has been tested and found to oscillate at 3651 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection/maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.



Digitally signed under ESRA
 by Martin Schilling
 on 05/03/2024 10:39 AM

Martin Schilling
 Highway Safety Equipment Technician
 Office of Public Safety

**RADAR
RECORD OF INSPECTION / MAINTENANCE / CALIBRATION**

Name of Submitting Agency: Cicero Town Police Department
Manufacturer: KUSTOM SIGNALS
Model: RAPTOR RP-1
Serial Number: RP20294
Date: May 03, 2024

- 1. General appearance and condition of this device -----: **OK**

- 2. Turn system ON -----: **OK**

- 3. Check visual displays/indicators -----: **OK**

- 4. System cycles through all modes -----: **OK**

**5. Record any repairs made to this instrument and list services provided : VERIFIED
CALIBRATION**



A handwritten signature in black ink that reads "Martin Schilling".

Digitally signed under ESRA
by Martin Schilling
on 05/03/2024 10:39 AM

**Martin Schilling
Highway Safety Equipment Technician
Office of Public Safety**