



SURFACESTUDIO

YOUR VISION, YOUR SURFACE

Resin Mosaic

New Decorative Material


Content

Introduction

Color Display

Installation

Case Study



Introduction

Resin Mosaic is a building decoration material that is gaining popularity due to its unique irregular shape and concave-convex texture. Each individual piece has a unique design that creates a rich and diverse visual effect. Resin Mosaic can imitate the appearance of metal, giving it a lifelike look that can almost deceive the eye. It is a versatile material that can achieve a variety of design effects, ranging from realistic to abstract.

Product name: Resin Mosaic

Base Material: Resin & Low Temperature Metal Paint

Product specification: 300*300*6mm per piece


Characteristics: Refractory, heat insulation, hard texture

Production Process: Mold forming


Application: Commercial and Residential decorative walls, columns and others

Color Display


Electroplating Series (XZC)




1908 - Blue Star Grey
295*290*6mm




1908 - Rose Gold
295*290*6mm




1908 - Tuhao Gold
295*290*6mm




1908 - Champagne Gold
295*290*6mm



1908 - Apple Green
295*290*6mm



1908 - Bronze & Gold
295*290*6mm



1908 - Sky Blue
295*290*6mm




1908 - Starry Silver
295*290*6mm

Color Display

Electroplating Series (XZC)



1908 - Cherry Powder
295*290*6mm



1908 - Violet
295*290*6mm

Color Display

Cold Spray Series (XZC)



1901 - Copper
293*286*6mm



1902 - Silver
292*287*6mm



1903 - Copper
290*290*6mm



1908 - Matte Gold
295*290*6mm



1902 - Silver
292*287*6mm



1903 - Copper
290*290*6mm



1904 - Copper
295*287*6mm



1905 - Copper
253*300*6mm



1906 - Copper
296*294*6mm



1907 - Matte Gold
298*296*6mm



1907 - Matte Copper
298*296*6mm



1907 - Matte Silver
298*296*6mm

Color Display

Cold Spray Series (XZC)



1907 - Silver
295*290*6mm



1902 - Bronze
273*265*6mm



1910 - Copper
280*286*6mm




19011 - Bronze
312*286*6mm



1912 - Copper
290*286*6mm



19013 - Copper
290*286*6mm



1914 - Dark Grey
298*296*6mm

Installation

1. The construction site should be clean and tidy
2. Apply the glass glue evenly on the back of the resin mosaic
3. Fix the mosaic on the wall and wait to dry
4. Clean the surface

Notes:

Resin Mosaic should not be soaked in water

To cut the Mosaic, use a curring machine similar to those used for tile and stone.

Preferable to use wood as the base for installation

Do not use hard objects or chemical agents for cleaning

Not suitable for outdoors and high temperature areas

Do not stack face down

3% is recommended for the loss of material when cutting



Case Study

