



*Speciality Chemical Dipals, S.A. de C.V.
Sabino No 103 Col. Sta. Ma. La Ribera
06400 Mexico, D.F. Tel: 55 47 07 17 y 55 27 26 34*

CATALOGO

DE

PRODUCTOS

SPECIALITY CHEMICAL

DIPALS

INKS

Tel.. 55 47 07 17 / 55 27 26 34 correo s.c.dipals@gmail.com Ventas:
yadira.flores@scdipals.com



Speciality Chemical Dipals, S.A. de C.V.
Sabino No 103 Col. Sta. Ma. La Ribera
06400 Mexico, D.F. Tel: 55 47 07 17 y 55 27 26 34

COLOR INDEX	Speciality Chemical Dipals GRADE	PRINTING INK						CHARACTERISTICS	PRODUCT NO. PN
		OFFEST INK	WATER-BASE INK	NC INK	TOLENE INK	UV INK	PA INK	PVB INK	
P.Y.1	FAST YELLOW G	●	●						SCDCM-IY1
P.Y.3	FAST YELLOW 10G	●							SCDCM-IY3
P.Y.12	BENZIDINE YELLOW G	●	●	⊙	●	●	⊙	⊙	SCDCM-IY12
P.Y.12	BENZIDINE YELLOW G-W		▲						GOOD FOR WATER-BASE SYSTEM SEMI-TRANSPARENT, REDDISH SHADE SCDCM-IY12W
P.Y.12	BENZIDINE YELLOW G-T			▲			▲	▲	SPECIAL FOR SOLVENT-BASE SYSTEM, TRANSPARENT, LOW VISCOSITY, GOOD GLOSSY SCDCM-IY12T
P.Y.13	PERMANENT YELLOW GR	●	●	⊙	●	●	⊙	⊙	SCDCM-IY13
P.Y.13	PERMANENT YELLOW GR-W		▲						GOOD FOR WATER-BASE SYSTEM, SEMI-TRANSPARENT, REDDISH SHADE SCDCM-IY13W
P.Y.13	PERMANENT YELLOW GR-T			▲			▲		SPECIAL FOR SOLVENT-BASE SYSTEM, HIGH TRANSPARENCY, LOW VISCOSITY, GOOD GLOSSY SCDCM-IY13T
P.Y.14	PERMANENT YELLOW G	●	●	⊙	●		⊙	⊙	SCDCM-IY14
P.Y.14	PERMANENT YELLOW G-T			▲			▲		SPECIAL FOR SOLVENT-BASE SYSTEM APPLICATION HIGH TRANSPARENCY, LOW VISCOSITY, GOOD GLOSSY SCDCM-IY14T
P.Y.17	PERMANENT YELLOW 2G	●				●			SCDCM-IY17
P.Y.55	PERMANENT YELLOW 2RN		●	●	●		●	●	SCDCM-IY55
P.Y.65	FAST YELLOW RN		●						SCDCM-IY65
P.Y.73	BRILLIANT YELLOW 4GX		●	●			⊙		SCDCM-IY73
P.Y.74	BRILLIANT YELLOW 5GX	●	●	⊙	●	●	⊙	⊙	SCDCM-IY74W
P.Y.74	BRILLIANT YELLOW 5GX-W		▲						GOOD FOR WATER-BASE SYSTEM, SEMI-TRANSPARENT, REDDISH SHADE SCDCM-IY74W
P.Y.74	BRILLIANT YELLOW 5GX-T			▲			▲		SPECIAL FOR SOLVENT-BASE SYSTEM, HIGH TRANSPARENCY, LOW VISCOSITY, GOOD GLOSSY SCDCM-IY74T
P.Y.75	PERMANENT YELLOW RX		●						SCDCM-IY75
P.Y.81	BENZIDINE YELLOW H10G			●	⊙		▲	●	SCDCM-IY81
P.Y.83	PERMANENT YELLOW HR	●	●	⊙	⊙	●	⊙	⊙	SCDCM-IY83
P.Y.83	PERMANENT YELLOW HR-T			▲			▲		SPECIAL FOR SOLVENT-BASE SYSTEM, TRANSPARENT, LOW VISCOSITY, GOOD GLOSSY SCDCM-IY83T
P.Y.83	PERMANENT YELLOW HR-O							●	OPAQUE, HIGH HIDING POWER GOOD SOLVENT RESISTANCE SCDCM-IY83O
P.Y.83	PERMANENT YELLOW HR-70							●	VERY OPAQUE, HIGH HIDING POWER SCDCM-IY83HR70



Speciality Chemical Dipals, S.A. de C.V.
Sabino No 103 Col. Sta. Ma. La Ribera
06400 Mexico, D.F. Tel: 55 47 07 17 y 55 27 26 34

P.Y.83	PERMANENT YELLOW HR-HT			▲			▲	SPECIAL FOR SOLVENT-BASE SYSTEM VERY HIGH TRANSPARENCY, LOW VISCOSITY	SCDCM-IY83HT
P.Y.97	PIGMENT YELLOW FGL			●			▲	HIGH HIDING POWER, GOOD SOLVENT RESISTANCE	SCDCM-IY97
P.Y.139	PIGMENT YELLOW 3R		●	●					SCDCM-IY139
P.Y.150	PIGMENT YELLOW 5G	●	●	●			●		SCDCM-IY150
P.Y.151	PIGMENT YELLOW H4G		●	◎			●	●	SCDCM-IY151
P.Y.154	PIGMENT YELLOW H3G		●	◎			●	◎	SCDCM-IY154
P.Y.174	PERMANENT YELLOW GR	●		◎					SCDCM-IY174
P.Y.176	PIGMENT YELLOW GRX	●							SCDCM-IY176
P.Y.180	PIGMENT YELLOW HG			●			●		SCDCM-IY180
P.Y.188	BENZIDINE YELLOW LBF	●							SCDCM-IY188
P.O.5	FAST ORANGE RN		▲	●				▲	SCDCM-IO5
P.O.13	FAST ORANGE G	◎	●	●		●	●		SCDCM-IO13
P.O.13	FAST ORANGE G-T		▲				▲	SPECIAL FOR SOLVENT-BASE SYSTEM, TRANSPARENT, LOW VISCOSITY, GOOD GLOSSY	SCDCM-IO13T
P.O.34	PERMANENT ORANGE RL	●	●	●		●	●		SCDCM-IO34
P.O.34	PERMANENT ORANGE RL-O		◎	◎			◎	●	HIGH HIDING POWER, GOOD SOLVENT RESISTANCE
P.O.34	PERMANENT ORANGE RL-HT			▲	●		●		SPECIAL FOR SOLVENT-BASE SYSTEM, TRANSPARENT, LOW VISCOSITY, GOOD GLOSSY
P.O.36	FAST ORANGE HL	●	●	●	●		●	●	SCDCM-IO36
P.O.36	FAST ORANGE HL-O			●	●		▲	●	OPAQUE, HIGH HIDING POWER
P.O.36	FAST ORANGE HL-70						▲	▲	VERY OPAQUE, HIGH HIDING POWER
P.R.2	PERMANENT RED F2R	●	●						SCDCM-IR2
P.R.4	VERMILION R	●	●	◎	◎		◎		SCDCM-IR4
P.R.8	PERMANENT RED F4R	●	●	◎	◎		◎		SCDCM-IR8
P.R.12	PERMANENT BORDEAUX F2R	●	●	◎	●		◎		SCDCM-IR12
P.R.21	BRONZE RED 2R	●	●						SCDCM-IR21
P.R.22	FAST BRILLIANT RED N	◎	●						SCDCM-IR22
P.R.23	FAST ROSE RED	◎	●	◎	◎		◎		SCDCM-IR23
P.R.31	RUBBER BORDEAUX BF		●						SCDCM-IR31
P.R.48:1	FAST SCARLET BBN	●	●	●	●	●	●		SCDCM-IR481
P.R.48:1	FAST SCARLET BBN-W		▲						SPECIAL FOR WATER-BASE SYSTEM, LOW VISCOSITY, GOOD GLOSSY
P.R.48:2	FAST BRILLIANT BBC	●	●	●	●	●	●		GENERAL TYPE
P.R.48:2	FAST BRILLIANT 2BL		▲						SPECIAL FOR WATER-BASE SYSTEM, LOW VISCOSITY, GOOD GLOSSY
P.R.48:2	FAST BRILLIANT 2BXL			▲			▲		SPECIAL FOR SOLVENT-BASE SYSTEM, TRANSPARENT, LOW VISCOSITY, GOOD GLOSSY
P.R.48:3	FAST RED BBS	●	●	●	●		●		SCDCM-IR483
P.R.48:4	FAST RED BBM	●	●	●	●				SCDCM-IR484
P.R.49:1	LITHOL SCARLET R	●	●	●	●	●	●		SCDCM-IR491
P.R.49:1	LITHOL SCARLET R-W		▲						SPECIAL FOR WATER-BASE SYSTEM, LOW VISCOSITY, GOOD GLOSSY



Speciality Chemical Dipals, S.A. de C.V.
Sabino No 103 Col. Sta. Ma. La Ribera
06400 Mexico, D.F. Tel: 55 47 07 17 y 55 27 26 34

P.R.49:2	LITHOL DARK RED RB	●	●	◎	◎		◎			SCDCM-IR492
P.R.53:1	RED LAKE C	●	●	●	●	●	●			SCDCM-IR531
P.R.53:1	RED LAKE C-W		▲						SPECIAL FOR WATER-BASE SYSTEM, LOW VISCOSITY,GOOD GLOSSY	SCDCM-IR531W
P.R.53:1	RED LAKE SNL			▲			▲		SPECIAL FOR SOLVENT-BASE SYSTEM , TRANSPARENT,LOW VISCOSITY,GOOD GLOSSY	SCDCM-IR531SNL
P.R.57:1	LITHOL RUBINE BK	●	●	●	●	●	●		GENERAL TYPE	SCDCM-IR571
P.R.57:1	LITHOL RUBINE BK-W		▲						SPECIAL FOR WATER-BASE SYSTEM, LOW VISCOSITY,GOOD GLOSSY	SCDCM-IR571W
P.R.57:1	LITHOL RUBINE 6B300			▲			▲		SPECIAL FOR SOLVENT-BASE SYSTEM, TRANSPARENT,LOW VISCOSITY,GOOD GLOSSY	SCDCM-IR5716B300
P.R.57:1	LITHOL RUBINE 4B	▲							SPECIAL FOR OFFSET INK,DIFFERENT OPAQUE	SCDCM-IR5714B
P.R.81	FAST PINK TONER G	●	●	●	●	●	●		GENERAL APPLICATION	SCDCM-IR81T
P.R.81	FAST PINK TONER G-S			●	●	●	●		SPECIAL FOR SOLVENT-BASE SYSTEM, TRANSPARENT,LOW VISCOSITY,GOOD GLOSSY	SCDCM-IR81S
P.R.81	FAST PINK TONER G-W		▲			●			SPECIAL FOR WATER-BASE SYSTEM , LOW VISCOSITY,GOOD GLOSSY	SCDCM-IR81W
P.R.81	FAST PINK LAKE G	▲	●	●	●	●	●	●		SCDCM-IR81L
P.R.112	PERMANENT RED FGR	●	●	●	●		▲	▲		SCDCM-IR112
P.R.122	QUINACRIDONE RED E			●			●	●		SCDCM-IR122
P.R.146	PERMANENT RED FBB	◎	●	●	●		●			SCDCM-IR146
P.R.169	FAST RED W	◎	●							SCDCM-IR169
P.R.170	PERMANENT RED F5RK	◎	●							SCDCM-IR170F5RK
P.R.170	PERMANENT RED F3RK	●	●	◎	◎	●	◎			SCDCM-IR170F3RK
P.R.176	PERMANENT CARMINE H3C		●	●	●	●	●	◎		SCDCM-IR176
P.R.184	PERMANENT RUBINE	●	●							SCDCM-IR184
P.R.185	PERMANENT CARMINE H4C		●	●	●	●	●	◎		SCDCM-IR185
P.R.208	PIGMENT RED H2B		●	●	●	●	●	◎		SCDCM-IR208
P.R.243	PERMANENT RED 2BL	◎	◎	●	●		●			SCDCM-IR243
P.R.266	PIGMENT RED F7RK	●	◎	●						SCDCM-IR266
P.B.1	FAST BLUE TONER R	●	●							SCDCM-IB1T
P.B.1	FAST BLUE LAKE	●	●							SCDCM-IB1L
P.B.10	PIGMENT BLUE	●	●							SCDCM-IB10
P.B.15:0	PHthalOCYANINE BLUE B	●	●						A LITTLE REDDISH,HIGH STRENGTH	SCDCM-IB150
P.B.15:0	PHthalOCYANINE BLUE B-W		●						WATER-BASE GRADE,HIGH STRENGTH	SCDCM-IB150W
P.B.15:1	PHthalOCYANINE BLUE BS	●	●	◎	◎		◎		A LITTLE REDDISH,HIGH STRENGTH	SCDCM-IB151
P.B.15:2	PHthalOCYANINE BLUE BNCF			●	●		●		SPECIAL FOR SOLVENT-BASE SYSTEM	SCDCM-IB152
P.B.15:3	PHthalOCYANINE BLUE BGS	●	●	●	◎		◎		A LITTLE REDDISH,HIGH STRENGTH	SCDCM-IB153
P.B.15:3	PHthalOCYANINE BLUE BGS-W		▲						SPECIAL FOR WATER-BASE SYSTEM, LOW VISCOSITY,GOOD GLOSSY	SCDCM-IB153W
P.B.15:3	PHthalOCYANINE BLUE BGS-S			▲	●		●		SPECIAL FOR WATER-BASE SYSTEM, LOW VISCOSITY,GOOD GLOSSY	SCDCM-IB153S

Tel.. 55 47 07 17 / 55 27 26 34 correo s.c.dipals@gmail.com Ventas:
yadira.flores@scdipals.com



Speciality Chemical Dipals, S.A. de C.V.
Sabino No 103 Col. Sta. Ma. La Ribera
06400 Mexico, D.F. Tel: 55 47 07 17 y 55 27 26 34

P.B.15:4	PHTHALOCYANINE BLUE BGCF	●		●	◎		◎		GOOD FOR SOLVENT-BASE SYSTEM	SCDCM-IB154
P.B.17	MALACHITE BLUE LAKE	●	●							SCDCM-IB17
P.B.17:1	LACGUER SKY BLUE LAKE	●	●							SCDCM-IB171
P.B.27	MILORI BLUE	●	▲							SCDCM-IB27
P.B.27	MILORI BLUE S			▲			●		SPECIAL FOR SOLVENT-BASE SYSTEM	SCDCM-IB27S
P.B.61	REFLEX BLUE AG	●	●	●	●		●			SCDCM-IB61
P.G.7	PHTHALOCYANINE GREEN G	●	●	●	●	◎	●	●		SCDCM-IG7
P.G.7	PHTHALOCYANINE GREEN G-W		▲						SPECIAL FOR WATER-BASE SYSTEM, LOW VISCOSITY, GOOD GLOSSY	SCDCM-IG7W
P.G.7	PHTHALOCYANINE GREEN G-S			▲	▲		▲		SPECIAL FOR SOLVENT-BASE SYSTEM, TRANSPARENT, LOW VISCOSITY, GOOD GLOSSY	SCDCM-IG7S
P.G.36	PHTHALOCYANINE GREEN YGF	●	●	●						SCDCM-IG36F
P.V.3	FAST VIOLET LAKE	●	◎	◎						SCDCM-IV3L
P.V.19	QUINACRIDONE VIOLET 4RY	●	●	●	◎		●	◎	BETA TYPE, YELLOWISH SHADE GRADE	SCDCM-IV19Y
P.V.19	QUINACRIDONE VIOLET 4RB	●	●	●					GAMMA TYPE, BLUISH SHADE GRADE	SCDCM-IV19B
P.V.23	PERMANENT VIOLET RL	●	●	●	●	●	●	●	REDDISH/BLUISH SHADE, HIGH STRENGTH, GENERAL TYPE	SCDCM-IV23
P.V.23	PERMANENT VIOLET RL-S			▲	●		●		SPECIAL FOR SOLVENT-BASE SYSTEM, TRANSPARENT, LOW VISCOSITY, GOOD GLOSSY	SCDCM-IV23S
P.V.27	FAST VIOLET TONER B	●	●	●	◎		◎			SCDCM-IV27

▲ highly recommended ● recommended ◎ limited suitability

INORGANIC PIGMENTS

C.I. Generic Name	C.I. Number	CAS Number	Family
Lemon Chrome	77600-77603	1344-37-2	Chrome Yellow
Middle Chrome	77600-77603	1344-37-2	Chrome Yellow
Prime Rose Chrome	77603	1344-37-2	Chrome Yellow
Scarlet Chrome	77605	12656-85-8	Molybdenum Orange
Pigment Blue 29	77007	57455-37-5	Ultra marine blue

Tel.. 55 47 07 17 / 55 27 26 34 correo s.c.dipals@gmail.com Ventas:
yadira.flores@scdipals.com