

FEBRUARY 1, 2025

LED FIXTURES

COMMERICAL, INDUSTRIAL
& UTILITY LIGHTING

LED AREA LIGHTS
LED SPORTS LIGHTS
LED WALL PACKS
LED FLOOD LIGHTS
LED HIGH BAYS
LED LINEAR HIGH BAYS
ADJUSTABLE / LINEAR
RECESSED TROFFERS
ADJUSTABLE PANELS
LED WRAP LIGHTS
LED STRIP LIGHTS
LED VAPOR TIGHT LIGHTS
GARAGE & CANOPY LIGHTS
LED BOLLARD LIGHTS
LED SOLAR LIGHTS
& MORE!



Ph: 972-624-5000 | Fax: 972-624-5800
www.lightingandpowertech.com

FIXTURE	CODE	WATTS/LUMENS	REPLACES	VOLTAGE	RATED LIFE	CRI	WARRANTY	
LED AREA LIGHTS								
	90140-60	60W, 8700 Lumens, 5K	250w MH	120/277V	150,000 hrs	>80	5 Year	
	90140-60	60W, 8700 Lumens, 5K	250w MH	480V	150,000 hrs	>80	5 Year	
	90140-100	100W, 13000 Lumens, 5K	250w PSMH	120/277V	150,000 hrs	>80	5 Year	
	90140-100	100W, 13000 Lumens, 5K	250w PSMH	480V	150,000 hrs	>80	5 Year	
	90140-150	150W, 21000 Lumens, 5K	400w MH	120/277V	150,000 hrs	>80	5 Year	
	90140-150	150W, 21000 Lumens, 5K	400w MH	480V	150,000 hrs	>80	5 Year	
	90140-200	200W, 27000 Lumens, 5K	400w PSMH	120/277V	150,000 hrs	>80	5 Year	
	90140-200	200W, 27000 Lumens, 5K	400w PSMH	480V	150,000 hrs	>80	5 Year	
	90140-300	300W, 39000 Lumens, 5K	1000w MH	120/277V	150,000 hrs	>80	5 Year	
	90140-300-48	300W, 39000 Lumens, 5K	1000w MH	480V	150,000 hrs	>80	5 Year	
	90140-400	400W, 50900 Lumens, 5K	1250w MH	120/277V	150,000 hrs	>80	5 Year	
	90140-400-48	400W, 50900 Lumens, 5K	1250w MH	480V	150,000 hrs	>80	5 Year	
	90178-450	450W, 60750 Lumens, 5K	1500w MH	120/277V	50,000 hrs	>70	5 Year	
	90178-450-48	450W, 60750 Lumens, 5K	1500w MH	480V	50,000 hrs	>70	5 Year	
	90199-100	100W, 15000 Lumens, 5K	250w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90199-150	150W, 22500 Lumens, 5K	400w MH	120/277V	50,000 hrs	>80	5 Year	
90140 FIXTURE REPAINTING COST AND ACCESSORIES								
FIXTURE REPAINTING COST				MOUNTING ACCESSORY REPAINTING COST		★ MOTION SENSOR		
	90140-XX							
MOUNTING ARM, SLIP FITTER AND TRUNNION								
CODE		MOUNTING						
	90140-SF	Slip Fitter						
	90140-A	Arm Mount						
	90140-T	Trunnion						
ADJUSTABLE COLOR AND WATTAGE LED AREA LIGHTS								
	90200-A	60W, 90W, 120W, 150W 21021 LM	4000K, 5000K	120/277V	>75,000 hrs	>70	5 Year	
	90201-A	60W, 90W, 120W, 150W 20929 LM	4000K, 5000K	200/480V	>75,000 hrs	>70	5 Year	
	90202-A	120W, 180W, 240W, 300W 44714 LM	4000K, 5000K	120/277V	>75,000 hrs	>70	5 Year	
	90203-A	120W, 180W, 240W, 300W 44031 LM	4000K, 5000K	200/480V	>75,000 hrs	>70	5 Year	
	90255-400	400W, 56800 Lumens, 5K	1000w MH/HPS	120/277V	50,000 hrs	>80	5 Year	
	90255-400	400W, 56800 Lumens, 5K	1000w MH/HPS	277/480V	50,000 hrs	>80	5 Year	
	90255-600	600W, 84000 Lumens, 5K	1200w-1800w MH/HPS	120/277V	50,000 hrs	>80	5 Year	
	90255-600	600W, 84000 Lumens, 5K	1200w-1800w MH/HPS	277/480V	50,000 hrs	>80	5 Year	
ADJUSTABLE COLOR AND WATTAGE WALL PACKS								
	90290-A	28W, 42W, 56W, 70W 4116, 6174, 7840, 9800 LM	3000K, 4000K, 5000K	120/277V	50,000 hrs	>70	5 Year	
	90291-A	30W, 45W, 60W, 70W 4400, 5890, 7600, 8700 LM	3000K, 4000K, 5000K	120/277V	50,000 hrs	>70	5 Year	

	90292-A	30W, 50W, 60W, 70W 4300, 6800, 8000, 9000 LM	3000K, 4000K, 5000K	120/277V	50,000 hrs	>70	5 Year	
	90304-AP	28W, 42W, 56W, 70W 5211, 7048, 8901, 11156 LM <i>*WITH PHOTOCELL</i>	3000K, 4000K, 5000K	120/277V	50,000 hrs	70	5 Year	
	90305-AP	48W, 72W, 96W, 120W 7700, 11250, 14440, 17140 LM <i>*WITH PHOTOCELL</i>	4000K, 5000K	120/277V	50,000 hrs	70	5 Year	
	90306-G	28W, 42W, 56W, 70W 4800, 6393, 7880, 9808 LM	3000K, 4000K, 5000K	120/277V	50,000 hrs	>70	5 Year	
	90307-G	48W, 72W, 96W, 120W 6990, 10447, 13422, 16767 LM <i>*GLASS*</i>	3000K, 4000K, 5000K	120/277V	50,000 hrs	>70	5 Year	

ADJUSTABLE SLIM WALL PACKS

		WATTS	CCT	INPUT	INPUT CURRENT	Ra		
	90294-A	40W / 60W / 80W	3500K, 4000K, 5000K	120/277V	0.917	80	5 Year	
	90295-A	80W / 100W / 120W	4000K, 5000K, 5700K	120/277V	1.1	80	5 Year	

LED WALL PACKS

	90194-45	45W, 6300 Lumens, 5K	175w MH	120/277V	50,000 hrs	>80	5 Year	
	90194-70	70W, 9400 Lumens, 5K <i>*Full Cut-off</i>	250w MH	120/277V	50,000 hrs	>80	5 Year	
	90150-70	70W, 7750 Lumens, 5K <i>*Full Cut-off</i>	250w MH	120/277V	50,000 hrs	>80	5 Year	
	90250-45	45W, 4950 Lumens, 5K	175w MH	120/277V	50,000 hrs	>71	5 Year	
	90250-70	70W, 7750 Lumens, 5K	250w MH	120/277V	50,000 hrs	>71	5 Year	
	90250-100	100W, 13800 Lumens, 5K	250w PSMH	120/277V	50,000 hrs	>70	5 Year	
	90250-120	120W, 15800 Lumens, 5K <i>*Semi Cut-off & Plastic</i>	250w PSMH	120/277V	50,000 hrs	>70	5 Year	
	90151-41	41W, 5200 Lumens, 5K	100w-150w MH/HPS	120/277V	50,000 hrs	>71	5 Year	
	90151-100	100W, 13000 Lumens, 5K	300w-350w MH/HPS	120/277V	50,000 hrs	>71	5 Year	
	90151-120	120W, 16000 Lumens, 5K	350w-450w MH/HPS	120/277V	50,000 hrs	>71	5 Year	
	90151-150	150W, 19500 Lumens, 5K <i>*Plastic</i>	450w-600w MH/HPS	120/277V	50,000 hrs	>71	5 Year	
	90161-50	50W, 6500 Lumens, 5K	175w MH	120/277V	50,000 hrs	>80	5 Year	
	90161-70	70W, 9100 Lumens, 5K	250w MH	120/277V	50,000 hrs	>80	5 Year	
	90161-100	100W, 13500 Lumens, 5K <i>*Glass Lens</i>	250w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90260-20	20W, 2600 Lumens, 5K	70w MH	120/277V	50,000 hrs	>80	5 Year	
	90260-45	45W, 5800 Lumens, 5K	175w MH	120/277V	50,000 hrs	>80	5 Year	
	90260-70	70W, 9100 Lumens, 5K	250w MH	120/277V	50,000 hrs	>80	5 Year	
	90260-100	100W, 13300 Lumens, 5K	250w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90260-A	12W, 18W, 24W, 30W 1603 LM - 3698 LM 3K, 4K, 5K	70w MH	120/277V	50,000 hrs	>70	5 Year	
	90304-45	45W, 6700 Lumens, 5K	175w MH	120/277V	50,000 hrs	>70	5 Year	
	90304-70	70W, 9800 Lumens, 5K	250w MH	120/277V	50,000 hrs	>70	5 Year	

ADJUSTABLE MINI WALL PACKS

	90305-15-A	15W 2130, 2218, 2246 LM	3000K, 4000K, 5000K	120/277V	50,000 hrs	>70	5 Year	
	90305-25-A	25W 3423, 3656, 3571 LM	3000K, 4000K, 5000K	120/277V	50,000 hrs	>70	5 Year	

* Motion Sensors available for purchase. Call for pricing.

Ph: 972-624-5000 | Fax: 972-624-5800
www.lightingandpowertech.com

LED HIGH BAYS- UFO

	90165-100	100W, 15000 Lumens, 5K	250w MH	120/277V	50,000 hrs	>80	5 Year	
	90165-150	150W, 21000 Lumens, 5K	400w MH	120/277V	50,000 hrs	>80	5 Year	
	90165-200	200W, 28000 Lumens, 5K	400w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90165-240	240W, 31000 Lumens, 5K	400w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90165-300	300W, 48500 Lumens, 5K	750w MH	120/277V	50,000 hrs	>80	5 Year	
	90165-300-48	300W, 48500 Lumens, 5K	750w MH	480V	50,000 hrs	>80	5 Year	
*480V options available upon request.								

UFO REFLECTORS

ACCESSORIES

	90165-PA-277	UFO High Bay Lights Pendant Adaptor AC120-277V					5 Year	
	90165-PA-480	UFO High Bay Lights Pendant Adaptor AC277-480V					5 Year	
	90165-150-A	Aluminium Cover For 100W & 150W LED UFO High Bay					5 Year	
	90165-200-A	Aluminium cover for 200W LED UFO High Bay					5 Year	
	90165-150-P	Polycarbonate Cover For 100W & 150W LED UFO High					5 Year	
	90165-200-P	Bay Polycarbonate Cover For 200W LED UFO High Bay					5 Year	
	90165-GS	Glare Shield on Lens Bottom w/ UFO Block Dust Plate					5 Year	

UFO LED DRIVERS

		WATTS	INPUT		OUTPUT	CURRENT		
	90400-100	100W		120-277V	42-54V	2.25 A	5 Year	
	90400-200	200W		120-277V	42-54V	4.45 A	5 Year	
	90401-100	100W		120-277V	90-150V	0.81 A	5 Year	
	90401-150	150W		120-277V	90-150V	1.15 A	5 Year	
	90401-200	200W		120-277V	90-150V	1.75 A	5 Year	

ADJUSTABLE COLOR/ WATTAGE LED LINEAR HIGH BAYS

	90283-85-T	2FT, 85W, 11400 LM, 4K, 5K	400w MH	120/277V	50,000 hrs	>80	5 Year	
	90283-130-T	2FT, 130W, 17680 LM, 4K, 5K	400w MH	120/277V	50,000 hrs	>80	5 Year	
	90283-170-T	2FT, 170W, 23100 LM, 4K, 5K	400w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90283-255-T	4FT, 255W, 34600 LM, 4K, 5K	400w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90283-300-T	4FT, 300W, 40800 LM, 4K, 5K	750w MH	120/277V	50,000 hrs	>80	5 Year	
	90283-400-T	4FT, 400W, 54000 LM, 4K, 5K	1000w MH/HPS	120/277V	50,000 hrs	>80	5 Year	
	90283-14-S	1.4FT, 100W, 115W, 135W, 4K, 5K	400w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90283-19-S	1.9FT, 155W, 185W, 200W, 4K 5K	400w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90283-26-S	2.6FT, 200W, 230W, 270W, 4K, 5K	750w MH	120/277V	50,000 hrs	>80	5 Year	
	90283-37-S	3.7FT, 270W, 340W, 400W, 4K, 5K	1000w MH/HPS	120/277V	50,000 hrs	>80	5 Year	

ACCESSORIES

	90284-W-130	Wire Guard 130W/170W						
	90284-W-255	Wire Guard 255W						
	90284-W-300	Wire Guard 300W						

ADJUSTABLE COLOR/ WATTAGE TROFFER

	90231-22-T	2X2 FT Panels 20W, 25W and 30W 35K, 4K and 5K		120/277V	50,000 hrs	>80	5 Year	
	90231-24-T	2X4 FT Panels 34W, 38W and 45W 35K, 4K and 5K		120/277V	50,000 hrs	>80	5 Year	
	90231-22-S	2X2 FT Panels 20W, 25W, 30W 35K, 4K and 5K		120/277V	50,000 hrs	>80	5 Year	
	90231-24-S	2X4 FT Panels 34W, 38W, 45W 35K, 4K and 5K		120/277V	50,000 hrs	>80	5 Year	


* Motion Sensors available for purchase. Call for pricing.

Ph: 972-624-5000 | Fax: 972-624-5800
www.lightingandpowertech.com

ADJUSTABLE BACK LIT LED PANELS

	90218-22-A	2X2 FT Panels 25W, 30W, 40W 2925 LM, 3420 LM, 4400 LM 3500K, 4000K, 5000K		120/277V	50,000 hrs	>80	5 Year	
	90218-24-A	2X4 FT Panels 30W, 40W, 50W 3420 LM, 4400 LM, 5500 LM 3500K, 4000K, 5000K		120/277V	50,000 hrs	>80	5 Year	
	90218-14-S	1X4 FT Panels 20W, 25W, 30W 2760 LM, 3250 LM, 3910 LM 3500K, 4000K, 5000K		120/277V	50,000 hrs	>80	5 Year	
	90218-22-S	2X2 FT Panels 20W, 25W, 30W 2660 LM, 3350 LM, 3810 LM 3500K, 4000K, 5000K		120/277V	50,000 hrs	>80	5 Year	
	90218-24-S	2X4 FT Panels 35W, 40W, 46W 4650 LM, 5200 LM, 5942 LM 3500K, 4000K, 5000K		120/277V	50,000 hrs	>80	5 Year	

MOUNTING ACCESSORIES FOR PANEL LIGHTS

	90218-MK2	2X2 Surface Mounted Kits					5 Year	
	90218-MK4	2X4 Surface Mounted Kits					5 Year	

LED VAPOR TIGHT FIXTURE LIGHTS

	90280-25	2FT, 25W, 3550 Lumens, 5K	70w MH	120/277V	50,000 hrs	>80	5 Year	
	90280-45	4FT, 45W, 6390 Lumens, 5K	175w MH	120/277V	50,000 hrs	>80	5 Year	
	90280-T	8FT, 30W/45W/60W/70W 4562, 6699, 8705, 10330 LM 3000K, 4000K, 5000K	175w MH	120/277V	50,000 hrs	>80	5 Year	

LED STRIP LIGHTS

	90285-2-T	2FT, 15W/20W/25W 2285, 3077, 3719 LM 3500K, 4000K, 5000K	70w MH	120/277V	50,000 hrs	>80	5 Year	
	90285-4-T	4FT, 25W/30W/40W 3806, 4653, 6100 LM 3500K, 4000K, 5000K	175w MH	120/277V	50,000 hrs	>80	5 Year	
	90285-8-T	8FT, 55W/60W/65W 8595, 9190, 9677 LM 3500K, 4000K, 5000K <i>*Tunable</i>	250w MH	120/277V	50,000 hrs	>80	5 Year	

LED SLIM & GAS STATION CANOPY LIGHTS

	90160-A	26W, 39W, 52W, 65W	250w MH	120/277V	50,000 hrs	>70	5 Year	
	90192-55	55W, 6000 Lumens, 5K	100w-150w MH/HPS	120/277V	50,000 hrs	>70	5 Year	
	90195-120	120W, 16000 Lumens, 5K	400w MH	120/277V	50,000 hrs	>80	5 Year	
	90179-150	150W, 19970 Lumens, 5K	300w-350w MH/HPS	120/277V	50,000 hrs	>80	5 Year	
	90195-150 90195-200	150W, 21200 Lumens, 5K 200W, 28300 Lumens, 5K	300w-350w MH/HPS 400w PSMH	120/277V 120/277V	50,000 hrs 50,000 hrs	70 70	5 Year 5 Year	

* Motion Sensors available for purchase. Call for pricing.

Ph: 972-624-5000 | Fax: 972-624-5800
www.lightingandpowertech.com

LED GARAGE CANOPY LIGHTS

	90193-40-5K	40W, 5800 Lumens, 5K	175w MH	120/277V	50,000 hrs	70	5 Year	
	90193-60-5K	60W, 7600 Lumens, 5K	250w MH	120/277V	50,000 hrs	70	5 Year	
	90193-40-5K-M	40W, 5800 Lumens, 5K-M	175w MH	120/277V	50,000 hrs	70	5 Year	
	90193-60-5K-M	60W, 7600 Lumens, 5K-M	250w MH	120/277V	50,000 hrs	70	5 Year	
		<i>M= with Motion Sensor</i>						
	90197-45	45W, 6075 Lumens, 5K	175w MH	120/277V	50,000 hrs	>80	5 Year	
	90197-70	70W, 8600 Lumens, 5K	250w MH	120/277V	50,000 hrs	>80	5 Year	
	90401-45	45W, 6300 Lumens, 5K	175w MH	120/277V	50,000 hrs	>70	5 Year	
	90401-70	70W, 9800 Lumens, 5K	250w MH	120/277V	50,000 hrs	>70	5 Year	
	90401-90	90W, 12600 Lumens, 5K	250w PSMH	120/277V	50,000 hrs	>70	5 Year	
	90404-A	28W, 42W, 56W, 70W 4326, 5818, 7321, 9080LM 4000K / 5000K		120/277V	50,000 hrs	70	5 Year	

LED FLOOD LIGHTS

	90184-15-A	15W, 20W, 35W	15-90W MH/HPS	120/277V	50,000 hrs	>80	5 Year	
	90184-35-A	35W, 60W, 80W	90-300W MH/HPS	120/277V	50,000 hrs	>80	5 Year	
	90184-100-A	100W, 120W, 150W	300-500W MH/HPS	120/277V	50,000 hrs	>80	5 Year	
	90164-45	45W, 5400 Lumens, 5K	50w MH	120/277V	50,000 hrs	>80	5 Year	
	90164-70	70W, 8400 Lumens, 5K	250w MH	120/277V	50,000 hrs	>80	5 Year	
	90233-100	100W, 13000 Lumens, 5K	100w-300w MH/HPS	120/277V	50,000 hrs	>72	5 Year	
	90233-150	150W, 19500 Lumens, 5K	300w-450w MH/HPS	120/277V	50,000 hrs	>72	5 Year	
	90233-200	200W, 26000 Lumens, 5K	450w-600w MH/HPS	120/277V	50,000 hrs	>72	5 Year	

ADJUSTABLE LED FLOOD LIGHTS

	90233-35-S	35W, 50W, 60W 5320LM, 7400LM, 8760LM 3000K, 4000K, 5000K		120/277V	50,000 hrs	>80	5 Year	
	90233-100-S	100W, 150W, 200W 15600LM, 22950LM, 30000LM 3000K, 4000K, 5000K		120/277V	50,000 hrs	>80	5 Year	
	90233-240-S	240W, 350W, 450W 37440LM, 53200LM, 67050LM 3000K, 4000K, 5000K		120/277V	50,000 hrs	>80	5 Year	

LED FLOOD LIGHT- WALL PACKS

	90275-100	100W, 15300 Lumens, 5K	250w PSMH	120/277V	50,000 hrs	>80	5 Year	
	90275-150	150W, 21900 Lumens, 5K	400w MH	120/277V	50,000 hrs	>80	5 Year	
	90275-200	200W, 29700 Lumens, 5K	400w PSMH	120/277V	50,000 hrs	>80	5 Year	

LED POST TOP LIGHTS

	90219-T	20W, 30W, 40W, 60W 3000K, 4000K, 5000K		120/277V	50,000 hrs	>72	5 Year	
	90220-T	80W, 100W, 120W, 150W 3000K, 4000K, 5000K		120/277V	50,000 hrs	>72	5 Year	
	90271-60	60W, 8000 Lumens, 5K	120w-200w MH/HPS	120/277V	50,000 hrs	>70	5 Year	
	90271-100	100W, 13200 Lumens, 5K	200w-300w MH/HPS	120/277V	50,000 hrs	>70	5 Year	
	90272-60	60W, 8500 Lumens, 5K <i>*Square</i>	120w-200w MH/HPS	120/277V	50,000 hrs	>70	5 Year	
	90257-100	100W, 13200 Lumens, 5K	200w-300w MH/HPS	120/277V	50,000 hrs	>80	5 Year	
	90257-150	150W, 19900 Lumens, 5K	300w-50w MH/HPS	120/277V	50,000 hrs	>80	5 Year	

* Motion Sensors available for purchase. Call for pricing.

Ph: 972-624-5000 | Fax: 972-624-5800
www.lightingandpowertech.com

LED BOLLARD LIGHTS

	90278-25	25W, 3300 Lumens, 5K	50w PSMH	120/277V	50,000 hrs	>70	5 Year	
--	----------	----------------------	----------	----------	------------	-----	--------	--

LED RECESSED RETROFIT KITS

	80702A 80702B	15W, 1100 Lumens, 4000K *Dimmable 15W, 1100 Lumens, 3000K	75w Incandescent 75w Incandescent	120/277V 120/277V	30,000 hrs 30,000 hrs		5 Year 5 Year	
--	------------------	---	--------------------------------------	----------------------	--------------------------	--	------------------	--


LED DOWNLIGHTS

	90323-15-3K 90323-15-4K 90323-15-5K	15W, 1150 Lumens, 3K 15W, 1150 Lumens, 4K 15W, 1150 Lumens, 5K	75w Incandescent 75w Incandescent 75w Incandescent	120V 120V 120V	50,000 hrs 50,000 hrs 50,000 hrs	>90 >90 >90	5 Year 5 Year 5 Year	
---	---	--	--	----------------------	--	-------------------	----------------------------	--

ADJUSTABLE LED DOWNLIGHTS

	90322-15-A	15W, 1200 Lumens 2700K, 3000K, 3500K, 4000K, 5000K		120V	50,000 hrs	>90	5 Year	
--	------------	--	--	------	------------	-----	--------	--

LED WRAP LIGHTS

	90286-T	4FT, 30W, 35W, 40W 4110 LM, 4690 LM, 5240 LM 3500K, 4000K, 5000K *Tunable	100w MH	120/277V	50,000 hrs	>80	5 Year	
---	---------	--	---------	----------	------------	-----	--------	--

8FT INTEGRATED TUBES

	90501-8	60W LED, 7800 Lumens		90-277VAC	50,000 hrs	>80	5 Year	
--	---------	----------------------	--	-----------	------------	-----	--------	--

LED COMMERCIAL DOWNLIGHTS

	90500-4	4", 5.5W, 8W, 12W 480 LM, 709 LM, 1028 LM 3000K, 3500K, 4000K		120V/277V	50,000 hrs	>90	5 Year	
	90500-6	6", 7W, 10W, 18W 756 LM, 1062 LM, 1606 LM 3000K, 3500K, 4000K		120V/277V	50,000 hrs	>90	5 Year	
	90500-8	8", 10W, 15W, 22W 1067 LM, 1560 LM, 2073 LM 3000K, 3500K, 4000K		120V/277V	50,000 hrs	>90	5 Year	
	90500-9.5	9.5", 20W, 25W, 32W 2172 LM, 2643 LM, 3200 LM 3000K, 3500K, 4000K		120V/277V	50,000 hrs	>90	5 Year	

* Motion Sensors available for purchase. Call for pricing.

Ph: 972-624-5000 | Fax: 972-624-5800
www.lightingandpowertech.com

LED DUSK TO DAWN

	90191-45	45W, 6300 Lumens, 5K <i>*Silver Gray Color</i>	50w MH	120/277V	50,000 hrs	70	5 Year	
	90191-55	55W, 7000 Lumens, 5K <i>*Dark Bronze Color</i> <i>*Includes Twist Lock Photo Sensor</i>	80w-175w MH	120/277V	50,000 hrs	70	5 Year	

LED SOLAR LIGHTS

	91140-50	50W, 5000 Lumens, 35K		12V 20 Ah			5 Year	
	91140-70	70W, 7000 Lumens, 5K		12V 50 Ah			5 Year	


MOGUL BASED LED RETROFIT KITS

	90176-150	150W, 17500 Lumens, 5K	4400w MH	120/277V	50,000 hrs	>80	5 Year	
--	-----------	------------------------	----------	----------	------------	-----	--------	--

EMERGENCY EXIT SIGNS

	E-90300-37	Power: 4W max Output: 1W max	120/277V	Discharge Time: 90 minutes		5 Year	
	E-90301-7	Power: 3.5W max Output: 3W	120/277V	90 minutes		5 Year	
	E-90302-12	Power: 2W max Output: 2.4W	120/277V	90 minutes		5 Year	
	E-90303-82	Power: 3.5W Output: 4W	120/277V	90 minutes		5 Year	

EMERGENCY BACKUP BATTERY DRIVERS

		WATTS	INPUT CURRENT	INPUT	OUTPUT			
	90148-5	5W	10-50mA	100-277V	DC25-52V 57V Max		5 Year	
	90148-8	8W	20-100mA	100-347V	DC15-50V 55V Max		5 Year	
	90148-8M	8W	20-100mA	m100-347V	DC50-180V 220V Max		5 Year	
	90148-9	9W	100mA	100-277V	DC120-200V 250V Max		5 Year	
	90148-16	16W	120mA	100-277VAC 100-347VAC	DC150-200V		5 Year	

EMERGENCY DRIVERS

		WATTS	INPUT	OUTPUT			
	90149-8	8W	100-277V	170V DC		5 Year	
	90149-15	15W	100-277V	170V DC		5 Year	
	90149-20	20W	100-277V	170V DC		5 Year	
	90149-30	30W	100-347VAC	400V DC		5 Year	
	90149-40	40W	100-347VAC	170V DC		5 Year	

480/347V-277V STEP DOWN TRANSFORMERS

		WATTS	INPUT	OUTPUT			
	80244	150W	480/347Vac ± 10%	480/347V- 277V		5 Year	
	80246	375W	480/347Vac ± 10%	480/347V- 277V		5 Year	

SURGE PROTECTIVE DEVICES

	90600	10KA Surge Protection Device	320VAC, 10kA(8/20µs)			5 Year	
	90601	10KA Surge Protection Device	120V-277V (+/- 5%)			5 Year	
	90602	20KA Surge Protection Device	320VAC, 20 kA(8/20µs)			5 Year	
	90603	20KA Surge Protection Device	277~480Vac, 550Vac			5 Year	

* Motion Sensors available for purchase. Call for pricing.

Ph: 972-624-5000 | Fax: 972-624-5800
www.lightingandpowertech.com

FIXTURE	CODE	MOUNTING	PRICE	PAINT	FIXTURE	CODE	MOUNTING	PRICE	PAINT
	90140-DBP10	*10FT Steel 4" Direct Burial Light Pole				90275-FSM	Flood Light Slip Fitter Mount		
	90140-DBP15	*15FT Steel 4" Direct Burial Light Pole				90275-FA	Flood Light Arm Mount		
	90140-DBP20	*20FT Steel 4" Direct Burial Light Pole				90275-FT2-7	Flood Light Trunnion- 20W-70W		
	90140-DBP25	*25FT Steel 4" Direct Burial Light Pole				90275-FT	Flood Light Trunnion		
	90140-DBP30	*30FT Steel 5" Direct Burial Light Pole				90275-AC	Install Arm Connection Kit For Flood Light		
	90140-SLP10	*10FT Steel 4" Square Light Pole				90140-THT	120 Triple Horizontal Tenon Adaptor		
	90140-SLP15	*15FT Steel 4" Square Light Pole				90140-HTA180	Four 180° Horizontal Tenon Adaptor		
	90140-SLP20	*20FT Steel 4" Square Light Pole				90140-WM90T	90 Wall Mount Bracket with 2-3/8" O.D. Tenon		
	90140-SLP25	*25FT Steel 4" Square Light Pole				90140-DWMB	180 Double Wall Mount Bracket		
	90140-SLP30	*30FT Steel 5" Square Light Pole				90140-QHTA	90 Quad Horizontal Tenon Adaptor		
	90140-RLP10	*10FT Steel 3" Round Light Pole				90140-SWPW	Support Wood Pole and Wall Adaptor		
	90140-RLP15	*15FT Steel 4" Round Light Pole				90140-RPM	1/2" Round Pole Mount with 2-3/8" O.D. Tenon		
	90140-RLP20	*20FT Steel 4" Round Light Pole				90140-U	Universal Pole Mount		
	90140-RLP25	*25FT Steel 4" Round Light Pole				90140-SSB	Single Spoke Bracket		
	90140-RLP30	*30FT Steel 5" Round Light Pole				90140-SFA	Slip Fitter Adaptor		
	90140-DBR10	*10FT Steel 4" Direct Burial Round Pole				90140-RB	Round Bar Adaptor		
	90140-DBR15	*15FT Steel 4" Direct Burial Round Pole				90140-RBA	Round Bar Adapter for Arm Mount		
	90140-DBR20	*20FT Steel 4" Direct Burial Round Pole				90140-RTA3	Round Tenon Adaptor 3"		
	90140-SMK	Surface Mount Kit				90140-RTA4	Round Tenon Adaptor 4"		
	90140-AB30	Anchor Bolt For 30FT Steel Light Poles				90140-RTA5	Round Tenon Adaptor 5"		
	90140-BMS	Base Mounting Screw				90140-ST4	Square Tenon Adaptor 4"		
	90140-RBC3	3" Round Base Cover				90140-ST5	Square Tenon Adaptor 5"		
	90140-RBC4	4" Round Base Cover				90140-RPT	Round Post Top Adaptor		
	90140-RBC5	5" Round Base Cover				90140-RPTS	Round Post Top Adaptor-S		
	90140-SPP	Screw Positioning Plate				90140-TSB90	Twin Spoke Bracket 90 Arms		
	90140-SPPS	Screw Positioning Plate for Steel Square Light Pole				90140-TSB180	Twin Spoke Bracket 180 Arms		
	90140-SBC4	4" Square Base Cover				90140-QSB90	Quad Spoke Bracket 90 Arms		
	90140-SBC5	5" Square Base Cover				90140-TSB120	Triple Spoke Bracket 120 Arms		
	90140-RSLP5	Rainproof Cover 4- 5" Square Light				90140-TB180	180 Triple Bullhorn		
	90140-BH2	Low Profile Bullhorn with 2 Tenons				90140-DB180	180 Double Bullhorn		
	90140-BH3	Low Profile Bullhorn with 3 Tenons				90140-QB90	90 Quad Bullhorn		
	90140-BH4	Low Profile Bullhorn with 4 Tenons				90140-WMB	180° Wall Mount Bracket with 2 O.D. Tenon		
	90140-RUA	Round Universal Anchor Base Adapter				90140-ODH	2-3/8" OD Horizontal Tenon Arc Adaptor		
	90140-AG6	6FT Gray Arm Mount Pole and Wall				90140-IRPA	Insert Round Pole Adaptor 5"- 3" Tenon		
	90140-AB6	6FT Dark Bronze Arm Mount Pole and Wall				90140-PCA	Photocell Adaptor		
	90140-WPA	Support Wood Pole and Wall Adaptor				90140-PC	Photocell		
	90140-WPK	Wooden Pole Bracket Kit				90140-PCWC	Photocell for Wall Packs and Canopy Fixtures		
						90140-WM90	Wall Mount 90 Bracket		
						90140-DHT	180 Double Horizontal Tenon Adaptor		

* Cutting Poles:

Square Poles \$50/pcs
Round Poles \$50/pcs
Drill Holes \$20/pcs

* Motion Sensors available for purchase. Call for pricing.



PROGRAMMABLE LED DRIVERS

Why Choose Us?

Lighting and Power Technologies offers a wide variety of LED Drivers perfect for your Commercial, Industrial or Residential needs. We offer both indoor and outdoor options, as well as programmable features to make your projects that much easier. All you need is an amp meter and screw driver.

Set Up Time: Less than 1 Minute

7101 Whisperfield Drive,
Plano, TX 75024

Our LED Drivers

- ✓ Adjustable Current with 1-10V Dimming
- ✓ Indoor Constant Current
- ✓ Outdoor Constant Voltage
- ✓ Emergency Drivers
- ✓ UFO LED Drivers




972-624-5000



paul@lightingandpowertech.com



www.lightingandpowertech.com



3 CCT & TUNABLE LED FIXTURES

Our **Adjustable** LED Fixtures:

- ✓ LED Wall Packs / Architectural Wall Packs
- ✓ LED Linear High Bays
- ✓ LED Troffers
- ✓ Back Lit LED Panels
- ✓ LED Vapor Tight Lights
- ✓ LED Wrap Lights
- ✓ LED Strip Lights
- ✓ LED Downlights



5 CCT

7101 Whisperfield Drive,
Plano, TX 75024



972-624-5000



paul@lightingandpowertech.com



www.lightingandpowertech.com



TERMS AND CONDITIONS

WARRANTY

Standard four (4) year factory replacement warranty on all Magnetic High Intensity Discharge Ballasts and five (5) year warranty on Electronic Fluorescent and LED Drivers. Standard (10) year warranty on LED Die-Cast Fixture housing. This warranty is designated a "Limited Warranty" pursuant to Section 103(a) of the Federal Consumers Product Warranties Act. Defective Ballasts/LED Drivers are to be shipped, with RGA number, to Dallas, Texas at purchaser's expense. Replacement ballasts will be shipped freight free.

TERMS

Companies with approved credit: Thirty (30) days net from date of invoice.

ORDERS

Orders must include a valid WATRAM/ DELTEK five digit code, total quantities and price per unit.

FREIGHT

Freight will be allowed on \$750.00 for Ballasts/LED Drivers to all points in the U.S.A. excluding Hawaii and Alaska. LED Fixtures are \$1,500.00 F/F. Shipments to Northwest and Northeast states are \$2,000.00 F/F. Poles FOB Dallas. Freight is not included with Poles.

DAMAGE/ DEFECTIVE PRODUCT

Any claims for loss and damage have to be filed by the customer against the carrier. Consignment copies signed by the carrier acknowledging such loss or damage must be submitted to LIGHTING AND POWER TECHNOLOGIES.

DROP SHIPMENTS

Drop shipments to other than customer's address of business will be allowed. If shipment destination is further than originating customer's premises, any extra freight charge will be customer's responsibility.

CLAIMS

Claims for inaccurate filling of orders must be submitted no later than two (2) days after receipt of shipment and needs to be made directly to LIGHTING AND POWER TECHNOLOGIES. Copy of the invoice or packing list must be enclosed with the claim form.

RETURNS

Customer will have to request a Return Goods Authorization (RGA), returned goods will only be accepted against an RGA number. Any item returned for credit or replacement will be subject to a 15% restocking fee if the error is not ours. LED Fixtures are subject to a 20% restocking fee. DELTEK/WATRAM Ballasts/LED Drivers must be returned freight prepaid. All returns must be returned within sixty (60) days of delivery or RGA will be canceled and customer will be responsible for payment.

PRICES

Prices are net 30 and subject to price increase without notice. All items are subject to a price change, should import tariffs increase.

FIXTURE COLOR CHANGES

Additional charge of \$30.00 for changing current bronze fixture colors. Color changes will be high pressure spray painted, not powder coated. Modifications to fixtures will be nonreturnable and nonrefundable.

POLE COLOR CHANGES

Refer to Poles and Mounting Accessories page for pricing. Color changes will be powder coated. Modifications to poles will be nonreturnable and nonrefundable.

10FT POLES
\$100 per pole

15FT POLES
\$120 per pole

20FT POLES
\$150 per pole

25FT POLES
\$180 per pole

30FT POLES
\$200 per pole