

LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W



28-70W

The Semi-Cutoff Wall Pack LED Lighting Series can be widely used for Indoor or Outdoor (Wet Location) Excellent for Museums, Art Galleries, Shopping Malls, Office Buildings, Walls and many other applications.

WATT/CCT
SELECTABLE



48-120W



Features:

- Lumileds LED, high luminous efficiency and long working life .
- High efficiency LED Driver, the wide range input voltage AC120-277V.
- Die Cast aluminium cooling design, high quality and better cooling for LED Tj < 85°C .
- Excellent Optics design, greatly improve the light utilization and evenness.
- **The 1-10V Dimming type is continuous.**

Packaging information:

❖ **WSD-HWP2842567W27-345K:**

Carton Size: 370MMX205MMX178MM
14.57" X8.07" X7.01" (1Pcs/CTN)


❖ **WSD-HWP48729612W27-45K:** Carton
Size: 370MMX170MMX170MM
14.57" X6.69" X6.69" (1Pcs/CTN)

SPECIFICATION								
TYPE	WSD-HWP2842567W27-345K				WSD-HWP48729612W27-45K			
WATTAGE	28W	42W	56W	70W	48W	72W	96W	120W
LUMEN	4483 lm	5896 lm	7740 lm	9753 lm	7496 lm	10985 lm	14162 lm	17226 lm
EFFICACY	> 140 lm/W							
CCT	3000K,4000K,5000K				4000K,5000K			
CRI	> 70							
INPUT VOLTAGE	AC120-277V							
LIGHTING ANGLE	96.3X71°				95.3X62.9°			
FACTORY SETTINGS	70W & 4000K				120W & 4000K			
LED TYPE					2835			
PF					> 0.95			
DRIVER EFFICIENCY					> 89%			
PROTECTION LEVEL					WET			
LIFE TIME					> 50000 hours			
WARRANTY					5 year limited			

LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

DIMENSION:



Specifications:

Shell materials: Aluminum & PC.
Finish: Dark Bronze(Standard)

Net weight :

28-70W:6.88(lbs)

48-120W:9.1(lbs)

Product Size:

28-70W:356.2mmX158.9mmX198.5mm

14.03"X6.26"X7.82"

48-120W:355mmX156.9mmX154.5mm

13.98"X6.18"X6.08"

Control Module:



28-70W

48-120W

LPT	HWP	2842567	27	345K	Z	Y
COMPANY	PRODUCT	POWER	VOLTAGE	CCT	FINISH	CONTROL
	HWP Semi-Cutoff Wall Pack light	2842567 28W/42W 56W/70W 48729612 48W/72W 96W/120W	27 AC120-277V	345K 3000K/4000K/5000K 45K 4000K/5000K	D (Dark Bronze) W (White) B (Black) S (Silvery)	P (Photocell)


LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W


PHOTOMETRICS:

For complete IES files, please visit our website.


WSD-HWP2842567W27-345K (28W&4000K)



WSD-HWP2842567W27-345K (42W&4000K)



WSD-HWP2842567W27-345K (56W&4000K)




LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W


PHOTOMETRICS:

For complete IES files, please visit our website.


WSD-HWP2842567W27-345K (70W&4000K)



WSD-HWP48729612W27-45K (48W&4000K)



WSD-HWP48729612W27-45K (72W&4000K)




LED Semi-Cutoff Wall Pack light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

PHOTOMETRICS:

For complete IES files, please visit our website.

WSD-HWP48729612W27-45K (96W&4000K)



WSD-HWP48729612W27-45K (120W&4000K)

