



Pattern Modification

Strip N Serge Boatneck

By Patty Dunn ©2/2025

All Rights Reserved



Full pattern is available at the link below.

<https://www.alldunndesigns.com/collections/garment-patterns/products/strip-n-serge-top>

This is only the pattern for a boat neck modification of the

“All Dunn Designs” Strip N Serge Top

Tape this neckline pattern together and use it on the 5” (or 6”) strip for TOP YOEK. Construction for top is the same as original pattern.


1/2” strip will be cut in half lengthwise and applied per these instructions.

Tape neck pattern together.

1. Fold 5" (or 6") strip in half lengthwise and cut out front neckline. Do same with back.



2. Fold width of 1 1/2" wide strip in half and press.



3. Fold pressed strip in half lengthwise and cut on fold so you have 2 folded strips about 20" long.



4. Place folded strip even with curved neckline, against wrong side of yoke. NOTE—this will produce the looped serger stitch on the right side. Place strip on the right side of fabric if you want the ladder stitch to show.




5. Pull band and yoke away from each other to make flat. Loop side is showing above.


6. With wrong sides together, match front and back shoulder edges together. Start stitching at neckline making sure neck strip matches. Leave serger thread tail.


7. Flatten shoulder seam and press. Using a double eyed needle or dental floss threader, secure serger tail by weaving it through the underside stitching.

Finish according to original instructions.









CUT THIS LINE for 5" strip

CUT THIS LINE for 6" strip

BACK

NECK YOKE

Boat neck

Strip n Serge top

BONUS NECKLINE

Tape A matching line

A

A

