



PG 650-2000VA

LINE INTERACTIVE UPS

POWER GARDE SERIES



Kebos PG650-2000VA Line Interactive UPS comes in Lite and Standard versions to suit your back-up power & protection of your personal computers, CCTV equipment, Point-of-Sale machine, Digital Display Monitor, Televisions.

PRODUCT FEATURES

- TOUCH SCREEN LCD
- COMPACT SIZE
- EXCELLENT MICROPROCESSOR
- AUTO RESTART
- OFF-MODE CHARGING
- COLD START FUNCTION
- GENERATOR COMPATIBLE



GH 11 (1-10KVA)

TRUE DOUBLE CONVERSION

SINGLE PHASE UPS



GH11 (1-10KVA) is specifically designed for operation in poor power areas. They provide high power density with long backup time in compact size. It's ideal for ATMs, banking and other business critical applications.

PRODUCT FEATURES

- POWER FACTOR CORRECTION
- OUTPUT POWER FACTOR 0.9
- EXCELLENT MICROPROCESSOR
- WIDE INPUT VOLTAGE (110V-300V)
- CONVERTER MODE AVAILABLE
- ECO MODE ENERGY SAVING
- GENERATOR COMPATIBLE



ATS 16 & 30 A

AUTOMATIC TRANSFER SWITCH



PRODUCT FEATURES

- 16 & 30A MAX INPUT CURRENT
- DUAL POWER SUPPLY
- GUARANTEED RELIABILITY
- BUILT IN USB & RS-232
- RACK DESIGN
- PREFERRED SOURCE SELECTION
- SEAMLESS POWER SWITCH



GR11 (1-10KVA)

TRUE DOUBLE CONVERSION

RACK MOUNT UPS



GR11 (1-10KVA) Rack mount Online UPS Ideal for medium-density power protection demand, provides Rack/Tower form factor to fit diverse environment. The LCD display panel can be easily shifted.

PRODUCT FEATURES

- ADJUSTABLE CHARGING CURRENT
- OUTPUT POWER FACTOR PF0.9
- EXCELLENT MICROPROCESSOR
- WIDE INPUT VOLTAGE(110-300VAC)
- COVERTER MODE AVAILABLE
- ECO MODE ENERGY SAVING
- GENERATOR COMPATIBLE



Kebos Power Co., Ltd.

Since 2009, Kebos Power Co., Ltd. has been the Leader in Uninterruptible Power Supply (UPS) Solutions, offering reliable and innovative products that ensure continuous clean power and protect critical applications. With over fifteen (15) years of experience, we've built a reputation for reliability and world-class engineering, backed by twenty (20) years of expertise in power electronics.

Kebos provides UPS Solutions tailored to meet the demands of various industries, including information technology, transportation, industrial processes, and more. Our products are designed to protect your business from power disruptions, ensuring the safe operation of essential systems.

With service centers in Europe, Middle East, Asia, and South America, supported by a global partner network, Kebos offers 24/7 service and maintenance, ensuring your systems remain operational and secure at all times. Choose Kebos for dependable UPS Solutions that keep your operations running smoothly, no matter the environment.

Mission: To be the most trusted centuries-old brand by customers all over the world
Vision: KEBOS Power, to continue a better life
Values: Honesty, Well Balanced Partnership, Efficient, Effective



Line Interactive UPS
PG 650-2000



On Line High Frequency UPS
GH11 1-10K
GH11 PRO 6KVA-10KVA 1PF



On Line High Frequency Rack Mount UPS
GR11 1-10K
GR11 PRO 6KVA-10KVA 1PF



3 Phase/1 Phase Input 1 Phase Output UPS
GH31 10-20KVA 0.8PF TOWER
GR31 10-30KVA RACK MOUNT
AT31 10-100KVA MODULAR



3Phase UPS
GH33 10-200KVA
GH33 III 30-200KVA
GR33 10-60KVA
AP LITE 15u 60-90KVA
AT33 MODULAR 10-100KVA
AP MODULAR 30u-42u 90-300KVA
APLUS 30u-42u 60-600KVA



Automatic Transfer Switch (ATS)
ATS-16A
ATS-30A



Line Interactive UPS PG 650-2000

Technical Features:

- Line interactive UPS
- Touch screen LCD to display UPS information circularly(option)
- Compact size
- Simulated sine wave
- Boost and buck AVR for voltage stabilization
- Auto restart while AC is recovering
- Excellent microprocessor control guarantees high reliability
- Off-mode charging
- Cold start function
- Generator compatible(option)



On Line High Frequency UPS GH11 1-10K

Technical Features:

- True double-conversion
- Microprocessor control optimizes reliability
- Input power factor correction
- Output power factor 0.9
- Wide input voltage (110V - 300V)
- Converter mode available
- ECO mode for energy saving! Only available for 1-3KVA
- Generator compatible
- Adjustable charging current via LCD or software(1A-6A) only available for 6K/10K models
- Smart SNMP-works well with either USB or RS-232 together
- Comprehensive display allows easy monitoring and access of UPS status



On Line High Frequency Rack Mount UPS

GR11 1-10K

Technical Features:

- True double-conversion
- Microprocessor control optimizes reliability
- Output power factor PF0.9
- Wide input voltage range(110-300VAC)
- Converter mode available
- ECO mode for energy saving only available for 1-3KVA models
- Generator compatible
- Adjustable charging current via LCD or software(1A-6A) only available for 6K/10K models
- Emergency power off function(EPO) only available for 6K/10K models
- Comprehensive display allows easy monitoring access of UPS status
- Rack-Tower 2-in-1 for 1KVA, 2KVA & 3KVA
- Hot-swappable battery design for 6KVA and below models





"MOST TRUSTED AND LASTING PARTNER IN THE POWER INDUSTRY"

PG 650-2000VA UPS LINE INTERACTIVE PRICE LIST - 2025



Ideal for protecting:

- > PC w/ basic power supply
- > CCTV/Surveillance System
- > Point-of-Sale (POS) Machine
- > Digital Display Monitor
- > Biometric Time Attendance
- > Basic Router
- > Home Television & many more

MODEL	DEALER PRICE	SRP	DESCRIPTION	OUTPUT SOCKETS	BACK-UP TIME (TYPICAL IT LOAD)
PG 650VA	2,700.00	3,490.00	KEBOS PG 650VA/390W Line Interactive with built-in AVR UPS	4 x Universal Sockets	15-30 minutes
PG 1200VA	5,700.00	7,490.00	KEBOS PG 1200VA/600W Line Interactive with built-in AVR UPS	4 x Universal Sockets	30-40 minutes
PG 1500VA	7,500.00	9,890.00	KEBOS PG 1500VA/900W Line Interactive with built-in AVR UPS	4 x Universal Sockets	45-60 minutes
PG 2000VA	8,700.00	11,490.00	KEBOS PG 2000VA/1200W Line Interactive with built-in AVR UPS (with USB Communication Port & RJ-45 Surge Protection Port)	6 x NEMA 5-15R Sockets	45-60 minutes

FEATURES:

Buck & Boost AVR - Voltage Stabilization
Compact Size Design
Auto Restart while AC Recovers & Off-Mode Charging
LED Panel Indicator - Easy Understanding of UPS Status
Audible Alarms & Cold Start Function
Full Protection Against Short Circuit, Surge, Discharge, Overcharge, & Overload
Excellent Microprocessor Controller Guarantees High Reliability
ISO Certified Manufacturing Facilities, CE/ROHS/Safety/EMC Certified UPS Products

GENERAL USAGE GUIDELINES:

UPS and its batteries are covered with respective standard warranty, given that:

- *Indoor use only and recommended room temperature should be 20 to 25 degrees Celsius only.
- *Lower than 20 degrees Celsius reduces battery capacity while higher than 25 degrees Celsius shortens battery lifespan
- *Must not expose to direct sunlight, dust, liquid and any other environmental factors that are harmful to UPS and its batteries.
- *Unauthorized personnel should not execute any repair on UPS external and internal physical parts including batteries.
- *Acts of Nature (Rain/Typhoon, Earthquake, and the like), Fire, and human made errors (from unauthorized personnel) will not be covered of the warranty.
- *Air Conditioning Unit Blowers must not be pointed directly at UPS & its Battery Cabinets.
- *Do not connect non-IT equipments such as hair blower, flat iron, rice cooker, electric fan, floor polisher & other motorized/heat-producing appliances

Prices and specifications are subject to change without prior notice.

Transportation & Logistics expenses of UPS & its related parts from and to Service Center for warranty claim purposes will be shouldered by customers.

WARRANTY:

Two (2) Years on UPS Electronics and One (1) Year on Battery
Phone, Chat & Email Technical Support: 9am to 5pm, Monday to Friday, Exclusive of Holidays
Return to KEBOS Service Center, Repair or Replace

EVERY ORDERED UNIT COMES WITH:

1 x UPS
1 x Package Box
1 x User Manual



EXCLUSIVE DISTRIBUTOR
www.kebospower.com



"MOST TRUSTED AND LASTING PARTNER IN THE POWER INDUSTRY"



Features:

True Online Double Conversion
High Output Power Factor
Excellent Microprocessor Controller
Generator Compatible
Wide Input Voltage Range
Input Power Factor Correction
Audible Alarms
Cold Start Function
Comprehensive LCD Panel
Optional Remote Management (Network Card)
Complete Protection
ISO, ROHS, CE, Safety & EMC Compliant

6KVA 10KVA UPS ONLINE RACK MOUNT PRICE LIST - 2025



Comprehensive LCD Panel
Input/Output/Battery Voltages
Battery & Back-up Time Status
Fault, Mute, Mode and Load Information

Ideal for protecting:

- > Enterprise Servers
- > Enterprise Switches
- > ATMs
- > PBX
- > Large Format Printers or Plotters
- > Central Monitoring Systems
- > Medical Equipments
- > & Other Critical IT Devices

Warranty:

- > 2 Years on Electronics, 1 Year on Battery
- > 2 Years Phone, Chat & Email Technical Support Service
- > 1 Year On-site Technical Support Service
- > Monday to Friday, 9:00AM-5:00PM, Exclusive of Holidays
- > Return to Service Center

MODEL	DEALER PRICE	SRP	DESCRIPTION	INPUT & OUTPUT CONNECTIONS	BACK-UP TIME (TYPICAL IT LOAD)
GR11-6KVA	103,000.00	137,290.00	KEBOS 6KVA/5400W Online Double Conversion, Rack Mount UPS	Single Phase - Terminal	15-30 Minutes
GR11-10KVA	114,000.00	151,990.00	KEBOS 10KVA/9000W Online Double Conversion, Rack Mount UPS	Single Phase - Terminal	15-30 Minutes
Network Card	10,500.00	13,990.00	Network Card for KEBOS GR11/GR11 1KVA-10KVA UPS		

Prices and specifications are subject to change without prior notice. Transportation & Logistics expenses of UPS & its related parts from and to Service Center for warranty claim purposes will be shouldered by customers.

UPS PRICE INCLUSIONS:

- > One-Time Tapping, Start-up, & Commissioning Service (Monday-Friday, 9:00AM-5:00PM, Exclusive of Holidays)
- Must notify KEBOS Team 5-10 business days before the customer's preferred service schedule date
- Service is one-time visit only. Rescheduled service due to incomplete electrical works & others outside KEBOS scope will be billed accordingly
- Customer is required to send close-up images of installed electrical works prior schedule of service
- > One (1) Year Limited On-site, Phone, Chat & Email Technical Support Service (Monday-Friday, 9:00AM-5:00PM, Exclusive of Holidays)
- On-site Technical Support Service is valid within warranty & maximum of two (2) visits only

EXCLUSIONS:

- > 24x7 Services - subject for assessment and separate proposal
- Electrical Works - such as but not limited to electrical wiring, terminal lugs, circuit breakers & other necessary materials
- > Working Permit, Rapid & Swab Test Medical Certifications, & other COVID-19 Related Expenses

GENERAL USAGE GUIDELINES:

UPS and its batteries are covered with respective standard warranty, given that:

- *Indoor use only and recommended room temperature should be 20 to 25 degrees Celsius only.
- *Lower than 20 degrees Celsius reduces battery capacity while higher than 25 degrees Celsius shortens battery lifespan
- *Must not expose to direct sunlight, dust, liquid and any other environmental factors that are harmful to UPS and its batteries.
- *Unauthorized personnel should not execute any repair on UPS external and internal physical parts including batteries.
- *Acts of Nature (Rain/Typhoon, Earthquake, and the like), Fire, and human made errors (from unauthorized personnel) will not be covered of the warranty.
- *Air Conditioning Unit Blowers must not be pointed directly at UPS & its Battery Cabinets.
- *Do not connect non-IT equipments such as hair blower, flat iron, rice cooker, electric fan, floor polisher & other motorized/heat-producing appliances

EVERY ORDERED UNIT COMES WITH:

1 x UPS Power Module
1 x Battery Pack
2 x Rail Kit
1 x Package Box
1 x User Manual



EXCLUSIVE DISTRIBUTOR
www.kebospower.com



"MOST TRUSTED AND LASTING PARTNER IN THE POWER INDUSTRY"



PG 650VA Lite



PG 1KVA Lite

PG LITE 650-1000VA UPS LINE INTERACTIVE PRICE LIST - 2025

Ideal for protecting:
➢ PC w/ basic power supply
➢ CCTV/Surveillance System
➢ Point-of-Sale (POS) Machine
➢ Digital Display Monitor
➢ Biometric Time Attendance
➢ Basic Router
➢ Home Television & many more

MODEL	DEALER PRICE	SRP	DESCRIPTION	OUTPUT SOCKETS	BACK-UP TIME (TYPICAL IT LOAD)
PG 650VA Lite	2,500.00	3,190.00	KEBOS PG Lite 650VA/390W Line Interactive with built-in AVR UPS	4 x Universal Sockets	15-30 minutes
PG 1000VA Lite	4,200.00	5,490.00	KEBOS PG Lite 1000VA/600W Line Interactive with built-in AVR UPS	4 x Universal Sockets	20-40 minutes

FEATURES:

Buck & Boost AVR - Voltage Stabilization
Compact Size & Lightweight Design
Auto Restart while AC Recovers & Off-Mode Charging
LED Panel Indicator - Easy Understanding of UPS Status
Audible Alarms & Cold Start Function
Full Protection Against Short Circuit, Surge, Discharge, Overcharge, & Overload
Excellent Microprocessor Controller Guarantees High Reliability
ISO Certified Manufacturing Facilities, CE/Rohs/Safety/EMC Certified UPS Products

GENERAL USAGE GUIDELINES:

UPS and its batteries are covered with respective standard warranty, given that:
*Indoor use only and recommended room temperature should be 20 to 25 degrees Celsius only.
*Lower than 20 degrees Celsius reduces battery capacity while higher than 25 degrees Celsius shortens battery lifespan
*Must not expose to direct sunlight, dust, liquid and any other environmental factors that are harmful to UPS and its batteries.
*Unauthorized personnel should not execute any repair on UPS external and internal physical parts including batteries.
*Acts of Nature (Rain/Typhoon, Earthquake, and the like), Fire, and human made errors (from unauthorized personnel) will not be covered of the warranty.
*Air Conditioning Unit Blowers must not be pointed directly at UPS & its Battery Cabinets.
*Do not connect non-IT equipments such as hair blower, flat iron, rice cooker, electric fan, floor polisher & other motorized/heat-producing appliances

Prices and specifications are subject to change without prior notice.

Transportation & Logistics expenses of UPS & its related parts from and to Service Center for warranty claim purposes will be shouldered by customers

WARRANTY:

Two (2) Years on UPS Electronics and One (1) Year on Battery
Phone, Chat & Email Technical Support: 9am to 5pm, Monday to Friday, Exclusive of Holidays
Return to Service Center, Repair or Replace

EVERY ORDERED UNIT COMES WITH:

1 x UPS
1 x Package Box
1 x User Manual



EXCLUSIVE DISTRIBUTOR
www.kebospower.com



"MOST TRUSTED AND LASTING PARTNER IN THE POWER INDUSTRY"



1KVA 2KVA 3KVA UPS ONLINE TOWER PRICE LIST - 2025



Comprehensive LCD Panel
Voltage/Current/Load/Status
Battery & Back-up Time Status
Fault, Mode and Load Information

Ideal for protecting:

➢ Enterprise Servers
➢ Enterprise Switches
➢ ATMs
➢ PABX
➢ Workstation PC w/ 80 Plus Power Supply
➢ Large Format Printers or Plotters
➢ Central Monitoring Systems
➢ Medical Equipments
➢ & Other Critical IT Devices

MODEL	DEALER PRICE	SRP	DESCRIPTION	OUTPUT SOCKETS	BACK-UP TIME (TYPICAL IT LOAD)
KH11 Plus 1KVA	15,500.00	21,990.00	KEBOS PowerGarde 1KVA 1KW Online Double Conversion, Tower UPS	4 x Universal Type	15-30 Minutes
KH11 Plus 2KVA	23,500.00	31,990.00	KEBOS PowerGarde 2KVA 2KW Online Double Conversion, Tower UPS	4 x Universal Type	15-30 Minutes
KH11 Plus 3KVA	29,700.00	39,990.00	KEBOS PowerGarde 3KVA 3KW Online Double Conversion, Tower UPS	4 x Universal Type	15-30 Minutes
Network Card	10,500.00	13,990.00	Network Card for KEBOS Single Phase UPS		

FEATURES:

True Online Double Conversion
High Output Power Factor
Excellent Microprocessor Controller
Generator Compatible
Wide Input Voltage Range
Input Power Factor Correction

Audible Alarms
Cold Start Function
Comprehensive LCD Panel
Optional Remote Management (Network Card)
Complete Protection
ISO, RoHS, CE, Safety & EMC Compliant

WARRANTY:

Two (2) Years on UPS Electronics and One (1) Year on Battery
Phone, Chat & Email Technical Support: 9am to 5pm, Monday to Friday, Exclusive of Holidays
Return to KEBOS Service Center, Repair or Replace

EVERY ORDERED UNIT COMES WITH:

1 x UPS
1 x Package Box
1 x User Manual

GENERAL USAGE GUIDELINES:

UPS and its batteries are covered with respective standard warranty, given that:
*Indoor use only and recommended room temperature should be 20 to 25 degrees Celsius only.
*Lower than 20 degrees Celsius reduces battery capacity while higher than 25 degrees Celsius shortens battery lifespan
*Must not expose to direct sunlight, dust, liquid and any other environmental factors that are harmful to UPS and its batteries.
*Unauthorized personnel should not execute any repair on UPS external and internal physical parts including batteries.
*Acts of Nature (Rain/Typhoon, Earthquake, and the like), Fire, and human made errors (from unauthorized personnel) will not be covered of the warranty.
*Air Conditioning Unit Blowers must not be pointed directly at UPS & its Battery Cabinets.
*Do not connect non-IT equipments such as hair blower, flat iron, rice cooker, electric fan, floor polisher & other motorized/heat-producing appliances

Prices and specifications are subject to change without prior notice.

Transportation & Logistics expenses of UPS & its related parts from and to Service Center for warranty claim purposes will be shouldered by customers



EXCLUSIVE DISTRIBUTOR
www.kebospower.com



"MOST TRUSTED AND LASTING PARTNER IN THE POWER INDUSTRY"



CONVERTIBLE UPS
Rack Mount or Tower
FREE:



Comprehensive LCD Panel
Input/Output Battery Voltages
Battery & Back-up Time Status
Fault, Mute, Mode and Load Information

Ideal for protecting:

- > Enterprise Servers
- > Enterprise Switches
- > Large Format Printers or Plotters
- > Central Monitoring Systems
- > Medical Equipments
- > ATMs
- > PABX
- > High End Workstations
- > & Other Critical IT Devices



MODEL	DEALER PRICE	SRP	DESCRIPTION	OUTPUT SOCKETS	BACK-UP TIME (TYPICAL IT LOAD)
KR11 Plus 1KVA	24,500.00	32,490.00	KEBOS PowerGarde 1KVA 1KW Online Double Conversion RT UPS	8 x NEMA 5-15r	15-30 Minutes
KR11 Plus 2KVA	31,500.00	42,490.00	KEBOS PowerGarde 2KVA 2KW Online Double Conversion RT UPS	8 x NEMA 5-15r	15-30 Minutes
KR11 Plus 3KVA	36,500.00	47,990.00	KEBOS PowerGarde 3KVA 3KW Online Double Conversion RT UPS	8 x NEMA 5-15r	15-30 Minutes
Network Card	10,500.00	13,990.00	Network Card for KEBOS Single Phase UPS		

FEATURES:

True Online Double Conversion
High Output Power Factor
Excellent Microprocessor Controller
Generator Compatible
Wide Input Voltage Range
Input Power Factor Correction
Convertible Rack Mount or Tower
Plug-and-Play UPS

Audible Alarms
Cold Start Function
Comprehensive LCD Panel
Optional Remote Management (Network Card)
Complete Protection
ISO, RoHS, CE, Safety & EMC Compliant
8 x Surge Protected & Battery Back-up Sockets
Easy Communication through USB & RS-232 Ports

WARRANTY:

Two (2) Years on UPS Electronics and One (1) Year on Battery
Phone, Chat & Email Technical Support: 9am to 5pm, Monday to Friday, Exclusive of Holidays
Return to Service Center, Repair or Replace

EVERY ORDERED UNIT COMES WITH:

1 x UPS
1 x Package Box
1 x User Manual
1 x Input Power Cord
1 x Rail Kit
1 x Tower Stand Kit

GENERAL USAGE GUIDELINES:

UPS and its batteries are covered with respective standard warranty, given that:

*Indoor use only and recommended room temperature should be 20 to 25 degrees Celsius only.

*Lower than 20 degrees Celsius reduces battery capacity while higher than 25 degrees Celsius shortens battery lifespan

*Must not expose to direct sunlight, dust, liquid and any other environmental factors that are harmful to UPS and its batteries.

*Unauthorized personnel should not execute any repair on UPS external and internal physical parts including batteries.

*Acts of Nature (Rain/Typhoon, Earthquake, and the like), Fire, and human made errors (from unauthorized personnel) will not be covered of the warranty.

*Air Conditioning Unit Blowers must not be pointed directly at UPS & its Battery Cabinets.

*Do not connect non-IT equipments such as hair blower, flat iron, rice cooker, electric fan, floor polisher & other motorized/heat-producing appliances

Prices and specifications are subject to change without prior notice.

Transportation & Logistics expenses of UPS & its related parts from and to Service Center for warranty claim purposes will be shouldered by customers



EXCLUSIVE DISTRIBUTOR
www.kebospower.com