PSC-DM-WS-200-BLE-CB

Wireless 2-Button Dimmer Wall Station

Created By

MCWONG

Powered By

CASAMBI

CE RoHS cULus FC

Features & Benefits:

• Manual on/off (wireless)

• Dim up/down (wireless)

• LED status indicator light

• Mounts in any standard wall box

Product Description

PSC-DM-WS-200-BLE-CB Bluetooth mesh dimmers provide automatic lighting control for a variety of indoor applications. They can replace any standard single-pole wall switch. 2-Button can be used for On/Off, and dimming controls. The configurations of each button can be personalized at the field.

Created By

MCWONG

Powered By **CASAMBI**

PSC-DM-WS-200-BLE-CB

Wireless 2-Button Dimmer Wall Station

Specifications:
AC Input:
Voltage range: 120-277 VAC 50/60Hz I Max 1.5W

Details:
Operating Temperature	0° C to 55°C
Storage Temperature	-10° C to 60°C
Relative Humidity	90-95% non-condensing at 30°C
Color	White

Note:
*The absolute range of the sensor is subject to variation because of different types of clothing, backgrounds, and ambient temperature. Therefore, ensure that the lens is properly oriented along routes with expected traffic and conduct testing along those routes. **Bluetooth Range is highly dependent on the integration of fixtures, surrounding environment and conditions. It is recommended to conduct testing for range accuracy.

4.11"
(104.39mm)

1.72"
(43.69mm)

2.76"
(70.10mm)

1.16"
(29.46mm)

Ground (Optional)
Green Terminal

Line
Black Terminal

Neutral
Gold Terminal

Energio