

Board of Fire Commissioners
Township of Parsippany-Troy Hills
P.O. Box 115
Lake Hiawatha, New Jersey 07034



Telephone: (973) 334-0423
Fax: (973) 334-7738

-REGULAR MEETING-

DATE: May 7, 2024

TIME: 8:24 PM (Fire Call)

ROLL CALL:

Commissioners	Pres.	Abs.	Officers	Pres.	Abs.
John (Jack) J. Wieners	X		Chief S. Colantoni	X	
R. Greg Schneider	X		Deputy Chief R. Bifano	X	
John (Jay) J. Wieners III	X		Chief Engineer B. Dohm	X	
Byron Tracey	X				
Brian Sysko	X				

Adequate notice of this meeting has been provided in accordance with the requirements of the Open Public Meetings Law by form of a legal notice, which appeared in the Daily Record on December 28, 2023 and was posted on the Fire District's website (www.lhfd4.com) as well as at the Lake Hiawatha Fire House.

MINUTES of PREVIOUS MEETING:

Read by:

Comm. Jay Wieners

Motion to Accept:

Comm. B. Tracey

Seconded by:

Comm. B. Sysko

Carried

CORRESPONDANCE:

- Surety Bond info from Liberty Mutual regarding new Tower Ladder order
- Misc. Mailers and Catalogs

BILLS:

Read by:	Comm. G. Schneider
Motion to Pay Bills:	Comm. B. Tracey
Seconded by:	Comm. B. Sysko
Carried	

CHIEF'S REPORT:

Given by:	Chief S. Colantoni
Attached	

FIRES:

Day:	24
Night:	7
Total:	31
YTD:	107

INCIDENTS:

- Earthquake Assessment- 164 River Rd, 4/5/24

NOTES:

-

DEPUTY CHIEF'S REPORT:

Given by:	Deputy Chief
Attached	

DRILLS:

Sun:	Truck Co. Ops II
Wed:	Apartment Line Stretches
R.I.C.:	E 41 Pumping
Other:	

EQUIPMENT:

-

MAINTENANCE REPORT:

Given by:

Comm. Sysko

ENGINE 41:

- No Issues

ENGINE 42:

- Primer needs to be checked (lights go dim when primed/ radios shut off)
- (2) bulbs needed for cab
- Tailboard lights still need to be checked
- Issue with pump disengaging, takes approx. 15 sec.

LADDER 43:

- Air leak noted, front tank

RESCUE 44:

- AM/FM Radio not working, possible antenna issue

CHIEF 4:

-

DEPUTY 4:

- Battery Replaced

RESERVE ENG. 641:

-

GENERAL:

- Hose testing scheduled for Aug. 19, Lenni Lenape Park

ELECTRONICS REPORT:

Given by:

Comm. Tracey

- Minitor VI Bases received
- Good on Batteries

INSURANCE REPORT:

Given by:

Comm. Schneider

- Progress

FIRE PREVENTION BUREAU:

Given by:

Chief. Colantoni

- No Report

PUBLIC HEARING:

- Chief Engineer Dohm- Surrounding District's getting grants
- Lt. Monteforte- need for membership, Grants for recruitment/ retention

OLD BUSINESS:

- Pre-Construction trip to Pierce scheduled for June 10-11, 2024. Chief Colantoni, Dep. Chief Bifano, Lt. Holloway, Comm. Jay Wieners to attend.

TREASURER'S REPORT:

ATTACHED

Given by:

Comm. G. Schneider

Motion to Accept:

Comm. B. Tracey

Seconded by:

Comm. B. Sysko

Carried

GENERAL ACCOUNT:

- \$25,857.64

MAJOR IMPROVEMENT ACCOUNT:

- \$258,779.39

NOTES:

NEW BUSINESS:


- Comm. Jay Wieners Motion to Sell Engine 42 to be replaced by new Tower Ladder, to proceed with reaching out to attorney for advice.
 - Motion: Comm. Jay Wieners
 - Second: Comm. B. Tracey
 - Carried 5-0

MOTION TO ADJOURN:

Made by:
Seconded by:
Carried

Comm. Jay Wieners
Comm. Jack Wieners

TIME: 9:18 PM



John J. Wieners III, Clerk