

LUXINZA

The
Future of
Flooring

SPC FLOORING
COLLECTION

LUXINZA: Combining Aesthetics and Durability

Based in Istanbul and export-oriented, LUXINZA specializes in flooring, wall panels, and skirting solutions. As part of Akgün Yapı, founded in 1977, we manufacture with cutting-edge technology at our 22,000 m² facility in Hadımköy, while welcoming customers to our 6,000 m² showroom in Beylikdüzü.

4

We combine design and durability, offering long-lasting, tailor-made solutions for every space. Our products, trusted in both residential and commercial projects, bring a sleek and functional touch to interiors through advanced manufacturing techniques.

Beyond aesthetics, we focus on user-friendly and sustainable solutions, ensuring environmentally responsible production while preserving natural resources.

With a commitment to quality, reliability, and customer satisfaction, we continue to strengthen our global presence, setting new standards in the industry by merging aesthetics and durability.





7 reasons to start your journey
with LUXINZA and make our
passion yours;
‘improve your quality of live’

Our floors:

- ✓ Resistant to all challenges of daily live
- ✓ Resistant to deformation in all circumstances
- ✓ Water and fireproof
- ✓ UV resistant
- ✓ Easy to install on any surface without additional costs
- ✓ Suitable for heating and cooling systems
- ✓ Eco-friendly
- ✓ 100 % recyclable



Inseparable combination





100% Waterproof



Extremely Stable



NO Acclimatisation Necessary



Easy Installation



Installation on any Surface



Reduces Noise



Wear Resistant



Pet Friendly



Electrostatic Performance



Ideal for Underfloor Heating & Cooling

Discover the Elegance of, Harmony with LUXINZA

The perfect harmony of colors in nature inspires your living spaces, bringing them to life. Feel the warmth and elegance of nature in every corner of your home with LUXINZA.

Luxinza flooring creates the perfect synergy between the natural beauty outside and your unique interior style. With a wide range of captivating colors and textures, it fits perfectly with any design, whether modern or classic. Whatever your style, Luxinza lets your living spaces reflect your true character.

Let your floors speak your character with LUXINZA.

8




Colors from mother nature




LUXINZA FLOORS



ROBUSTO
COLLECTION




10




AVANTO
COLLECTION



VIVATO
COLLECTION





COLLECTIONS



PRIMERO
COLLECTION



SUPREME
COLLECTION



ELEGANTE
COLLECTION

Click System



LUXINZA products utilize Unilin locking systems, UniClik and UniDrop, which are groundbreaking, unique locking systems for SPC flooring. Thanks to their easy installation features, they enable everyone to change their flooring quickly and effortlessly.

UniClik requires no additional tools or professional assistance during the assembly of its parts. It offers a fast and reliable way to install the floor.

UniDrop, on the other hand, is a one-piece, downward-folding technology that provides superior locking performance without the need for plastic parts and ensures easy installation for the short edges of the panel. This glueless locking profile is an enhanced version of the Unipush technology.




12



DIVERSE & DURABLE

13



UNICLIC



UNIDROP

COLLECTION SIZE

14



ROBUSTO

AVANTO

VIVATO



6.5 mm

6 mm

5 mm



0.5 mm

0.5 mm

0.5 mm

ROBUSTO		AVANTO		VIVATO	
Plank	Herringbone	Plank	Herringbone	Plank	Herringbone
7 pcs	14 pcs	7 pcs	14 pcs	9 pcs	16 pcs
1.947 m ²	1.575 m ²	1.947 m ²	1.575 m ²	2.503 m ²	1.464 m ²
19.82 kg	16.00 kg	19.82 kg	16.00 kg	20.38 kg	11.91 kg




PRIMERO		SUPREME		ELEGANTE
5 mm		5 mm		3 mm
0.3 mm		0.3 mm		0.15 mm
Plank	Herringbone	Stone	Stone XL	Long
9 pcs	16 pcs	9 pcs	6 pcs	1 pcs
2.503 m ²	1.800 m ²	1.674 m ²	2.233 m ²	2.702 m ²
20.38 kg	14.65 kg	13.70 kg	18.26 kg	22.02 kg

ROBUSTO

The Future of Flooring

Exuding the Elegance of Real Wood

ROBUSTO



Home is a reflection of our freedom and identity. It's a place where we can comfortably walk barefoot after a long day. It's where our children grow up, sharing sweet moments together. Our cat accompanies us every step of the way, leaving behind joyful memories.

Your home expresses who you truly are. It's strong and resilient—just like ROBUSTO Collection. This collection is crafted to withstand daily challenges while offering the timeless beauty of real wood. With its reinforced durability and advanced 3D texture, it provides a natural yet incredibly tough surface that endures the test of time.

We've designed it for real homes and real people. Personalize your space with ROBUSTO Collection and enjoy the perfect balance of strength and style. Experience every moment in your home with unmatched resilience and aesthetic excellence. Step into durability, step into ROBUSTO.

Crafting
Perfection at
Every Step,
Just for You.



Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface



Moisture Resistance




High Density Underlay



Suitable for Underfloor Heating

- Wear Layer ● 0,5 mm
- Underlay ● 1,5 mm
- Surface ● Eir
- Total Thickness ● 6,5 mm
- Edge ● Micro Bevel



ULTRA MATT
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core

High Destiny
Underlayment

228mm
1220 mm



150 mm
750 mm



40501 CHARCOAL



RO-40501-PL | PLANK
228 X 1220 X 5 mm



RO-40501-HB | HERRINGBONE
150 X 750 X 5 mm



40502 GOLDEN



RO-40502-PL | PLANK
228 X 1220 X 5 mm



RO-40502-HB | HERRINGBONE
150 X 750 X 5 mm

40503 HONEY



RO-40503-PL | PLANK
228 X 1220 X 5 mm



RO-40503-HB | HERRINGBONE
150 X 750 X 5 mm





40504 **AMBER**



RO-40504-PL | PLANK
228 X 1220 X 5 mm



RO-40504-HB | HERRINGBONE
150 X 750 X 5 mm





40505 CHESTNUT



RO-40505-PL | PLANK
228 X 1220 X 5 mm



RO-40505-HB | HERRINGBONE
150 X 750 X 5 mm



40506 TAWYN



RO-40506-PL | PLANK
228 X 1220 X 5 mm



RO-40506-HB | HERRINGBONE
150 X 750 X 5 mm

40507 MOCHA



RO-40507-PL | PLANK
228 X 1220 X 5 mm



RO-40507-HB | HERRINGBONE
150 X 750 X 5 mm





40508 AUTUMN



RO-40508-PL | PLANK
228 X 1220 X 5 mm



RO-40508-HB | HERRINGBONE
150 X 750 X 5 mm






40509 SUNRISE



RO-40509-PL | PLANK
228 X 1220 X 6 mm



RO-40509-HB | HERRINGBONE
150 X 750 X 6 mm



40510 GALLERIA



RO-40510-PL | PLANK
228 X 1220 X 6 mm



RO-40510-HB | HERRINGBONE
150 X 750 X 6 mm

ROBUSTO



The Future of Flooring

AVANTO

The Future of Flooring

AVANTO



Elevate Your Home Experience

AVANTO transforms your home with SPC Flooring solutions that seamlessly blend durability and elegance. Specifically designed for modern living, families, and active lifestyles, these floors combine aesthetics with long-lasting strength.



AVANTO SPC Flooring not only enhances the beauty of your home but also prioritizes your family's well-being. With its hygienic and easy-to-clean surfaces, it creates a more comfortable and healthy living space.

Our commitment to quality ensures that every AVANTO panel is meticulously crafted, guaranteeing years of durability. When you upgrade your home with AVANTO SPC Flooring, you'll experience a perfect balance of sophistication and resilience underfoot. These floors do more than just transform your space—they elevate the way you live.

Upgrade your flooring with AVANTO SPC Flooring and enjoy lasting quality, modern aesthetics, and everyday comfort.

Durability & Luxury Beyond Imagination

-  Antislip
-  Pet Friendly
-  Antibacterial
-  Sound Absorbent
-  Wear Resistance
-  Ultra Matte Surface
-  Moisture Resistance
-  High Density Underlay
-  Suitable for Underfloor Heating



ULTRA MATT
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core

High Destiny
Underlayment

228mm
1220 mm



150 mm
750 mm





30301 RIVERBEND



AV-30301-PL | PLANK
228 X 1220 X 6 mm



AV-30301-HB | HERRINGBONE
150 X 750 X 6 mm



30302 HIGLAND



AV-30302-PL | PLANK
228 X 1220 X 6 mm



AV-30302-HB | HERRINGBONE
150 X 750 X 6 mm

30303 URBAN



AV-30303-PL | PLANK
228 X 1220 X 6 mm



AV-30303-HB | HERRINGBONE
150 X 750 X 6 mm





30304 NORDIC



AV-30304-PL | PLANK
228 X 1220 X 6 mm



AV-30304-HB | HERRINGBONE
150 X 750 X 6 mm





30305 ARTISAN



AV-30305-PLI PLANK
228 X 1220 X 6 mm



AV-30305-HB | HERRINGBONE
150 X 750 X 6 mm



30306 SLATE



AV-30306-PL | PLANK
228 X 1220 X 6 mm



AV-30306-HB | HERRINGBONE
150 X 750 X 6 mm

30307 GRAPHITE



AV-30307-PL | PLANK
228 X 1220 X 6 mm



AV-30307-HB | HERRINGBONE
150 X 750 X 6 mm





30308 PLATINIUM



AV-30308-PL | PLANK
228 X 1220 X 6 mm



AV-30308-HB | HERRINGBONE
150 X 750 X 6 mm





30309 **STERLING**



AV-30309-PL | PLANK
228 X 1220 X 6 mm



AV-30309-HB | HERRINGBONE
150 X 750 X 6 mm



30310 LUXE



AV-30310-PL | PLANK
228 X 1220 X 6 mm



AV-30310-HB | HERRINGBONE
150 X 750 X 6 mm

AVANTO



The Future of Flooring

VIVATO

The Future of Flooring

VIVATO



ORS

The VIVATO Collection embodies a perfect fusion of durability, sophistication, and modern aesthetics. Designed to enhance any space, it combines timeless beauty with superior performance, making every step a statement of elegance.



Renowned for its robust structure, the VIVATO Collection stands strong against heavy usage and effortlessly endures the challenges of everyday life.

With its diverse color palette and refined textures, the VIVATO Collection offers a range of options to match different tastes and styles. Every panel reflects a seamless blend of quality and aesthetics, ensuring a flooring solution that is both visually stunning and built to last.

We take pride in offering a personalized flooring experience, allowing you to transform your space with precision craftsmanship and timeless beauty. Choose the VIVATO Collection to elevate your interiors with unparalleled elegance and durability. Step into a world of refined living with VIVATO.

Experience Better Flooring

-  Antislip
-  Pet Friendly
-  Antibacterial
-  Sound Absorbent
-  Wear Resistance
-  Ultra Matte Surface
-  Moisture Resistance
-  High Density Underlay
-  Suitable for Underfloor Heating



ULTRA MATT
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core

High Destiny
Underlayment

228mm
1220 mm



150 mm
750 mm



20101 FOREST



VI-20101-PL | PLANK
228 X 1220 X 5 mm



VI-20101-HB | HERRINGBONE
150 X 610 X 5 mm





20102 ALPINE



VI-20102-PL | PLANK
228 X 1220 X 5 mm



VI-20102-HB | HERRINGBONE
150 X 610 X 5 mm

20103 WOODLAND



VI-20103-PL | PLANK
228 X 1220 X 5 mm



VI-20103-HB | HERRINGBONE
150 X 610 X 5 mm





20104 CANYON



VI-20104-PL | PLANK
228 X 1220 X 5 mm



VI-20104-HB | HERRINGBONE
150 X 610 X 5 mm





20105 PRAIRE



VI-20105-PL | PLANK
228 X 1220 X 5 mm



VI-20105-HB | HERRINGBONE
150 X 610 X 5 mm





20106 SANNAH



VI-20106-PL | PLANK
228 X 1220 X 5 mm



VI-20106-HB | HERRINGBONE
150 X 610 X 5 mm

107 SEQUOIA




VI-20107-PL | PLANK
228 X 1220 X 5 mm



VI-107-HB | HERRINGBONE
150 X 610 X 5 mm





20108 DRIFTWOOD



VI-20108-PL | PLANK
228 X 1220 X 5 mm



VI-20108-HB | HERRINGBONE
150 X 610 X 5 mm



VIVATO



The Future of Flooring

PRIMERO

The Future of Flooring

AESTHETIC INSPIRED BY NATURE

With the PRIMERO COLLECTION, our SPC Flooring brings a touch of natural elegance to modern living spaces, combining the warmth of wood with exceptional durability. Its high-quality finish and ultra-matte surface create a perfect balance between visual appeal and long-lasting strength.

Designed to mimic the authentic texture of natural wood, the PRIMERO COLLECTION evokes a sense of warmth and comfort in any space. The ultra-matte surface minimizes glare and ensures effortless maintenance, offering superior resistance to stains and scratches.

PRIMERO SPC FLOORING is engineered for easy installation and long-term durability, ensuring beauty and performance for years to come. It is also environmentally friendly, using sustainable materials that promote health and well-being.

Transform your living spaces with the PRIMERO COLLECTION—a perfect choice for both residential and commercial interiors. Seamlessly blending the beauty of nature with modern design, PRIMERO SPC FLOORING is the ideal solution for those seeking quality, aesthetics, and durability.



PRIMERO

Rediscover Your Floors



Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface





Moisture Resistance



High Density Underlay



Suitable for Underfloor Heating



ULTRA MATT
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core

High Destiny
Underlayment

228mm
1220 mm



150 mm

750 mm

10201 ROYAL



PR -10201-PL| PLANK
228 X 1220 X 5 mm



PR -10201-HB| HERRINGBON E
150 X 750 X 5 mm





10202 NOBLE



PR - 10202-PL | PLANK
228 X 1220 X 5 mm



PR - 10202-HB | HERRINGBONE
150 X 750 X 5 mm





10203 MAJESTIC



PR - 10203-PL | PLANK
228 X 1220 X 5 mm



PR - 10203-HB | HERRINGBONE
150 X 750 X 5 mm





VINTAGE 10204

60

PRIMERO COLLECTION



10204 VINTAGE



PR-10202-PL | PLANK
228 X 1220 X 5 mm



PR-10202-HB | HERRINGBONE
150 X 750 X 5 mm

10205 REGENCY



PR-10205-PL | PLANK
228 X 1220 X 5 mm



PR-10205-HB | HERRINGBONE
150 X 750 X 5 mm





10206 ESTATE



PR-10206-PL | PLANK
228 X 1220 X 5 mm



PR-10206-HB | HERRINGBONE
150 X 750 X 5 mm





10207 MANOR



PR-10207-PL | PLANK
228 X 1220 X 5 mm



PR-10207-HB | HERRINGBONE
150 X 750 X 5 mm



10208 GERITAGE



PR-10208-PL | PLANK
228 X 1220 X 5 mm



PR-10208-HB | HERRINGBONE
150 X 750 X 5 mm

209 LEGACY



PR-10209-PL | PLANK
228 X 1220 X 5 mm



PR-10209-HB | HERRINGBONE
150 X 750 X 5 mm





10210 IMPERIAL



PR-10210-PL | PLANK
228 X 1220 X 5 mm



PR-10210-HB | HERRINGBONE
150 X 750 X 5 mm



PRIMERO



The Future of Flooring

SUPREME

The Future of Flooring



The Elegance of Supreme, teh Beauty of Your Home.

SUPREME SPC Flooring offers families the perfect choice to step into a peaceful and refined home life. These durable floor coverings seamlessly combine quality and style, enhancing every area of your home.

With its stone-inspired texture, the SUPREME Collection delivers natural beauty and timeless elegance, while ensuring long-lasting durability and resilience. Designed for those who seek superior craftsmanship, SUPREME SPC Flooring embodies peace, strength, and quality in every step.

Trust SUPREME SPC Flooring to elevate your space with unparalleled sophistication and lasting performance.

Reimagine Your Home With Nature's Charm



Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface




Moisture Resistance



High Density Underlay



Suitable for Underfloor Heating



ULTRA MATT
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core

High Destiny
Underlayment

305 mm
1220 mm



305 mm
610 mm

50801 **BETON LIGHT**



TS-50801
228 X 1220 X 5 mm



BETON LIGHT 50801

70

SUPREME COLLECTION





50802 **BETON SAND**



TS-50802
228 X 1220 X 5 mm





50803 **BETON GREY**



TS-50803
228 X 1220 X 5 mm





BETON DARK 50804

73

SUPREME COLLECTION



50804 **BETON DARK**



TS-50804
228 X 1220 X 5 mm

50805 WHITE MARBLE



TS-50805
228 X 1220 X 5 mm





50806 BEIGE MARBLE



TS-50206
228 X 1220 X 5 mm

BEIGE MARBLE 50806



75

SUPREME COLLECTION



50807 GREY MARBLE



TS-50807
228 X 1220 X 5 mm






BLACK MARBLE 50808



77

SUPREME COLLECTION



50808 BLACK MARBLE



TS-50808
228 X 1220 X 5 mm

SUPREME



The Future of Flooring

ELEGANTE

The Future of Flooring



Elegance Meets Walls.

ELEGANTE

LUXINZA's unique Wall Panel collection seamlessly combines aesthetics and durability. Specifically designed for kitchens, bathrooms, and every living space, our ultra-matte panels add warmth and elegance with wood and stone pattern options.

These customizable and diverse panels allow you to freely express your design preferences. Let your walls not only define boundaries but also redefine the spirit of your space.

Allow your walls to become a work of art with LUXINZA.

COLLECTION OVERVIEW



Antislip



Pet Friendly



Antibacterial



Sound Absorbent



Wear Resistance



Ultra Matte Surface



Moisture Resistance



High Density Underlay



Suitable for Underfloor Heating



2800 mm

965 mm

ELEGANTE

Wear Layer 0,15 mm

Surface Stone

Total Thickness 3 mm


Edge Micro Bevel

ULTRA MATT
UV Coating Layer

Wear Layer

Decor Flim Layer

SPC Rigid Core



We drew inspiration from nature
for our wall panels, combining
durability and elegance.

ELEGANTE

New Generation Flooring

WEARLAYER

0,15 mm

UNDERLAY(IXPE)

No

TOTAL THICKNESS

3 mm

DECOR

DIMENSIONS

EDGE

SURFACE

CLICK



LONG

965 X 2800

MICRO BEVEL

STONE

Piece

Palette (m²)

Container(20')

Warranty(Year)



= 2.702 m²
= 22,02 kg



= 162.120 m²
= 1.340,96 kg



= 3.242,40 m²
= 26.819,2 kg

15



PALERMO DP-60801

PALERMO DP-60802

PALERMO DP-60803

PALERMO DP-60804

100% WATERPROOF SPC FLOORING



3
mm



SALERNO DP-60805



TERAMO DP-60806



ROVIGO DP-60807



TERAMO DP-60808

100% WATERPROOF SPC FLOORING

3 mm

ELEGANTE




The Future of Flooring

LUXINZA INSTALLATION INSTRUCTIONS

How to Install SPC Wall Panel ?

SPC wall panels are available in many different sizes & designs & colors, all SPC wall panels have locking system, which is much simpler and more convenient for installation. No need to pay for workers to install it, you can D.I.Y at home.


Follow the steps below to complete the installation easily:




1. Wall panels must be placed horizontally in the room;
2. Clean the wall surface;
3. Apply a glue line over the tile. Leave at least 2cm gap to the edges;
4. Starting from a corner, installing from the floor to the ceiling;
5. Using a spirit level to check is correctly aligned;
6. Pressing firmly against the glue over the length of the tile;
7. Place the following tile by connecting with the first one;
8. Repeat with the next tiles;
9. Measure the cut on the corner;
10. Cut the excess of the tile;
11. Collocate the cut tile;
12. Using a trim to fill in the gap left at the base with waterproof silicone sealant;
13. Finish the installation, well done !

Plank Series variations

RANDOM




BRICK




Herringbone Series variations


SINGLE




CORNER




DOUBLE




TRIPLE



SQUARE



MOSAIC



ROBUSTO

COLLECTION

TECHNICAL SPECIFICATIONS

PLANK

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
			228 X 1220	0,5	YES	6,5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER		7 X  =1.947 m ² =19.82 Kg	44 X  =85.673 m ² =892.13 Kg	30 X  =2.570.20 m ² =26.763.98 Kg	20

86

HERRINGBONE

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
			150 X 750	0,5	YES	6,5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSED IN REGISTER		14 X  =1.575 m ² =16.00 Kg	56 X  =88.200 m ² =916.00 Kg	30 X  =2.646.00 m ² =27.480.00 Kg	20

AVANTO

COLLECTION

TECHNICAL SPECIFICATIONS

PLANK

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 <small>New Generation Flooring</small> <small>www.balnear.com</small>			228 X 1220	0,5	YES	6
	EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'
MICRO BEVEL	EMBOSSSED IN REGISTER	 <small>PATENTED TECHNOLOGY</small>	7 X  =1.947 m ² =19.82 Kg	44 X  =85.673 m ² =892.13 Kg	30 X  =2.570.20 m ² =26.763.98 Kg	20

87

HERRINGBONE

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
 <small>New Generation Flooring</small> <small>www.balnear.com</small>			228 X 1220	0,5	YES	6
	EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'
MICRO BEVEL	EMBOSSSED IN REGISTER	 <small>PATENTED TECHNOLOGY</small>	14 X  =1.575 m ² =16.00 Kg	56 X  =88.200 m ² =916.00 Kg	30 X  =2.646.00 m ² =27.480.00 Kg	20

VIVATO

COLLECTION


TECHNICAL SPECIFICATIONS

PLANK

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
			228 X 1220	0,5	YES	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSSED IN REGISTER		9 X  =2.503 m ² =20.38 Kg	44 X  =110.151 m ² =916.61 Kg	30 X  =3.304.54 m ² =27.498.33 Kg	20

88

HERRINGBONE

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
			150 X 610	0,5	YES	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSSED IN REGISTER		16 X  =1.464 m ² =11.91 Kg	72 X  =105.408 m ² =877.66 Kg	30 X  =3.162.24 m ² =26.329.92 Kg	20

PRIMERO

COLLECTION

TECHNICAL SPECIFICATIONS

PLANK

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
PRIMERO			228 X 1220	0,3	YES	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSSED IN REGISTER		9 X  =2.503 m ² =20.38 Kg	44 X  =110.151 m ² =916.61 Kg	30 X  =3.304.54 m ² =27.498.33 Kg	15

HERRINGBONE


FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
PRIMERO			150 X 750	0,3	YES	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSSED IN REGISTER		16 X  =1.800 m ² =14.65 Kg	56 X  =100.800 m ² =840.40 Kg	30 X  =3.024.00 m ² =26.329.92 Kg	15

SUPREME

COLLECTION

TECHNICAL SPECIFICATIONS

STONE

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
			305X610	0,3	YES	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSSED IN REGISTER		9 X  =1.947 m ² =19.82 Kg	66 X  =110.514 m ² =923.91 Kg	30 X  =3.315.41 m ² =27.717.29 Kg	15

90

STONE XL

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
			305 X 1220	0,3	YES	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSSED IN REGISTER		6 X  =2.233 m ² =18.26 Kg	48 X  =107.165 m ² =896.52 Kg	30 X  =3.214.94 m ² =27.717.29 Kg	15

ELEGANTE

COLLECTION

TECHNICAL SPECIFICATIONS

LONG

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER	UNDERLAY	THICKNESS (mm)
			965X2800	0,15	NO	3
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m ²)	PALETTE (m ²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	EMBOSSSED IN REGISTER		1 X  =2.702 m ² =22.02 Kg	60 X  =162.120 m ² =1.340.96 Kg	20 X  =3.242.40 m ² =26.819.2 Kg	15



Phthalate Free



100% Recyclable



UNICLIC®
PATENTED TECHNOLOGY

UNIDROP®
PATENTED TECHNOLOGY