
Euphoria[®]

AVRASYA TEXTILE CHEMICALS

www.avrasyaexport.com



PRODUCT NAME	PRODUCT TYPE	USE	
WETTING AGENTS			
REGALEN EU	WETTING	It is effective as a whitener and hydrophilicity provider in the bleaching process of cotton before dyeing, in cotton and bobbin dyeing, and in sulfur dyeing.	
REGALEN MRS-28	MERCERIZED WETTING AGENT	Mercerized wetting agent with excellent wetting and sinking ability	
REGALEN ST	SUITABLE WETTING AGENT		
REGALEN AWA	WETTING & DEAERATING	It is a foam controlled wetting and air release agent used in pretreatment and dyeing.	
REGALEN TAB	SERIES WETTING	Serial wetting agent providing excellent wetting and hydrophilicity	
REGALEN MN	WETTING	Wetting agent that provides high hydrophilicity and whiteness effect especially in cold bleaching.	
REGALEN AP	WETTING	Nonionic wetting agent	
REGALEN WA	WETTING	Nonionic wetting agent	
REGALEN W89	WETTING		
REGALEN W64	WETTING	It is used as a wetting agent in the pretreatment of cotton and its blends.	
REGALEN 6465	WETTING	Suitable nonionic wetting agent	
REGALEN NAME	SERIES WETTING	Serial wetting agent with excellent wetting and sinking effect	
REGALEN AB60	WETTING		
REGALEN GD	WETTING	Used as a wetting agent in the pretreatment of cotton blends.	
OIL REMOVER			
REGALEN BTS	WETTING AGENT (BLEACHING AGENT)	It is used as a wetting agent and oil remover in the pretreatment of cotton and its blends.	
REGALEN BTS CONC.	WETTING AGENT (BLEACHING AGENT)	It is used as a wetting agent and oil remover in the pretreatment of cotton and its blends.	
REGALEN SR95	OIL REMOVER	Washing agent with high degreasing effect	
REGALEN SRM	SOLVENT STAIN REMOVER	Solvent based degreaser	
REGALEN SRE	OIL REMOVER	Oil remover	
SPECIAL FINISHING MATERIAL			
REGAPREME SFFC	SQUEAK EFFECT CHEMICAL	Provides a squeaking effect and softens cotton and wool fibers.	

	1		
Bleaching Materials		T	
REGALEN CBA	COMBINED Bleaching ART.	It is used as a combined bleaching agent in the pretreatment of cotton and its blends.	
REGALEN WIB	BLEACHING SOAK MAT.	Bleaching agent	
REGALEN SKD	COMBINED Bleaching ART.	Concentrated combination bleach	
REGALEN MLT	MULTI-PURPOSE BLEACHING ARTICLE		
REGALEN WCB	KASAR ASSISTANT	It is used to remove synthetic and natural sizes in the pretreatment of cotton and its blends. There is no need for oxidative or enzymatic desizing process.	
ION SEQUENCHES			
REGION LPH	ION STRAINER	It is a complexing agent that works effectively in all aqueous systems, preventing precipitation that may occur due to high water hardness and temperature.	
REGION CPX	COMPLEXING & HARDNESS REMOVER	It is a complexing agent that works effectively in all aqueous systems, preventing precipitation that may occur due to high water hardness and temperature.	
REGION IT	COMPLEX BUILDER	It is a complexing agent that works effectively in all aqueous systems, preventing precipitation that may occur due to high water hardness and temperature.	
REGION ABC	COMPLEX BUILDER	It is a complexing agent that works effectively in all aqueous systems, preventing precipitation that may occur due to high water hardness and temperature.	
REGION EU	ION STRAINER	It is a complexing agent that works effectively in all aqueous systems, preventing precipitation that may occur due to high water hardness and temperature.	
REGION BAR	ION STRAINER	High quality ion sequestrant	
STABILIZER			
REGASTAB HE	PEROXIDE STABILIZER	Peroxide stabilizer for bleaching	
AVIVAGE MATERIAL			
REGAPRENEUR AVJ	AVIVAGE ITEM	Thread avivage agent	
REGAPRENE HCS	SILICONE WAX EMULSION	Silicone wax emulsion	

FRACTURE PREVENTIVE			
REAGALUP PC	OIL-BASED ANTI-CRACKING	Oil based break preventive	
REGALUB MTA	ANTI-FRACTURE (Low Conc.)	Polymeric based anti-fracture	
REGALUB CRS	FRACTURE PREVENTIVE	Polymeric based anti-fracture	
DEFOAMING AGENT			
SALTFOAM EBD	DEFOAMING AGENT	Economical defoamer	
REGANTIFOUAM NSD	DEFOAMING AGENT	Mineral oil based defoamer	
SALTFOAM F18	DEFOAMING AGENT	Oil based defoamer	
SALTFOAM BASE	DEFOAMING AGENT	Defoamer	
SALTFOAM F45	DEFOAMING AGENT	Oil based defoamer	
REGANTIFOAM TG	DEFOAMING AGENT	It is an effective defoamer that works without being affected by variable process conditions such as pH a temperature.	
ACIDS AND BASES			
REGASÿT AD-EX	ACID DONOR	Acid donor	
REGASIT N	NEUTRALIZATION ACID	Neutralizing acid	
REGAMOL BA	REACTIVE DYE AUXILIARY POWDER	Powdered alkali for reactive dyeing instead of soda	
REGASÿT EW-R	NEUTRALIZATION ACID	Neutralizing acid	
POLYETHYLENE EMULSION			
REGAPREME CP	POLYETHYLENE		
REGAPREME VPE	POLYETHYLENE	High density softener polyethylene combination	
REGAPREME KA	FINISHING MATTER	It has an excellent effect in finishing fabrics made from all fibers and their blends.	
REGAPRENE N	FINISHING MATTER	High density PE emulsion that increases tear and rupture resistance, reduces friction and provides ease of sewing.	

PAINT ASSISTANT			
REGAMOL LR	REACTIVE DYE AUXILIARY F	OWDER Reactive dyeing dyeing assistant that provides accurate and reliable dyeing.	
REGACARRIER 45	CONCENTRATED ECOLOGICAL CARRIER	Ecological carrier	
REGAMOL RDA	REACTIVE DYE AUXILIARY	Used as dispersant and protective colloid in reactive dyeing.	
WASHERS			
REGASOAP 760	LAST SOAPING ART. (WITH COMPLEX MAKING FEATURE)	Concentrated reactive paint washing soap	
REGASOAP LSA	LAST SOAPING ART. (DILUTE ION SEQUENHER)	Reactive dyeing washing soap	
REGASOAP PP-V	REACTIVE WASHING SOAP	Low temperature reactive washing soap	
REGASOAP CFV	REACTIVE WASHING SOAP	reactive washing soap	
REGASOAP PP	WASHING SOAP	Low temperature reactive washing soap	
REGALEN POL	OLIGOMERA PREVENTIVE	It ensures that the oligomer formed during the dyeing of the PES product remains dispersed.	
DISPERSING EQUALIZER			
REPERGAL KP	DISPEGL FOR PES.	Dyeing aid dispersant and leveling agent used in dyeing of PES products	
REPERGAL PS	DISPEGL FOR PES.	Fast dyeing aid dispersion and leveling agent used in dyeing of PES products	
REPERGAL PA	DISPEGL.	Dyeing aid dispersant and leveling agent used in dyeing of PES products	
REPERGAL PBS	BACKSTAIN PREVENTOR	Dispensing agent to prevent back dyeing in denim	
REPERGAL DE CONC	DISPEGL. ART.	Concentrated dispersion and leveling agent used in dyeing of PES products	

FIXATOR			
REGAFIX FC	FIXATOR	Fixative for cellulose and its mixtures suitable for padder and exhaustion methods	
SILICONES			
REGASÿL SOFT SNOW			
REGASÿL SOFT KLM	HYDROPHILIC SILICONE		
REGASÿL MSY	OU JOONE COETENED	Micro silicone softener used effectively in all kinds of synthetic and natural fiber knitted/woven	
NEOROYE MOT	SILICONE SOFTENER	materials.	
REGASIL MCS	MACRO SILICONE	Macro silicone softener	
REGASÿL HDF SOFT	HYDROPHILIC SILICONE	Concentrated hydrophilic silicone softener	
REGASÿL ABB SOFT	HYDROPHILIC SILICONE	Cationic hydrophilic silicone	
REGASÿLSOFT HSFK	FOR KNITTING HYD. DELETE.	Especially for knitted and terry fabrics, hydrate. Sil.	
REGASÿL UN	OU JOONE COETENED	Micro silicone softener used effectively in all kinds of synthetic and natural fiber knitted/woven	
REGROYE ON	SILICONE SOFTENER	materials.	
REGASIL PLUS	CONC. MICRO SILICONE	After application, it gives the material an extremely soft handle and surface smoothness.	
PLASTICIZER			
REGASOFT QB	CATIONIC LIQUID SOFTENER	Cationic liquid softener	
REGAPREME AKA	COMBINED FINISHING ART.	Nonionic polyethylene hydr. Sil. Mixture of special softening agent.	
REGAPREME AR	COMBINED FINISHING ART.	Softening agent for knitted materials blended with Hyd. Sil. and Polyethylene	
WATER REPELLENT			
REGAPREME FBA	WATER AND OIL REPELLENT FINISH	Fluorocarbon based water repellent finish.	
ROSIN			
REGASET CT	REACTIVE RESIN	It is a resin finishing material with low formaldehyde content for cellulosic fibers and blended	
		fabrics.	
REGASET WW			
REGASET WWW	FORMALDEHYDE-FREE RESIN	It is a formaldehyde-free resin finishing material for cellulosic fibers and blended fabrics.	

TEXTILE CHEMICALS-2

PRODUCT NAME	CHEMICAL NAME	APPLICATION
Imbentin-T/020	Alcohol C13-iso, ethoxylated	Nonionic surfactants
Imbentin-T/030	Alcohol C13-iso, ethoxylated	Nonionic surfactants
Imbentin-T/040	Alcohol C13-iso, ethoxylated	Nonionic surfactants
Imbentin-T/050	Alcohol C13-iso, ethoxylated	Nonionic surfactants
Imbentin-T/060	Alcohol C13-iso, ethoxylated	Nonionic surfactants
Imbentin-T/070	Alcohol C13-iso, ethoxylated	Nonionic surfactants
Imbentin-T/080	Alcohol C13-iso, ethoxylated	Nonionic surfactants
Imbentin-T/090	Alcohol C13-iso, ethoxylated	Nonionic surfactants
Imbentin-T/120	Alcohol C13-iso, ethoxylated	Nonionic surfactants
Imbentin-T/150	Alcohol C13-iso, ethoxylated	Nonionic surfactants
IMBENTIN-E/100/030	Alcohol C10, ethoxylated	Nonionic surfactants
IMBENTIN-E/100/060	Alcohol C10, ethoxylated	Nonionic surfactants
IMBENTIN-U/070 90%	Alcohol C11, ethoxylated	Nonionic surfactants
IMBENTIN-C/91/060	Alcohol C9-11, ethoxylated	Nonionic surfactants
IMBENTIN-C/91/080	Alcohol C9-11, ethoxylated	Nonionic surfactants
IMBENTIN-G/100/080	Guerbet Alcohol C10, ethoxylated	Nonionic surfactants
IMBENTIN-AG/168S/110	Alcohol C16-18, ethoxylated	Nonionic surfactants
IMBENTIN-AG/168S/020	Alcohol C16-18, ethoxylated	Nonionic surfactants
IMBENTIN-AG/168S/250	Alcohol C16-18, ethoxylated	Nonionic surfactants
IMBENTIN-AG/168S/500	Alcohol C16-18, ethoxylated	Nonionic surfactants
IMBENTIN-AG/168S/080	Alcohol C16-18, ethoxylated	Nonionic surfactants
IMBENTIN-AG/100/020		Nonionic surfactants
	Alcohol C10, ethoxylated	
IMBENTIN-AG/124S/030	Alcohol C12-14, ethoxylated	Nonionic surfactants
IMBENTIN-AG/124S/060	Alcohol C12-14, ethoxylated	Nonionic surfactants
IMBENTIN-AG/124S/070	Alcohol C12-14, ethoxylated	Nonionic surfactants
IMBENTIN-PPF	Alcohol C8-18, ethoxylated, propoxylated	Nonionic surfactants
IMBENTIN-PAP/6100	PO-EO Blockpolymer	Nonionic surfactants
IMBENTIN-SG/43 AG	Alcohol C8-18, ethoxylated, propoxylated	Nonionic surfactants
IMBENTIN-SG/737 T	Alcohol C8-18, ethoxylated, propoxylated	Nonionic surfactants
IMBENTIN-SG /727 AG	Alcohol C12-14, ethoxylated, propoxylated	Nonionic surfactants
IMBENTIN-SG/737 T	Alcohol C12-14, ethoxylated, propoxylated	Nonionic surfactants
IMBENTIN-SG /727 AG	Alcohol C12-14, ethoxylated, propoxylated	Nonionic surfactants
DEHYDOL LT 7	Alcohol C12-18, ethoxylated	Nonionic surfactants
DEHYDOL LS 2	Alcohol C12-14, ethoxylated	Nonionic surfactants
DEHYDOL LS 3	Alcohol C12-14, ethoxylated	Nonionic surfactants
DEHYDOL LS 5	Alcohol C12-14, ethoxylated	Nonionic surfactants
DEHYDOL LS 6	Alcohol C12-14, ethoxylated	Nonionic surfactants
DEHYDOL LS 7	Alcohol C12-14, ethoxylated	Nonionic surfactants
DEHYDOL LS 9	Alcohol C12-14, ethoxylated	Nonionic surfactants
SODIUM NITRATE	SODIUM NITRATE	SALT
SODIUM NITRITE	SODIUM NITRITE	SALT
HEDP	Hydroxyethylidenediphosphonic Acid	ion-scavenging phosphonate
ATMP	Aminotrimetilenfosfonik Acid	ion-scavenging phosphonate
DTPMPA	Dietiltriaminpentametilenfosforik Acid	ion-scavenging phosphonate
PBTC	Phosphonobutane Tricarboxylic Acid	ion-scavenging phosphonate
SOLVENON DPM	dipropilen glikol monometil eter	Solvent
SOLVENON PNB	Propylene glycol monobutyl ether	Solvent
SOLVENON DPNB	dipropylene glycol monobutyl ether	Solvent

BUTYLGLYCOL	BUTYLGLYCOL	Glycol Solvents
BUTYLDIGLYCOL	BUTYLDIGLYCOL	Glycol Solvents
BUTYLTRIGLYCOL	BUTYLTRIGLYCOL	Glycol Solvents
PEG 400	Polyethylene Glycol	polyglycols
Peg 1500	Polyethylene Glycol	polyglycols
PEG 4000	Polietilen Glikol	polyglycols
Trilon B	tetrasodium ethylene diamine tetraacetate 4Na	Complex maker
Trilon BD	tetrasodyum etilen diamin tetraasetat 2Na	Complex maker
Trilon BS	tetrasodium ethylene diamine tetraacetate acid	Complex maker
CASTROIL 5 EO	polyoxyetylene of castor oil	Nonionic
CASTROIL 20 EO	polyoxyetylene of castor oil	Nonionic
CASTROIL 40 EO	hint yağı polioksietilen	Noniyonik
POWERSOFT AE 61		Silicone Emulsion
POWERSOFT AE 66		Silicone Emulsion
POWERSOFT UP 68		Silicone Emulsion
WACKER FINISH CT 55 E		Macro silicone emulsion
WACKER FINISH CT 76 E		Macro silicone emulsion
WACKER FINISH CT 78 E		Macro silicone emulsion
WACKER FINISH WR 1100 LV		Amino Functional silicone oil
WACKER FINISH WR 1200		Amino Functional silicone oil
WACKER FINISH WR 1300		Amino Functional silicone oil
WACKER FINISH WR 1300 LV		Amino Functional silicone oil
WACKER FINISH WR 1600		Amino Functional silicone oil
WACKER FINISH WR 210		Amino Functional silicone oil
WETSOFT LV 720		Hydrophilic Silicone Oil
WETSOFT NE 500		Hydrophilic Silicone Oil
WETSOFT NE 750		Hydrophilic Silicone Oil
WETSOFT NE 810		Hydrophilic Silicone Oil