



STAND MIXER SMX-2763**STAND MIXER**

- 220-240V,50-60Hz, 1800 W Locked Power
- 5.3 L Stainless Steel bowl
- Instant mixing control
- 8 speed setting for different mixing functions
- 1 wire whisk
- 1 mixing apparatus
- 1 dough mixing hook
- Spring protection
- Ideal for wet and dry materials
- Hinged back lining title for easier access
- Slipless feet
- Mixing, kneading and whipping all the ingredients
- Master carton size: 39.2x25.2x37cm
- Master carton quant.:1pcs
- 40 HQ Loading Quantity:1560 Pcs

MEAT GRINDER GR-3000**TOMATO PASTE & MEAT GRINDER**

- 220-240V,50-60Hz, 2000 Watt
- Stainless steel blade
- Detachable aluminum meat hopper
- Reverse function
- Accessories
- 3 cutting disks: thin(3mm),medium(5mm),thick(7 mm)
- Sausage apparatus
- Kibbeh apparatus
- Food pusher
- Master carton size: 42.9x38.4x48.4cm
- Master carton quant.:4pcs
- 40 HQ Loading Quantity:3480 pcs

HAND MIXER HM-04**HAND MIXER**

- 220-240V, 50-60 HZ, 700 W
- Stainless Steel Beater
- Stainless Steel Dough Part
- 5 Speed Function
- Turbo Function
- Master carton size: 33x46x30cm
- Master carton quant.:12pcs
- 40 HQ Loading Quantit:18024 pcs

HAND MIXER HM-05



HAND MIXER

- 220-240V, 50-60 HZ, 700 W
- Stainless Steel Beater
- Stainless Steel Dough Part
- 5 Speed Function
- Turbo Function
- Master carton size: 33x46x30cm
- Master carton quant.:12pcs
- 40 HQ Loading Quantit:18024 pcs

HAND MIXER HM-06



HAND MIXER

- 220-240V, 50-60 HZ, 300 W
- Stainless Steel Beater
- Stainless Steel Dough Part
- 5 Speed Function
- Turbo Function
- Master carton size: 33x46x30cm
- Master carton quant.:12pcs
- 40 HQ Loading Quantit:18024 pcs

HAND MIXER LM-03



HAND MIXER

- 220-240V, 50-60 HZ, 400 W
- Stainless Steel Beater
- Stainless Steel Dough Part
- 5 Speed Function
- Turbo Function
- Master carton size: 38x49.5x30.5cm
- Master carton quant.:20pcs
- 40 HQ Loading Quanti:24220 pcs

CHOPPER CH-02**CHOPPER WITH PLASTIC BOWL**

- 220V-240V,50-60 HZ, 600 W
- Stainless Steel Blade
- Anti-Skid Plastic Rubber Base
- 1000 ml Measuring Cup
- Master carton size: 55x37x27cm
- Master carton quant.:6pcs
- 40 HQ Loading Quantit:7460 pcs

CHOPPER CH-07**CHOPPER WITH GLASS BOWL**

- 220V-240V,50-60 HZ, 600 W
- Stainless Steel Blade
- Anti-Skid Plastic Rubber Base
- 1000 ml Measuring Cup
- Master carton size: 55x37x27cm
- Master carton quant.:6pcs
- 40 HQ Loading Quantit:7460 pcs

CHOPPER CH-08**CHOPPER WITH GLASS BOWL**

- 220V-240V,50-60 HZ, 600 W
- Stainless Steel Blade
- Anti-Skid Plastic Rubber Base
- 1000 ml Measuring Cup
- Master carton size: 55x37x27cm
- Master carton quant.:6pcs
- 40 HQ Loading Quantit:7460 pcs

PERSONAL BLENDER PSB-04



PERSONAL BLENDER

- 220 V - 240V , 50 60 HZ, 500-600 W
- Stainless Steel Blade
- BPA - free Mixing Bottle with Capacity of 1.2 Lt
- Ice Crushing Future
- Black-Cream-White ENJ colors
- Master carton size: 55.5x34x54.7cm
- Master carton quant.:8pcs
- Optional
- Mixing Bottles 570 ml
- Mixing Bottles 400 ml
- Mixing Bottles180ml(coffee grind)

JUG BLENDER ZN-51



JUG BLENDER

- 1.600 ml Capacity
- 220-240V~50/60Hz
- 700 Watt
- Pulse Button
- Control Button (4-Speed setting)
- Steel Knifes
- Red Collection
- Turbo Function
- Security Lock
- Master carton dimension:43x49.5x35.5
- Master carton quantity:4 pcs
- 40 HQ Loading Quantity:3144 pcs

GLASS BLENDER SHB-3113



GLASS BLENDER

- 220-240VAC, 50/60Hz, 600 W
- 18000 rpm
- 1.5 L leak proof washable glass jar
- Removable feeding lid
- SS 6 layer blender blades
- Ice crushing feature
- Smoothie preparation feature
- Soup preparation feature
- Pulse function and 2 speed settings
- Transparent grinder lid
- Master carton size: 43x49.5x35.5cm
- Master carton quant.:4pcs
- 40 HQ Loading Quantity:3620 pcs

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1000W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Single Speed Level

Optional Speed Control Attribute

Packed In Export Box 12 pcs.
 Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1000W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Single Speed Level
 500ml. Chopper Bowl
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Optional Speed Control Attribute

Packed In Export Box 6 pcs.
 Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1000W Stainless
 Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Single Speed Level
 1500ml. Chopper Bowl
 1500ml. Bowl 304 Stainless Steel Slicer Set
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Optional Speed Control Attribute

Packed In Export Box 4 pcs.
 Export Box Size: 552*472*247 mm

STICK BLENDER

Power: 230V, ~ 50/60 Hz, 1000W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Single Speed Level
 304 Stainless Steel Housing Coating

Optional Speed Control Attribute

Packed In Export Box 12 pcs.
 Export Box Size: 495*335*310 mm

BLENDER MINI SET

Power: 230V, ~ 50/60 Hz, 1000W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Single Speed Level
 304 Stainless Steel Housing Coating
 500ml. Chopper Bowl
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Optional Speed Control Attribute

Packed In Export Box 6 pcs.
 Export Box Size: 495*450*283 mm

BLENDER MEGA SET

Power: 230V, ~ 50/60 Hz, 1000W Stainless
 Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Single Speed Level
 304 Stainless Steel Housing Coating
 1500ml. Chopper Bowl
 1500ml. Bowl 304 Stainless Steel Slicer Set
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Optional Speed Control Attribute

Packed In Export Box 4 pcs.
 Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Normal And Turbo Speed Level

Packed In Export Box 12 pcs.
Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
500ml. Chopper Bowl
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 6 pcs.
Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
1500ml. Chopper Bowl
1500ml. Bowl 304 Stainless Steel Slicer Set
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 4 pcs.
Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Normal And Turbo Speed Level
 304 Stainless Steel Housing Coating

Packed In Export Box 12 pcs.
 Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 304 Stainless Steel Housing Coating
 500ml. Chopper Bowl
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 6 pcs.
 Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
 Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 304 Stainless Steel Housing Coating
 1500ml. Chopper Bowl
 1500ml. Bowl 304 Stainless Steel Slicer Set
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 4 pcs.
 Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Normal And Turbo Speed Level

Packed In Export Box 12 pcs.
Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
500ml. Chopper Bowl
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 6 pcs.
Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
1500ml. Chopper Bowl
1500ml. Bowl 304 Stainless Steel Slicer Set
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 4 pcs.
Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Normal And Turbo Speed Level
 304 Stainless Steel Housing Coating

Packed In Export Box 12 pcs.
 Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 304 Stainless Steel Housing Coating
 500ml. Chopper Bowl
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 6 pcs.
 Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
 Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 304 Stainless Steel Housing Coating
 1500ml. Chopper Bowl
 1500ml. Bowl 304 Stainless Steel Slicer Set
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 4 pcs.
 Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Normal And Turbo Speed Level

Packed In Export Box 12 pcs.
 Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 500ml. Chopper Bowl
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 6 pcs.
 Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
 Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 1500ml. Chopper Bowl
 1500ml. Bowl 304 Stainless Steel Slicer Set
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 4 pcs.
 Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Normal And Turbo Speed Level

Packed In Export Box 12 pcs.
Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
500ml. Chopper Bowl
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 6 pcs.
Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
1500ml. Chopper Bowl
1500ml. Bowl 304 Stainless Steel Slicer Set
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 4 pcs.
Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Normal And Turbo Speed Level

Packed In Export Box 12 pcs.
Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
500ml. Chopper Bowl
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 6 pcs.
Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
1500ml. Chopper Bowl
1500ml. Bowl 304 Stainless Steel Slicer Set
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 4 pcs.
Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Normal And Turbo Speed Level

Packed In Export Box 12 pcs.
 Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 500ml. Chopper Bowl
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 6 pcs.
 Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
 Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 1500ml. Chopper Bowl
 1500ml. Bowl 304 Stainless Steel Slicer Set
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 4 pcs.
 Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Normal And Turbo Speed Level

Packed In Export Box 12 pcs.
Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
Stainless Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
500ml. Chopper Bowl
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 6 pcs.
Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
Steel Leg - Resistant to Heat
4 Winged Stainless Steel Leg Blade
Anti-Slide Tipped Bowl Base
Normal And Turbo Speed Level
1500ml. Chopper Bowl
1500ml. Bowl 304 Stainless Steel Slicer Set
Mixer Set with 304 Stainless Steel Beater
800ml. Measure Pot

Packed In Export Box 4 pcs.
Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Normal And Turbo Speed Level

Packed In Export Box 12 pcs.
 Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 500ml. Chopper Bowl
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 6 pcs.
 Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
 Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 1500ml. Chopper Bowl
 1500ml. Bowl 304 Stainless Steel Slicer Set
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 4 pcs.
 Export Box Size: 552*472*247 mm

STICK BLENDER



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Normal And Turbo Speed Level

Packed In Export Box 12 pcs.
 Export Box Size: 495*335*310 mm

BLENDER MINI SET



Power: 230V, ~ 50/60 Hz, 1500W
 Stainless Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 500ml. Chopper Bowl
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 6 pcs.
 Export Box Size: 495*450*283 mm

BLENDER MEGA SET



Power: 230V, ~ 50/60 Hz, 1500W Stainless
 Steel Leg - Resistant to Heat
 4 Winged Stainless Steel Leg Blade
 Anti-Slide Tipped Bowl Base
 Normal And Turbo Speed Level
 1500ml. Chopper Bowl
 1500ml. Bowl 304 Stainless Steel Slicer Set
 Mixer Set with 304 Stainless Steel Beater
 800ml. Measure Pot

Packed In Export Box 4 pcs.
 Export Box Size: 552*472*247 mm

TURKISH COFFEE MAKER CP13**TURKISH COFFEE MAKER**

- 220-240V ~ 50/60 Hz, 450-500 W
- 800 ml Water Capacity
- Automatic Closing System
- Audible alert System
- 4 cups capacity
- Ember cooking feature
- Master carton size: 51x36.5x32.5cm
- Master carton quant.:12pcs
- 40 HQ Loading Quantity:13560 pcs

FILTER COFFEE MACHINE CP-09**FILTER COFFEE MACHINE**

- 220-240V,50-60 HZ, 650- 750W
- 350ML Water Chamber capacity
- Transplant cup
- Washable filter
- Security system
- Open-Close key
- One key practice use
- Master carton size: 40.1x61x36cm
- Master carton quant.:6pcs
- 40 HQ Loading Quantity:4660 pcs

COFFEE MAKER 2959**COFFEE MAKER**

- 220-240V,50-60 HZ, 800W
- Capacity: 0,75 L
- Anti-drip function
- Water tank with translucent water level marks
- Poly-carbonate Coffee pot
- Metal plate with keep warm function
- Swing-out filter basket
- On/off button with light indicator
- Permanent filter with handle
- Master carton size: 49.5x52x34cm
- Master carton quant.:6pcs
- 40 HQ Loading Quantity:4690 pcs



SS KETTEL ERT10104



SS KETTEL

- 220-240V,50-60 HZ, 1800-2200W
- 1.7 L stainless steel kettle
- Easy removable upper lid
- Auto turn-off feature
- Safety system preventing overheating and dry boil
- Stainless steel concealed resistance
- 360° swivel feature
- Cordless usage
- Cord storage
- On/off switch with indicator light
- Master carton size: 75x43x22.5cm
- Master carton quant.:8pcs
- 40 HQ Loading Quantity:7540 pcs

SS COFFEE POT ZN-45



SS COFFEE POT

- 220-240V ~ 50/60 Hz,800 W
- Maximum Capacity: 300 Ml. / 3-4 Cup
- 304 grade Stainless steel body
- Security system that prevents working without water
- Thermal heat cutter
- Wireless use
- Hidden Resistance
- Lifetime is 7 Years
- EU plug
- 40 HQ Loading Quantity:13600 pcs

PLASTIC COFFEE POT EU85



PLASTIC COFFEE POT

- 220V / 50-60Hz,1000 W
- Colors:Black,Purple, Blue,Pink
- European Plug
- 3-4 cup
- Master carton size: 49.5x37.5x32.5cm
- Master carton quant.:12pcs
- 40 HQ Loading Quantity:13800 pcs



TEA MAKER STM-5840



- Glass Teapot (0,9liter)
- 1.7 liter Kettle Capacity
- 360° degree rotatable sub-unit
- Removable Filters
- Concealed stainless resistance
- Cable Wrapping Slot
- Key switch that allows the use of tea set or kettle
- Safety system to prevent operation without water
- Double heating system, boiling and keeping warm
- AC230V, 50Hz,
- 1800W
- 40 HQ Loading Capacity:5154 pcs

SS TEA MAKER



- SS Teapot (0,9liter)
- 1.7 liter SS Kettle Capacity
- 360° degree rota-table sub-unit
- Removable Filters
- Concealed stainless resistance
- Cable Wrapping Slot
- Key switch that allows the use of tea set or kettle
- Safety system to prevent operation without water
- Double heating system, boiling and keeping warm
- AC230V, 50Hz,
- 1800W
- 40 HQ Loading Capacity:5154 pcs



FRENCH PRES - 720 ML



- 720 ML capacity
- PC Interior Chamber
- Plastic Cover
- Plastic Strainer
- Easy to Clean

THERMOS STO-6713

- Capacity:1.6 lt
- Unbreakable form
- Press the button on the cover easy one-handed operation
- Easy to turn opened / opened cover
- Plastic bowl,
- 3-hour cold , keep warm 3 hours
- Can be used in a dishwasher.

THERMOS KM-103

- 13 Lt ,10 Lt, 6 Lt Steel Water Thermos Capable of keeping hot for 5 hours and cold for 12 hours
- Quality Flow System Stainless Steel inner and outer surface Resistant to breakage Safety On-Off Button Capable of keeping both hot and cold Steel water thermos inside and out Made in Turkey

JUICE EXTRACTOR SJ-3143

- Modern ergonomic design
- Stainless steel body
- Easy to use
- Juicing whole fruits and vegetables
- High efficiency and power
- Hard and soft products processing
- Built-in safety system
- Transparent lid
- Rubber feet for extra stability
- 1500 ml capacity pulp & % 1000 ml capacity juice container
- 1000W



BLENDER

HAND BLENDER - BLD-15

- * Special Design Stand (NEW!)
- * 220-240V - 50-60Hz
- * 1700 W
- * Low Noise
- * Hanging Up Loop
- * Stainless Steel Rod and Blade
- * 2 Speed Function
- * 1500 ml Chopper
- * 2 pcs Scredding
- * 1 pcs Slicing
- * Anti-Skid, Plastic Rubber Base
- * 600 ml Measuring Cup
- * Stainless Steel Dual Beater
- * CE, ROHS, EMC, LVD



HAND BLENDER - BLD-16

- * SpecialDesign Stand (NEW!)
- * 220-240V - 50-60Hz
- * 1700 W
- * Low Noise
- * Hanging Up Loop
- * Stainless Steel Rod and Blade
- * Special Design Patented SS Rod
- * 2 Speed Function
- * 1500 ml Chopper
- * 2 pcs Scredding
- * 1 pcs Slicing
- * Anti-Skid, Plastic Rubber Base
- * 600 ml Measuring Cup
- * Stainless Steel Dual Beater



BLENDER



**NEW
MODEL**

HAND BLENDER - BLD-17

- * Special Design Stand (NEW!)
- * 220-240V - 50-60Hz
- * 1700 W
- * Low Noise
- * Hanging Up Loop
- * Stainless Steel Rod and Blade
- * Special Design Patented SS Rod
- * 2 Speed Function
- * 1500 ml Chopper
- * 2 pcs Scredding
- * 1 pcs Slicing
- * Anti-Skid, Plastic Rubber Base
- * 600 ml Measuring Cup
- * Stainless Steel Dual Beater



BLENDER



HAND BLENDER -BLD-22

- * 220-240V - 50-60Hz
- * 900 W
- * AC Motor
- * Hanging Up Loop
- * Stainless Steel Rod and Blade
- * Chopper
- * Anti-Skid, Plastic Rubber Base
- * CE, ROHS, EMC, LVD



HAND BLENDER -BLD-23

- * 220-240V - 50-60Hz
- * 900 W
- * AC Motor
- * Hanging Up Loop
- * Stainless Steel Rod and Blade
- * Chopper
- * Anti-Skid, Plastic Rubber Base
- * CE, ROHS, EMC, LVD

BLENDER



HAND BLENDER -BLD-24

- * SpecialDesign Stand (NEW!)
 - * 220-240V - 50-60Hz
 - * 1700 W
 - * Hanging Up Loop
 - * Stainless Steel Rod and Blade
 - * Special Design Patented SS Rod
 - * 2 Speed Function
 - * 1500 ml Special Design,
 - * Patented Storage Stand
 - * Anti-Skid, Plastic Rubber Base
 - * CE, ROHS, EMC, LVD
-





CHOPPER



CHOPPER-CH-01

- * 220V -240V, 50-60 Hz
- * 500-600 W
- * Stainless Steel Blade
- * Anti-Skid, Plastic Rubber Base
- * 1000 ml Measuring Cup
- * CE, ROHS, EMC, LVD

CHOPPER-CH-02

- * 220V -240V, 50-60 Hz
- * 500-600 W
- * Stainless Steel Blade
- * Anti-Skid, Plastic Rubber Base
- * 1000 ml Measuring Cup
- * CE, ROHS, EMC, LVD



CHOPPER-CH-03

- * 220V -240V, 50-60 Hz
- * 500-600 W
- * Stainless Steel Blade
- * Anti-Skid, Plastic Rubber Base
- * 1000 ml Measuring Cup
- * CE, ROHS, EMC, LVD

CHOPPER-CH-04

- * 220V -240V, 50-60 Hz
- * 500-600 W
- * Stainless Steel Blade
- * Anti-Skid, Plastic Rubber Base
- * 1000 ml Measuring Cup
- * CE, ROHS, EMC, LVD



CHOPPER-CH-05

- * 220V -240V, 50-60 Hz
- * 500-600 W
- * Stainless Steel Blade
- * Anti-Skid, Plastic Rubber Base
- * 1000 ml Measuring Cup
- * CE, ROHS, EMC, LVD

CHOPPER



CHOPPER-CH-06

- * 220V -240V, 50-60 Hz
- * 500-600 W
- * Stainless Steel Blade
- * Anti-Skid, Plastic Rubber Base
- * 1000 ml GLASS BOWL
- * CE, ROHS, EMC, LVD



CHOPPER-CH-07

- * 220V -240V, 50-60 Hz
- * 500-600 W
- * Stainless Steel Blade
- * Anti-Skid, Plastic Rubber Base
- * 1000 ml GLASS BOWL
- * CE, ROHS, EMC, LVD



CHOPPER-CH-08

- * 220V -240V, 50-60 Hz
- * 500-600 W
- * Stainless Steel Blade
- * Anti-Skid, Plastic Rubber Base
- * 1000 ml GLASS BOWL
- * CE, ROHS, EMC, LVD

MIXER



HAND MIXER -HM-01

- * 220V -240V, 50-60 Hz
- * 300 W
- * Stainless Steel Beater
- * Stainless Steel Dough Part
- * 7 Speed function
- * CE, ROHS, EMC, LVD



HAND MIXER -HM-02

- * 220V -240V, 50-60 Hz
- * 300 W
- * Stainless Steel Beater
- * Stainless Steel Dough Part
- * 7 Speed function
- * CE, ROHS, EMC, LVD



HAND MIXER -HM-03

- * 220V -240V, 50-60 Hz
- * 300 W
- * Stainless Steel Beater
- * Stainless Steel Dough Part
- * 7 Speed function
- * CE, ROHS, EMC, LVD

MIXER

HAND MIXER -HM-04

- * 220V -240V, 50-60 Hz
- * 700 W
- * Stainless Steel Beater
- * Stainless Steel Dough Part
- * 5 Speed function
- * Turbo Function
- * CE, ROHS, EMC, LVD



HAND MIXER -HM-05

- * 220V -240V , 50-60 HZ
- * 500-600 W
- * Stainless Steel Beater
- * Stainless Steel Dough Part
- * 5 Speed function
- * Turbo function
- * CE, ROHS, EMC, LVD



HAND MIXER - HM-06

- * 220V-240V, 50-60 HZ
- * 300 W
- * Stainless Steel Beater
- * Stainless Steel Dough Part
- * 7 Speed function
- * CE,ROHS,EMC,LVD



AIR FRYER



AIR FRYER - AFD-01

- * Power (W): 1500W
- * Voltage (V): 220-240
- * Controlling Mode: Digital Control
- * Oil Capacity: 5.5L
- * LED Display Knob Control
- * 8 PROGRAM FEATURES



AIR FRYER - AFM-01 MANUEL

- * Power (W): 1500W
- * Voltage (V): 220-240
- * Controlling Mode: Manuel Control
- * Oil Capacity: 5.5L
- * Control :Temperature and timer
- * 80°C-200°C



AIR FRYER - AFM-02 MANUEL

- * Power (W): 1500W
- * Voltage (V): 220-240
- * Controlling Mode: Manuel Control
- * Oil Capacity: 5.5L
- * Control :Temperature and timer
- * 80°C-200°C

AIR FRYER



AIR FRYER - AFD-05

- * Power (W): 1800W
- * Voltage (V): 220-240
- * Controlling Mode: Digital Control
- * Oil Capacity: 8L
- * LED Display Knob Control
- * 6 PROGRAM FEATURES



AIR FRYER - AFD-02

- * Power (W): 1500W
- * Voltage (V): 220-240
- * Controlling Mode: Digital Control
- * Oil Capacity: 5.5L
- * LED Display Knob Control
- * 6 PROGRAM FEATURES



AIR FRYER - AFD-03

- * Power (W): 1200 - 1500W
- * Voltage (V): 220-240
- * Controlling Mode: Digital Control
- * Oil Capacity: 5.5L
- * LED Display Knob Control
- * 6 PROGRAM FEATURES

PERSONAL BLENDER



PERSONAL BLENDER -PSB-03

- * 220V -240V, 50-60 Hz
- * 600 W
- * Stainless Steel Blade
- * BPA-free Mixing Bottles with a Capacity of 570 ml and 400 ml
- * Coffee grinder 180 ml
- * Anti-Slip Silicone Ring
- * Ice Crushing Feature
- * Without Gasket
- * CE, EMC,LVD, ROHS



PERSONAL BLENDER



PERSONAL BLENDER -PB-01

- * 220V -240V, 50-60 Hz
- * 600 W
- * Stainless Steel Blade
- * BPA-free Mixing Bottles with a Capacity of 570 ml and 400 ml
- * Coffee grinder 180 ml
- * Anti-Slip Silicone Ring
- * Ice Crushing Feature
- * Without Gasket
- * CE, EMC,LVD, ROHS

PERSONAL BLENDER -PB-02

- * 220V -240V, 50-60 Hz
- * 600 W
- * Stainless Steel Blade
- * BPA-free Mixing Bottles with a Capacity of 570 ml and 400 ml
- * Coffee grinder 180 ml
- * Anti-Slip Silicone Ring
- * Ice Crushing Feature
- * Without Gasket
- * CE, EMC,LVD, ROHS



COFFEE MAKER



PERSONEL FILTER COFFEE MAKER CP 09

- * 220-240V , 50-60 HZ
- * 650-750W
- * 350ml Water Chamber Capacity
- * Washable Filter
- * Security System
- * Open-close Key
- * Stainless Steel Cup
- * One Key Practical Use
- * CE, ROHS, LVD, EMC

PERSONEL FILTER COFFEE MAKER CP 10

- * 220-240V , 50-60 HZ
- * 650-750W
- * 350ml Water Chamber Capacity
- * Washable Filter
- * Security System
- * Open-close Key
- * Stainless Steel Cup
- * One Key Practical Use
- * CE, ROHS, LVD, EMC



COFFEE MAKER

PERSONEL FILTER COFFEE MAKER CP 11

- * 220-240V , 50-60 HZ
- * 650-750W
- * 350ml Water Chamber Capacity
- * Washable Filter
- * Security System
- * Open-close Key
- * Stainless Steel Cup
- * One Key Practical Use
- * CE, ROHS, LVD, EMC



PERSONEL FILTER COFFEE MAKER CP 12

- * 220-240V , 50-60 HZ
- * 650-750W
- * 350ml Water Chamber Capacity
- * Washable Filter
- * Security System
- * Open-close Key
- * Stainless Steel Cup
- * One Key Practical Use
- * CE, ROHS, LVD, EMC

COFFEE MAKER

PERSONEL FILTER COFFEE MAKER CP-10

- * 220V - 240V
- * 750W
- * 50-60 Hz
- * CERAMIC CUP
- * CE, ROHS, LVD



PERSONEL FILTER COFFEE MAKER CP-07

- * 220-240V
- * 850W
- * 50-60 HZ
- * 10-12 Cup Coffee Pot
- * CE, ROHS, LVD
- * ERP 40 minutes auto off after brewing
- * The Plate Temperature 200-250 Degrees



COFFEE MAKER

TURKISH COFFEE MAKER CP-13

- * 220V - 240V
- * 450 - 500W
- * 50-60 Hz
- * 800ml Water Capacity
- * Automatic Closing System
- * Audible alert feature
- * 4 cups capacity
- * Ember cooking feature



PERSONEL FILTER COFFEE MAKER CP-08

- * 220-240V
- * 850W
- * 50-60 HZ
- * 10-12 Cup Coffee Pot
- * CE, ROHS, LVD
- * ERP 40 minutes auto off after brewing
- * The Plate Temperature 200-250 Degrees





HAIR DRYER

HAIRDRYER-HD-22

- * AC Motor
 - * 220-240V
 - * 50-60 Hz
 - * 1800-2200 W
 - * Hanging Up Loop
 - * 2 Speed Function
 - * 2 Heat Function
 - * CoolShut Function
 - * Concentrator, Difuser
 - * Filter
 - * CE, ROHS, EMC, LVD
-



HAIRDRYER-HD-23

- * AC Motor
 - * 220-240V
 - * 50-60 Hz
 - * 1800-2200 W
 - * Hanging Up Loop
 - * 2 Speed Function
 - * 2 Heat Function
 - * CoolShut Function
 - * Concentrator, Difuser
 - * Filter
 - * CE, ROHS, EMC, LVD
-



HAIRDRYER-HD-24

- * AC Motor
 - * 220-240V
 - * 50-60 Hz
 - * 1800-2200 W
 - * Hanging Up Loop
 - * 2 Speed Function
 - * 2 Heat Function
 - * CoolShut Function
 - * Concentrator, Difuser
 - * Filter
 - * CE, ROHS, EMC, LVD
-



HAIR DRYER

HAIRDRYER-HD-25

- * AC Motor
- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * Filter
- * CE, ROHS, EMC, LVD



HAIRDRYER-HD-26

- * AC Motor
- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * Filter
- * CE, ROHS, EMC, LVD



HAIRDRYER-HD-27

- * AC Motor
- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * Filter
- * CE, ROHS, EMC, LVD



HAIR DRYER



HAIRDRYER-HD-15

- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * CE, ROHS, EMC, LVD



HAIRDRYER-HD-16

- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * CE, ROHS, EMC, LVD

HAIR DRYER



HAIRDRYER-HD-17

- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * DC Motor
- * Chrome Back Cover
- * CE, ROHS, EMC, LVD

HAIRDRYER-HD-18

- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * DC Motor
- * Chrome Back Cover
- * CE, ROHS, EMC, LVD



HAIRDRYER-HD-19

- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * DC Motor
- * Chrome Back Cover
- * CE, ROHS, EMC, LVD

HAIR DRYER

HAIRDRYER-HD-20

- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * DC Motor
- * Chrome Back Cover
- * CE, ROHS, EMC, LVD



HAIRDRYER-HD-21

- * 220-240V
- * 50-60 Hz
- * 1800-2200 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * DC Motor
- * Chrome Back Cover
- * CE, ROHS, EMC, LVD

HAIRDRYER-HD-22

- * 220-240V
- * 50-60 Hz
- * 1700-2000 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * DC Motor
- * Chrome Back Cover
- * CE, ROHS, EMC, LVD



HAIR DRYER



HAIRDRYER-HD-06

- * 220-240V
- * 50-60 Hz
- * 1950-2300 W
- * Ion Function
- * Ion Light
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * DC Motor
- * CE, ROHS, EMC, LVD



HAIRDRYER-HD-07

- * 220-240V
- * 50-60 Hz
- * 1950-2300 W
- * Ion Function
- * Ion Light
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * CE, ROHS, EMC, LVD



HAIR DRYER



HAIRDRYER-HD-08

- * 220-240V
- * 50-60 Hz
- * 1950-2300 W
- * Ion Function
- * Ion Light
- * Hanging Up Loop
- * 2 Speed Function
- * CoolShut Function
- * Concentrator, Difuser
- * CE, ROHS, EMC, LVD



HAIRDRYER-HD-09

- * 220-240V
- * 50-60 Hz
- * 1950-2300 W
- * Ion Function
- * Ion Light
- * Hanging Up Loop
- * 2 Speed Function
- * CoolShut Function
- * Concentrator, Difuser
- * CE, ROHS, EMC, LVD

HAIR DRYER

HAIRDRYER-HD-10

- * 220-240V
 - * 50-60 Hz
 - * 1950-2300 W
 - * Ion Function
 - * Ion Light
 - * Hanging Up Loop
 - * 2 Speed Function
 - * CoolShut Function
 - * Concentrator, Difuser
 - * CE, ROHS, EMC, LVD
-



HAIRDRYER-HD-11

- * 220-240V
 - * 50-60 Hz
 - * 1950-2300 W
 - * Ion Function
 - * Ion Light
 - * Hanging Up Loop
 - * 2 Speed Function
 - * CoolShut Function
 - * Concentrator, Difuser
 - * CE, ROHS, EMC, LVD
-



HAIR DRYER

HAIRDRYER-HD-12

- * 220-240V
- * 50-60 Hz
- * 1950-2300 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator, Difuser
- * DC Motor
- * CE, ROHS, EMC, LVD



HAIRDRYER-HD-13

- * 220-240V
- * 50-60 Hz
- * 1950-2300 W
- * Ion Function
- * Hanging Up Loop
- * 2 Speed Function
- * 2 Heat Function
- * CoolShut Function
- * Concentrator , Difuser
- * DC Motor
- * CE, ROHS, EMC, LVD



HAIR DRYER



HAIRDRYER-HD-01

- * 220-240V
- * 50-60 Hz
- * 1000-1250 W
- * Hanging Up Loop
- * 2 Speed Function
- * CE, ROHS, EMC, LVD

HAIRDRYER-HD-02

- * 220-240V
- * 50-60 Hz
- * 1000-1250 W
- * Hanging Up Loop
- * 2 Speed Function
- * CE, ROHS, EMC, LVD



HAIRDRYER-HD-03

- * 220-240V
- * 50-60 Hz
- * 1000-1250 W
- * Hanging Up Loop
- * 2 Speed Function
- * CE, ROHS, EMC, LVD

HAIR DRYER



HAIRDRYER-HD-04

- * 220-240V
- * 50-60 Hz
- * 1700-2000 W
- * Hanging Up Loop
- * 2 Speed Function
- * CoolShut Function
- * Concentrator, Difuser
- * CE, ROHS, EMC, LVD




HAIRDRYER-HD-05

- * 220-240V
- * 50-60 Hz
- * 1700-2000 W
- * Hanging Up Loop
- * 2 Speed Function
- * CoolShut Function
- * Concentrator, Difuser
- * CE, ROHS, EMC, LVD

WATER HEATER

WATERHEATER-WH-01

- * 220-240V
- * 50-60 Hz
- * 7 Different Security System
- * Continuous Hot Water
- * ROHS, CE
- * RATED POWER : 7500-9000 W
- * WATER PRESSURE : 0,2 BAR
- * WATER FLOW RATE : 2-4 LT/ MIN
- * PROTECTION CLASS : IPX1 / CLASS 1



WATER HEATER

WATERHEATER-WH-02

- * 220-240V
 - * 50-60 Hz
 - * 7 Different Security System
 - * Continuous Hot Water
 - * ROHS , CE
 - * RATED POWER : 7500-9000 W
 - * WATER PRESSURE : 0,2 BAR
 - * WATER FLOW RATE : 2-4 LT/ MIN
 - * PROTECTION CLASS : IPX1 / CLASS 1
-



VACUUM CLEANER



RECHARGEABLE VACUUM CLEANER VC-04

- * Type: Wireless Vacuum Cleaners
- * KPA : 12 kpa
- * Battery :2200 mah
- * RPM : 28000-30000 rpm
- * Power :175 Watt
- * Volt : 22,2V
- * Working Time :25 MIN FAST 35 MIN SLOW
- * Dust Capacity : 0,8 L
- * Size : 330*115*225



RECHARGEABLE VACUUM CLEANER VC-04

- * Type: Wireless Vacuum Cleaners
- * Power (W): 160 Watt
- * Voltage (V): 22.2
- * Product Size: 1040*240*212mm
- * Noise (dB): about 70-80dB
- * Battery Type:Li-Ion 2200mAh
- * Material:ABS+SprayColor
- * Dust Capacity: 1.2L
- * Usage Time: about 25-45 minutes
- * Charging Time: 3 Hours
- * Vacuum Degree: 9-12kPa

MEAT GRINDER



MEAT GRINDER MG-01

- * 220-240V, 50-60 Hz, 1600-2000 W
- * AC Motor
- * 2 pcs Stainless Steel Grinding Discs
- * Sausage Equipment and Kibbeh Equipment
- * Retreat Function
- * Anti-Skid, Plastic Rubber Base
- * Food Tray
- * Disc Storage Section
- * Plastic Pusher



MEAT GRINDER MG-02

- * 220-240V, 50-60 Hz, 1600-2000 W
- * AC Motor
- * 2 pcs Stainless Steel Grinding Discs
- * Sausage Equipment and Kibbeh Equipment
- * Retreat Function
- * Anti-Skid, Plastic Rubber Base
- * Food Tray
- * Disc Storage Section
- * Plastic Pusher

ROBOT CLEANER



ROBOT CLEANER VC-06

- * Type: Wireless Vacuum Cleaners
- * Power (W): 30 watt
- * Voltage (V): 14.8
- * Product Size: 320*320*78 mm
- * Noise (dB): about 60 dB
- * Battery Type: 2600 mAh Li-ion
- * Dust Capacity: 600 ml
- * Usage Time: about 90-120 minutes
- * Charging Time: 4-5 Hours
- * Vacuum Degree: 2200 Pa
- * Water Tank Capacity: 400 ml
- * Navigation: Gyro Navigation with map
- * Sensor: Infrared
- * Sensor Number: 13
- * Motor: BLDC Motor
- * Weight: 4,8kg
- * Wi-Fi: Evet-TUYA
- * Filter: HEPA
- * Climbing High: 15mm
- * Dustbin Capacity: 600 ml dustbin
- * Water Tank with Electric Control: Yes
- * Voice Command: No
- * Press On Carpet and Floors: Yes
- * Remote Control: No
- * 3 Water Function: Yes (Low, medium, high)
- * 3 Cleaning Function: Yes (smart mod, corner mod, spiral mod)
- * Navigation Function: Yes
- * Navigation Memory: No
- * Planned Cleaning Function: Yes
- * Charge Station: Yes
- * Sani Limitation: Yes, only magnetic
- * As Adapter Input Voltage: 100-240V
- * Charger Output Voltage: 19V
- * Rulo Brush: Yes, 1 PCS
- * Two Side Brushes: Yes, (2 PCS put in. 2PCS spair total for PCS.)
- * Motor Life Time: 600-700 hours



VACUUM CLEANER WITH LASER SENSOR VC-08

- * Suction Power: 2400 PA
- * Battery Capacity: 3200 MAH
- * Dust Tank Capacity: 600 ML
- * Water Tank Capacity: 400 ML
- * Climbing Height: 18 ML
- * Power: 35 Watt
- * Charging Time: 4-5 Hours
- * Operation Time: 140 Min
- * Cleanable Area: 180 m²
- * Noise Level: 60 DB
- * Real Time Location
- * WI-FI
- * Real - Time Mapping
- * Show Where To Clean
- * Pre-Set Cleaning Program



VACUUM CLEANER VC-07

- * Suction Power: 2600 PA
- * Battery Capacity: 3200 MAH
- * Dust Tank Capacity: 600 ml
- * Water Tank Capacity: 400 ml
- * Climbing Height: 18 ml
- * Power: 35 Watt
- * Charging Time: 4-5 Hours
- * Operation Time: 140 min
- * Cleanable Area: 180 m²
- * Noise Level: 60 db

VANTILATÖR



FAN FN-01

- * 40W
 - * 220-240V
 - * 50-60 Hz
 - * 3 Speed Function
 - * Timer
 - * Rohs, CE, LVD, EMC
 - * Less Noise
-



FAN FN-02

- * 40W
 - * 220-240V
 - * 50-60 Hz
 - * 3 Speed Function
 - * Timer
 - * Rohs, CE, LVD, EMC
 - * Less Noise
-

VANTILATÖR



FAN FN-03

- * 40W
 - * 220-240V
 - * 50-60 Hz
 - * 3 Speed Function
 - * Timer
 - * Rohs, CE, LVD, EMC
 - * Less Noise
-



FAN FN-04

- * 75W
 - * 220-240V
 - * 50-60 Hz
 - * Large metal propeller
 - * 3 Speed Function
 - * Rohs, CE, LVD, EMC
 - * Less Noise
-

