

BUILT-IN HOUSEHOLD APPLIANCES  
DISHWASHERS





### Steam Wash

Steam wash technology softening the most stubborn dirt by steam power. High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for your sensitive dishes.



### Smart Wash

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters (temperature, duration, amount of water) accordingly.



### Extra Drying

It is possible to have better drying performance with extra drying option. This option increases water temperature at final rinse step and drying step duration up to 10 min.



### Extra Fast

Extra fast option decreases program duration while it is increasing water temperature and pressure to ensure high washing quality in a shorter duration.



### Hygienic Wash

Extra hygiene option which is developed for Dishwashers ensures a maximum hygiene with high temperature washing. It increases water temperature at final rinse step in order to eliminate bacteria up to %99.9999.



### QuickClean

Dishwashers achieves A class cleaning performance with advanced cleaning program in only 50 min without diverter. You can save time with this program. It is the first and unique dishwasher that achieves A class cleaning performance in only 50 minutes for standard soiled dishes according to EN standards.



### Extra Rinse

Extra rinse option adds an extra rinse step to achieve more hygienic washing. Program duration is increased between min. %4 and max. %16 according to the washing program.



### Antibacterial Filter

By using Antibacterial PP Sump Filter bacterial growth on the filter surface eliminated up to 99%.



### Tablet Option

With this option, water reaches optimum temperature to dissolve the combined detergent ideally and eliminates such drawbacks and assures maximum performance when tablet detergents are used.



### DualPro Wash

Advanced pump technology allows for one wash to be cleaned at two separate water pressures. Baked on food doesn't stand a chance in the bottom while the delicate glasses in the top are gently being washed.



### Hydro Power

This technology enables all other options and program to save water, energy and time. Also by changing water pressure noise level can be reduced to have more silent washing with BLDC pump technology.



### KnifeShelf

With this accessory, the product capacity will be increased, which is the trend in the market, with cost friendly value even with entry segment products. The models with 12 Place Setting Capacity can be increased to 14 Place Setting automatically only adding this accessory.



### Delay Timer

The start time of a program can be delayed, e.g. to benefit from economy rates of electricity. A delay start time of between 1 hour and 24 hours can be selected.



### Vario Space

VarioSpace is a general feature that gives many options to the end user regarding lower and upper basket variations.



### Child Lock

Child lock option never allows your children to play with your dishwasher. It allows you to lock the buttons on the control panel to be able to restrict the functionality of buttons.



### JetWash

With this fast program, you can clean the dishes like less and/or recently soiled (coffee, milk and tea etc.) in only 14 minutes. This program is one of the fastest programs in the world. It cleans your dishes with 4 place settings capacity in 14 minutes.



### Half Load

Eco Friendly Half Load technology provides washing performance when dishwasher is not fully loaded, only lower basket or upper basket or both are used with half load if necessary by using half load option. Half Load technology saves energy and water by reducing energy and water consumption due to load options.



## Heater Safety Protection

In case of lack of water, with the help of a pressure switch, the resistance is prevented from being in operation. So both the resistance and the machine itself are protected.



## Overflow and Leakage Protection

The dishwasher activates overflow mode when there is too much water in the dishwasher and the excess water gets drained. It also detects leaks in the base of the dishwasher, shuts down operation and automatically pumps out water before reaching the floor. The unit can auto reset the overflow mode until the water level in the basement cover reaches a certain level.



### 3<sup>rd</sup> Rack

*Eco/Easy/Comfort Tray*

#### **Eco Tray**

New fixed design option for 3rd rack that provides up to 15 place setting.

#### **Comfort Tray**

High-end side by side sliding basket structure for 60 cm range providing up to 15 place setting capacity.

#### **Easy Tray**

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. It is possible to take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.



## Mini Active Drying System

Mini active drying system provides basic drying performance on dishes with its mini fins.

## Super Active Drying System

A portion of the washtub wall is a heat exchanger which, at the end of the rinsing cycle, promotes condensation of the water inside the tub, and hence drying of the dishes.

## Turbo Drying System

It activates a fan which draws steam out of the dishwasher cabinet. Air circulation is much more forced, hence results in most efficient drying performance.



Accessories



TOP NOOZLE



IMPELLER



AQUA STOP



PLASTIC FILTER  
*Optional*



STAINLESS STEEL FILTER  
*Default*

**Pop-in-pop-out-knob for semi integrated dishwasher**



ANTI BACTERIAL FILTER (V2)  
*Optional*




ANTI BACTERIAL FILTER (V1)  
*Optional*



**Adjustable Rear Foot From The Front**



**Front Decor Fixations Different Weights**



**Adjustable Plinth**

0-100 mm dept adjustment  
820-870 mm machine  
height adjustment  
with high feet

The machine can be  
elevated by 50 mm  
(820 → 870-920 mm  
with high feet)

**High Feet**




**Interior Lighting**

**1 spot**



**4 spots**





## INFOLED 2.1

New floor reflection for built-in range.



Programme  
is running



Programme  
has ended

infoLED

# Colour Options

## Semi-Integrated Panel Color Options

WHITE



BLACK



INOX



ALUMINIUM LOOK



DARK SILVER



WHITE



## Fully-Integrated Panel Color Options

WHITE



BLACK



DARK SILVER



INOX LOOK



For each aesthetics, please ask for different color options.



## ***Integrated Inox Options***



***Inox cladding***



***Inox half cladding***



***Inox add-on***

Available for 60 and 45 cm ranges

**Integrated Dark Inox Options**



**Dark inox cladding**



**Dark inox half cladding**



**Dark inox add-on**

Available for 60 and 45 cm ranges









***Semi-integrated***



***Fully Integrated***







**60 cm Dishwashers**  
*Semi-integrated &  
Integrated Ranges*



**Basket Types**



**V-type baskets**



**Flat-type baskets**







Vario Space

## Upper basket



**Adjustable Mug Shelves**




**Adjustable Upper Basket with Load**  
2 and 3 level high adjustment options




**Adjustable Upper Basket without Load**




**Handle with Customized Logo**  
\* For 15 place settings and only for upper basket







**Wire Handle**



**Plastic Handle**

## ***Lower basket***



**Foldable Wire**  
(2 Or 4)



**Multi-Functional Kit  
For Lower Basket**




**Bottle Holder**



**Plastic Handle**



**Wine Glass Holder**



**Mug Shelf Support**  
\*W/Or W/O Soft Touch



**Tray Holder**




**KnifeShelf**





**Universal Cutlery Basket**



**Hygiene Box\***



**Standard Cutlery Basket**  
(fixed)



**Sliding Cutlery Basket**



**Modular Cutlery Basket**  
(for 12 Settings)






### **3<sup>rd</sup> Rack** *Comfort Tray*

**New side by side sliding design option for 3rd rack that provides up to 15 place setting.**

\*Cutlerly basket is optional



## **3<sup>rd</sup> Rack** *Easy Tray*

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. You can take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.

\*Cutlerly basket is optional

\*Up to 15 place settings






## **3<sup>rd</sup> Rack** *Eco Tray*

New fixed design option for 3rd rack that provides up to 15 place setting.

\*Cutlerly basket is optional

## SLIDING DOOR




### w/o Sliding Door

Max Decorative Panel Height (A)  
717 mm

Plinth Depth (B)  
30-80 mm

Minimum Plinth Height (C)  
80 mm




### w/ Sliding Door (Option 1)

Max Decorative Panel Height (A)  
797 mm

Plinth Depth (B)  
0-80 mm

Sliding Range  
80 mm

Minimum Plinth Height (C)  
20 mm



### w/ Sliding Door (Option 2)

Max Decorative Panel Height (A)  
757 mm

Plinth Depth (B)  
0-80 mm

Sliding Range  
40 mm

Minimum Plinth Height (C)  
60 mm



## MAXIMUM PLATE DIMENSIONS

### 2 Baskets



	<b>Upper Basket Position ↓</b>	<b>Upper Basket Position ↑</b>	<b>w/o height adjustment</b>
<b>Max. Plate Dimension for Upper Basket</b>	26,5 cm	21,5 cm	21,5 cm
<b>Max. Plate Dimension for Lower Basket</b>	26,5 cm	31,5 cm	31,5 cm



**2 Baskets + 3rd Rack**



	<i>Upper Basket Position</i> ↓	<i>Upper Basket Position</i> ↑	<i>w/o height adjustment</i>
<b>Max. Plate Dimension for Upper Basket</b>	19,5 cm	14,5 cm	14,5 cm
<b>Max. Plate Dimension for Lower Basket</b>	26,5 cm	31,5 cm	31,5 cm

## A 4 SERIES

semi integrated



**PureBeam**

### Energy Labeling

**A** **B** **C** **D** **E**

### Major Features



**Delay Timer**



**Half Load**



**Auto Door**



**Water Box**



**Hydro Power**



**Direct Wash**



**Triple Wash**



**3<sup>rd</sup> Rack**

*Eco/Easy/Comfort Tray*



**Interior Lighting**

*1 or 4 Spot*

*See product specifications for default and optional features*

## A 4 1 - Y

6/7/10 programs  
icon-LED display (full touch control)  
A/B/C/D/E energy labeling  
BLDC circulation pump  
Mini active / super active / turbo drying  
49/47/46/45/44/42/41/39 dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-24 hours delay timer

### Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),  
14 PS (2 basket + Knifeshelf),  
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

### Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna  
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

### Model Versions

**A4**



**A4  
inox add-on**



<b>A41</b>	6 programs, BLDC.	<b>A46</b>	6 programs.
<b>A42</b>	7 programs, BLDC.	<b>A47</b>	7 programs, BLDC.
<b>A43</b>	10 programs, BLDC.	<b>A48</b>	10 programs, BLDC.
<b>A44</b>	10 programs, BLDC, Auto Door	<b>A49</b>	10 programs, BLDC.
<b>A45</b>	10 programs, BLDC, Auto Door, Water Box.	<b>A4X</b>	10 programs, BLDC, Water Box.
<b>A4Y</b>	10 programs, BLDC, Auto Door, Water Box.		



## A 3 SERIES

*semi integrated*



**PureBeam**

**Energy Labeling**

**B C D E**

### Major Features



**Delay Timer**



**Half Load**



**Auto Door**



**Water Box**



**Hydro Power**



**Direct Wash**



**Triple Wash**



**3<sup>rd</sup> Rack**

*Eco/Easy/Comfort Tray*



**Interior Lighting**

*1 or 4 Spot*

*See product specifications for default and optional features*

## A 3 1 - X

6/8 programs  
icon-LED display (optional touch control)  
B/C/D/E energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45/44 dBA (w/o BLDC)  
49/47/46/45/44/42/41/39 dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-24 hours delay timer

### Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),  
14 PS (2 basket + Knifeshelf)  
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

### Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna  
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

### Model Versions

**A3**



**A3  
inox add-on**



<b>A31</b>	6 programs, AC.	<b>A37</b>	7 programs, AC.
<b>A32</b>	8 programs, AC.	<b>A38</b>	8 programs, AC.
<b>A33</b>	6 programs, BLDC, Auto Door	<b>A39</b>	9 programs, BLDC, Auto Door
<b>A34</b>	8 programs, BLDC, Auto Door	<b>A3X</b>	9 programs, BLDC, Water Box.
<b>A35</b>	8 programs, BLDC, Auto Door, Water Box.		
<b>A36</b>	6 programs, BLDC.		

## A 2 SERIES

semi integrated



**PureBeam**

*Energy Labeling*

**B C D E**

*Major Features*



**Delay Timer**



**Half Load**



**Auto Door**



**Water Box**



**Hydro Power**



**Direct Wash**



**Triple Wash**



**3<sup>rd</sup> Rack**

*Eco/Easy/Comfort Tray*



**Interior Lighting**

*1 or 4 Spot*

*See product specifications for default and optional features*



## A 21 - 6

6/7/8 programs

LED display

B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer

### Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf)

14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

### Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

### Model Versions

**A2X**



**inox  
add-  
on**



<b>A21</b>	6 programs, AC.	<b>A27</b>	7 programs, AC.
<b>A22</b>	7 programs, AC.	<b>A28</b>	8 programs, AC.
<b>A23</b>	8 programs, AC.	<b>A29</b>	9 programs, AC.
<b>A24</b>	8 programs, BLDC, Auto Door	<b>A2X</b>	9 programs, BLDC, Water Box.
<b>A25</b>	8 programs, BLDC, Auto Door, Water Box.		
<b>A26</b>	6 programs, BLDC.		

# A1 SERIES

*semi integrated*



## Energy Labeling

**D E**

## Major Features



**Delay Timer**



**Half Load**



**Aqua Zone**



**3<sup>rd</sup> Rack**

*Eco/Easy/Comfort Tray*



**Interior Lighting**

*1 or 4 Spot*

*See product specifications for default and optional features*

## A 1 2 - 7

3 to 8 programs  
LED indicator  
D/E energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45/44 dBA  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
3-6-9 hours delay timer

## A 1 B - G

3 to 8 programs  
LED display  
D/E energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45/44 dBA  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
1-24 hours delay timer

### Place Setting Options

12 PS (2 baskets),  
13 PS (2 baskets),  
13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf)  
15 PS (2 baskets + 3rd rack)

### Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna  
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

### Model Versions

#### A1 w/o display



#### A1 w display



<b>A12</b>	3 programs, AC.
<b>A13</b>	4 programs, AC.
<b>A14</b>	5 programs, AC.
<b>A15</b>	6 programs, AC.
<b>A16</b>	7 programs, AC.
<b>A17</b>	8 programs, AC.

<b>A1B</b>	3 programs, AC.
<b>A1C</b>	4 programs, AC.
<b>A1D</b>	5 programs, AC.
<b>A1E</b>	6 programs, AC.
<b>A1F</b>	7 programs, AC.
<b>A1G</b>	8 programs, AC.



A Series  
**Daisy**



A Series  
**Gardenya**



A Series  
**Luna**









# T3 SERIES

semi integrated



## Energy Labeling

**B** **D** **E**

## Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



**3<sup>rd</sup> Rack**

Eco/Easy/Comfort Tray



**Interior Lighting**

1 or 4 Spot

See product specifications for default and optional features

## **T 3 1 - 6**

6/8 programs  
icon-LED display  
E/D/B energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
49/47/46/45/44/42/41/39 dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-24 hours delay timer

### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),  
14 PS (2 baskets + 3rd rack)\*, 15 PS (2 baskets + 3rd rack)

### **Design Options**

**SI** Ares, Patara

### **Model Versions**

**T3X**  
**Amber**  
**display**



**T3X**  
**White**  
**display**



<b>T31</b>	6 programs, AC.
<b>T32</b>	8 programs, AC.
<b>T34</b>	8 programs, BLDC, Auto Door.
<b>T35</b>	8 programs, BLDC, Auto Door Water Box.
<b>T36</b>	8 programs, BLDC.

## T3 Series **Ares**



T3 Series  
**Patara**





## T 2 / 1 SERIES

semi integrated



### Energy Labeling

**B** **D** **E**

### Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



**3<sup>rd</sup> Rack**

Eco/Easy/Comfort Tray



**Interior Lighting**

1 or 4 Spot

See product specifications for default and optional features

## T 1 1 - 3

3/4/6 programs  
LED indicator / LED display  
E energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
46/44/42/41/39 dBA (w/ BLDC)  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
1-24 hours delay timer (T11 w/o delay timer)

## T 2 1 - 6

8 programs  
LED display  
B/D energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
49/47/46/45/44/42/41/39 dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-24 hours delay timer

### Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),  
14 PS (2 baskets + 3rd rack)\*, 15 PS (2 baskets + 3rd rack)

### Design Options

SI Amaranth

### Model Versions

#### T1 Series

**T11**



3 programs, AC.

**T12**



4 programs, AC.

**T13**



6 programs, AC.

#### T2 Series

**T21**



8 programs, AC.

**T24**



8 programs, BLDC, Auto Door.

**T25**



8 programs, BLDC, Auto Door, Water Box

**T26**



8 programs, BLDC.

## T2-T1 Series **Amaranth**









## Y 2 S E R I E S

*semi integrated*



### Energy Labeling

**D E**

### Major Features



**Delay Timer**



**Half Load**



**Auto Door**



**Water Box**



**Hydro Power**



**Direct Wash**



**Triple Wash**



**3<sup>rd</sup> Rack**

*Eco/Easy/Comfort Tray*



**Interior Lighting**

*1 or 4 Spot*

*See product specifications for default and optional features*

## Y 2 1 - 6

6 to 9 programs  
LED display  
D/E energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
49/47/46/45/44/42/41/39 dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-19 hours delay timer

### Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

### Design Options

**SI** Camelia Y, Silva Y, Silva Y (Inox add-on)

### Model Versions

**Y21**



6 programs, AC.

**Y22**



7 programs, AC.

**Y23**



8 programs, AC.

**Y24**



9 programs, AC.

**Y25**



9 programs, BLDC, Auto Door.

**Y26**



9 programs, BLDC.

# Y1 SERIES

semi integrated



## Energy Labeling

**E**

## Major Features



**Delay Timer**



**Half Load**



**Aqua Zone**



**3<sup>rd</sup> Rack**

*Eco/Easy/Comfort Tray*



**Interior Lighting**

*1 or 4 Spot*

*See product specifications for default and optional features*

## Y 1 1 - 5

2 to 6 programs  
LED indicator  
E energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
3-6-9 hours delay timer

## Y 1 A - F

2 to 7 programs  
LED display  
E energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
1-19 hours delay timer

### Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

### Design Options

**SI** Camelia Y, Silva Y, Silva Y (Inox add-on)

### Model Versions

#### w display

**Y11**



2 programs, AC.

**Y12**



3 programs, AC.

**Y13**



4 programs, AC.

**Y14**



5 programs, AC.

**Y15**



6 programs, AC.

#### w/o display

**Y1A**



2 programs, AC.

**Y1B**



3 programs, AC.

**Y1C**



4 programs, AC.

**Y1D**



5 programs, AC.

**Y1E**



6 programs, AC.

**Y1F**



7 programs, AC.



# Y Series **Silva Y**



Y Series  
**Camelia Y**



# X SERIES

semi integrated



## Energy Labeling

**E**

## Major Features



**Delay Timer**



**Half Load**



**Aqua Zone**



**3<sup>rd</sup> Rack**

*Eco/Easy/Comfort Tray*

*See product specifications for default and optional features*

## **X 1 1 - 6**

2 to 7 programs  
LED indicator  
E energy labeling  
AC circulation pump  
Mini active / super active drying  
57/54/52/49/47/45 dBA  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
3-6-9 hours delay timer

## **X 1 1 A - F**

2 to 7 programs  
LED display  
E energy labeling  
AC circulation pump  
Mini active / super active drying  
57/54/52/49/47/45 dBA  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
1-19 hours delay timer

### ***Place Setting Options***

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack)

### ***Design Options***

**SI** Camelia, Silva, Silva (Inox add-on)

### ***Model Versions***

#### **w display**

**X11**



2 programs, AC.

**X12**



3 programs, AC.

**X13**



4 programs, AC.

**X14**



5 programs, AC.

**X15**



6 programs, AC.

**X16**



7 programs, AC.

#### **w/o display**

**X1A**



2 programs, AC.

**X1B**



3 programs, AC.

**X1C**



4 programs, AC.

**X1D**



5 programs, AC.

**X1E**



6 programs, AC.

**X1F**



7 programs, AC.



X Series  
**Camelia**



X Series  
**Silva**



# S1 - 2 SERIES

fully integrated



## Energy Labeling

**D E**



Sliding Door



Self Balance

## Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone

**infoLED**



**3<sup>rd</sup> Rack**  
Eco/Easy/Comfort Tray



**Interior Lighting**  
1 or 4 Spot

See product specifications for default and optional features

## S12-6

2 to 6 programs  
Button Control / Touch Control  
LED Indicator  
E/D energy labeling  
AC circulation pump  
Mini Active / Super Active / Turbo Drying  
57/54/52/49/47/45/44 dBA  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
3-6-9 hours delay timer with LED indicator  
Wifi option

## S23-9

3 to 9 programs  
Button Control / Touch Control  
Hidden LED Display  
E/D energy labeling  
AC circulation pump  
Mini Active / Super Active / Turbo Drying  
57/54/52/49/47/45/44 dBA  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
1-24hr hours delay timer with LED indicator  
Wifi option

### Place Setting Options


12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 15 PS (2 baskets+3rd rack)

### Design Options

Hera

### Model Versions

#### S12-6



<b>S12</b>	2 programs, AC.
<b>S13</b>	3 programs, AC.
<b>S14</b>	4 programs, AC.
<b>S15</b>	5 programs, AC.
<b>S16</b>	6 programs, AC.

#### S23-9



<b>S23</b>	3 programs, AC.
<b>S24</b>	4 programs, AC.
<b>S25</b>	5 programs, AC.
<b>S26</b>	6 programs, AC.
<b>S27</b>	7 programs, AC.
<b>S28</b>	8 programs, AC.
<b>S29</b>	9 programs, AC.



# S 3 SERIES

fully integrated



## Energy Labeling

**B** **C** **D** **E**



Sliding Door



Self Balance

## Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone

**infoLED**



**3<sup>rd</sup> Rack**  
Eco/Easy/Comfort Tray



**Interior Lighting**  
1 or 4 Spot

See product specifications for default and optional features

## S 31 - 8

7 to 9 programs	49/47/45/44/42/41/39 dBA
Button Control / Touch Control	9 lt water consumption
Hidden LED Display	3 mode half load
E/D/C/B energy labeling	1-24hr hours delay timer
AC /BLDC circulation pump	Wifi option
Mini Active / Super Active / Turbo Drying	
57/54/52/49/47/45/44 dBA	

### Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 14 PS (2 baskets+3rd rack), 15 PS (2 baskets+3rd rack)

### Design Options

Hera

### Model Versions

#### S3 Button Control



<b>S31</b>	7 programs, AC.
<b>S32</b>	8 programs, AC.
<b>S33</b>	9 programs, AC.

#### S3 Touch Control



<b>S34</b>	9 programs, BLDC.
<b>S35</b>	7 programs, BLDC.
<b>S36</b>	8 programs, BLDC.
<b>S37</b>	9 programs, BLDC.
<b>S38</b>	9 programs, BLDC.

# I 1 - 2 SERIES

fully integrated



## Energy Labeling

**B** **C** **D** **E**



Sliding Door



Self Balance

## Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone

**infoLED**



**3<sup>rd</sup> Rack**  
Eco/Easy/Comfort Tray



**Interior Lighting**  
1 or 4 Spot

See product specifications for default and optional features

## I11-6 / I1A-G

2 to 8 programs  
LED Indicator / Hidden LED Display  
E/D energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA  
12 lt water consumption (9 lt with aquazone)  
1 mode half load  
3-6-9 hours delay timer with LED indicator  
1-19hours delay timer with Hidden LED display

## I21-X

7/8/9 programs  
LED Indicator / Hidden LED Display  
E/D/C/B energy labeling  
AC/BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
49 / 47 / 45 / 44 / 42 / 41 / 39 (with BLDC)  
9 lt water consumption  
3 mode half load  
1-19 hours delay timer

### Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

### Design Options

Astrum, Rhea, Rhea (Inox Cladding, Inox Half Cladding, Inox add-on)

### Model Versions

#### I11-6 w/display



#### I1A-G w/o display



<b>I11-A</b>	2 programs, AC.
<b>I12-B</b>	3 programs, AC.
<b>I13-C</b>	4 programs, AC.
<b>I14-D</b>	5 programs, AC.
<b>I15-E</b>	6 programs, AC.
<b>I16-F</b>	7 programs, AC.
<b>I1G</b>	8 programs, AC.

<b>I21</b>	7 programs, AC.
<b>I22</b>	8 programs, AC.
<b>I23</b>	9 programs, AC.
<b>I24</b>	9 programs, BLDC, Auto Door.
<b>I25</b>	9 programs, BLDC, Water Box.
<b>I26</b>	6 programs, BLDC.
<b>I27</b>	7 programs, BLDC.
<b>I28</b>	8 programs, BLDC.
<b>I29</b>	9 programs, BLDC.
<b>I2X</b>	9 programs, BLDC, Water Box.



I Series  
**Astrum**



I Series  
**Rhea**



# I 5 S E R I E S

semi integrated



## Energy Labeling

**B** **C** **D** **E**



Sliding Door



Self Balance

## Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone

**infoLED**



3<sup>rd</sup> Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

## I 51 - 9

7/8/9 programs  
LED display  
E/D/C/B energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
49/47/46/45/44/42/41/39 dBA (w/ BLDC)  
9 lt water consumption (I51: 12 lt (9 lt with aquazone))  
3 mode half load (1 mode for I51)  
1-19 hours delay timer

### Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),  
14 PS (2 baskets + 3rd rack)\*, 15 PS (2 baskets + 3rd rack)

### Design Options


Freya, Freya (Inox look)

### Model Versions

#### Black control panel



#### Inox look control panel



<b>I51</b>	7 programs, AC.
<b>I52</b>	8 programs, AC.
<b>I53</b>	9 programs, AC.
<b>I54</b>	9 programs, BLDC, Auto Door.
<b>I55</b>	9 programs, BLDC, Auto Door, Water Box.
<b>I56</b>	6 programs, BLDC.
<b>I57</b>	7 programs, BLDC.
<b>I58</b>	8 programs, BLDC.
<b>I59</b>	9 programs, BLDC.
<b>I5X</b>	9 programs, BLDC, Water Box.



## US (TALL-TUB) INTEGRATED RANGE



### Energy Labeling



### Color Options



Painted



Stainless steel

### Major Features



Delay Timer



Half Load



Hydro Power



3<sup>rd</sup> Rack

Eco/Easy/Comfort Tray

### Dimensions

Height (inch, mm)	33 7/8" ; 861 mm
Width (inch, mm)	23 9/16" ; 598 mm
Depth (inch, mm)	22 1/2" ; 570 mm

See product specifications for default and optional features

## **Z A 5 - Z B 5 - Z B 7**

Tall-tub structure  
6 or 8 programs  
LED display  
Energy Star  
AC/BLDC circulation pump  
Mini active / super active / turbo drying  
57/55/53/51 dBA (w/o BLDC)  
49/47/45/44 dBA (w/ BLDC)  
≤ 3,5 gal water consumption  
1 or 3 mode half load  
1-19 hours delay timer

### ***Place Setting Options***

14 PS (2 baskets)  
15 PS (2 baskets + 3rd rack)

### ***Design Options***

Rhea, Astrum

## **Z C 5 - Z D 5 - Z D 7**

Tall-tub structure  
6 or 8 programs  
LED display  
Energy Star  
AC/BLDC circulation pump  
Mini active / super active / turbo drying  
57/55/53/51 dBA (w/o BLDC)  
49/47/45/44 dBA (w/ BLDC)  
≤ 3,5 gal water consumption  
1 or 3 mode half load  
1-24 hours delay timer

### ***Place Setting Options***

14 PS (2 baskets)  
15 PS (2 baskets + 3rd rack)


### ***Design Options***

Freya

## ***Model Versions***

### **Astrum**

**ZA5**  6 programs, AC or BLDC.


**ZB7**  8 programs, AC or BLDC.

### **Rhea**

**ZA5**  6 programs, AC or BLDC.

**ZB7**  8 programs, AC or BLDC.

### **Freya**

**ZC5-ZD5-ZD7**  6 to 8 programs, AC or BLDC.



## **S A 5 - S C 5 - S B 7 - S D 7**

Tall-tub structure  
6 or 8 programs  
LED display  
Energy Star  
AC/BLDC circulation pump  
Mini active / super active / turbo drying  
57/55/53/51 dBA (w/o BLDC)  
49/47/45/44/42 dBA (w/ BLDC)  
≤ 3,5 gal water consumption  
1 or 3 mode half load  
1-24 hours delay timer

### ***Place Setting Options***

14 PS (2 baskets), 15 PS (2 baskets+3rd rack)

### ***Design Options***


Hera

### ***Model Versions***

**SA5**



**SC5**



**SB7**



**SD7**





## Tall-tub Integrated Range

**Rhea**



## Tall-tub Integrated Range

### **Astrum**



## Tall-tub Integrated Range

**Freya**











**Standard Tub**

**Semi-Integrated**




**Integrated**




Tall Tub

Full Door



Integrated





**45 cm Dishwashers**  
*Semi-integrated &  
Integrated Ranges*








## **3<sup>rd</sup> Rack** *Easy Tray*

### ***Upper cutlery basket***

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items.

## FEATURES

### Maximum Plate Diameter




### Lower Basket - 10 Place Settings



### Standard Cutlery Basket



### Adjustable Basket



Adjustable only when loaded

### Adjustable Upper Basket



Adjustable only when empty

### Inox Look Control Panels

60 & 45 cm I5 series (FI)

Dead front display & full touch control



## MAXIMUM PLATE DIMENSIONS

### 2 Baskets



	<b><i>Upper Basket Position ↓</i></b>	<b><i>Upper Basket Position ↑</i></b>	<b><i>w/o height adjustment</i></b>
<b><i>Max. Plate Dimension for Upper Basket</i></b>	26,5 cm	21,5 cm	21,5 cm
<b><i>Max. Plate Dimension for Lower Basket</i></b>	25,5 cm	30,5 cm	30,5 cm

**2 Baskets + 3rd Rack**




	<i>Upper Basket Position</i> ↓	<i>Upper Basket Position</i> ↑	<i>w/o height adjustment</i>
<i>Max. Plate Dimension for Upper Basket</i>	19,5 cm	14,5 cm	14,5 cm
<i>Max. Plate Dimension for Lower Basket</i>	25,5 cm	30,5 cm	30,5 cm



## A 4 SERIES

integrated



### Energy Labeling

**D E**

### Major Features



**Delay Timer**



**Half Load**



**Auto Door**



**Hydro Power**



**3<sup>rd</sup> Rack**  
Easy Tray



**Interior Lighting**  
1 or 4 Spot

See product specifications for default and optional features

## A 4 1 - 5

6/7/10 programs  
icon-LED display (full touch control)  
D/E energy labeling  
BLDC circulation pump  
Turbo drying  
44 dBA  
9 lt water consumption  
3 mode half load  
1-24 hours delay timer

### Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### Design Options

**SI** Daisy, Gardenya, Gardenya (Inox add-on)

### Model Versions

**A4X**




**A4X  
inox  
add-on**



<b>A41</b>	6 programs, BLDC.
<b>A42</b>	7 programs, BLDC.
<b>A43</b>	10 programs, BLDC, Auto Door.
<b>A44</b>	10 programs, BLDC, Auto Door.

## A 3 SERIES

integrated



### Energy Labeling

**D E**

### Major Features



**Delay Timer**



**Half Load**



**Auto Door**



**Hydro Power**



**3<sup>rd</sup> Rack**  
Easy Tray



**Interior Lighting**  
1 or 4 Spot

See product specifications for default and optional features

## A 3 1 - 3 6

6/8 programs  
icon-LED display (optional touch control)  
D/E energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
44 dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-24 hours delay timer

### *Place Setting Options*

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### *Design Options*

**SI** Daisy, Gardenya, Gardenya (Inox add-on)

### *Model Versions*

**A3X**



**A3X  
inox  
add-on**




<b>A31</b>	6 programs, AC.
<b>A32</b>	8 programs, AC.
<b>A33</b>	6 programs, BLDC, Auto Door.
<b>A34</b>	8 programs, BLDC, Auto Door.



## A 2 SERIES

integrated



### Energy Labeling

**D E**

### Major Features



**Delay Timer**



**Half Load**



**Auto Door**



**Hydro Power**



**3<sup>rd</sup> Rack**  
Easy Tray



**Interior Lighting**  
1 or 4 Spot

See product specifications for default and optional features

## A 2 1 - 4

6 to 8 programs  
LED display  
D/E energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
44 dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-24 hours delay timer

### Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### Design Options

**SI** Daisy, Gardenya, Gardenya (Inox add-on)

## Model Versions

**A21**



6 programs, AC.

**A22**



7 programs, AC.

**A23**



8 programs, AC.

**A24**




8 programs, BLDC, Auto Door.

**A24  
inox  
add-on**



# A1 SERIES

integrated



## Energy Labeling

**E**

## Color Options



Painted

Stainless steel

## Major Features



Delay Timer



Half Load



Aqua Zone

See product specifications for default and optional features

## A 1 2 - 5

3 to 6 programs  
LED indicator  
E energy labeling  
AC circulation pump  
Mini active / super active  
57/54/52/49/47/45 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load  
3-6-9 hours delay timer

## A 1 B - E

3 to 6 programs  
LED display  
E energy labeling  
AC circulation pump  
Mini active / super active  
57/54/52/49/47/45 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load  
1-24 hours delay timer

### Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### Design Options

**SI** Daisy, Gardenya, Gardenya (Inox add-on)

### Model Versions

**A12**



3 programs, AC.

**A13**



4 programs, AC.

**A14**



5 programs, AC.

**A15**



6 programs, AC.

**inox  
add-on  
version**



**A1B**



3 programs, AC.

**A1C**



4 programs, AC.

**A1D**



5 programs, AC.

**A1E**




6 programs, AC.





# T 2 / 1 SERIES

integrated



## Energy Labeling

**D E**

## Major Features



**Delay Timer**



**Half Load**



**Auto Door**



**Aqua Zone**



**Hydro Power**



**3<sup>rd</sup> Rack**  
Easy Tray



**Interior Lighting**  
1 or 4 Spot

See product specifications for default and optional features

## **T 1 4 - 5**

7 programs  
LED indicator / LED display  
E energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load (T15 w/o half load)  
1-24 hours delay timer (3-6-9 hours for T15)

## **T 2 1 - 4**

8 programs  
LED display  
D/E energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
44 dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-24 hours delay timer

### **Place Setting Options**

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### **Design Options**

**SI** Vento

### **Model Versions**

**T14**



*7 programs, AC.*

**T21**



*8 programs, AC.*

**T15**



*7 programs, AC.*

**T22**



*8 programs, AC.*


**T24**



*8 programs, BLDC, Auto Door.*

## Y 2 S E R I E S

integrated



### Energy Labeling

**D E**

### Major Features



**Delay Timer**



**Half Load**



**Auto Door**



**Hydro Power**



**3<sup>rd</sup> Rack**  
Easy Tray



**Interior Lighting**  
1 or 4 Spot

See product specifications for default and optional features

## Y 2 1 - 5

6 to 9 programs  
LED display  
D/E energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
44 dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-19 hours delay timer

### Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### Design Options

**SI** Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

### Model Versions

**Y21**



6 programs, AC.

**Y22**



7 programs, AC.

**Y23**



8 programs, AC.

**Y24**



9 programs, AC.

**Y25**




9 programs, BLDC, Auto Door.



## Y1 SERIES

integrated



### Energy Labeling

**E**

### Major Features



**Delay Timer**



**Half Load**



**Auto Door**



**Hydro Power**



**3<sup>rd</sup> Rack**  
Easy Tray



**Interior Lighting**  
1 or 4 Spot

See product specifications for default and optional features

## Y 1 1 - 5

2 to 6 programs  
LED indicator  
E energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load  
3-6-9 hours delay timer

## Y 1 A - F

2 to 7 programs  
LED display  
E energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load  
1-19 hours delay timer

### Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### Design Options

**SI** Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

### Model Versions

#### w/o display

**Y11**



2 programs, AC.

**Y12**



3 programs, AC.

**Y13**



4 programs, AC.

**Y14**



5 programs, AC.

**Y15**



6 programs, AC.

#### w display

**Y1A**



2 programs, AC.

**Y1B**



3 programs, AC.

**Y1C**



4 programs, AC.

**Y1D**



5 programs, AC.

**Y1E**



6 programs, AC.

**Y1F**



7 programs, AC.

Y Series  
**Silva**



Y Series  
**Lydia**



## Y Series **Camelia**






Y Series  
**Klikya**



## X SERIES



### Energy Labeling

**E**

### Major Features



**Delay Timer**



**Half Load**



**Aqua Zone**

*See product specifications for default and optional features*

## **X 1 1 - 6**

2 to 7 programs  
LED indicator  
E energy labeling  
AC circulation pump  
Mini active / super active drying  
57/54/52/49/47/45 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load  
3-6-9 hours delay timer

## **X 1 A - F**

2 to 7 programs  
LED display  
E energy labeling  
AC circulation pump  
Mini active / super active drying  
57/54/52/49/47/45 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load  
1-19 hours delay timer

### **Place Setting Options**

10 PS (2 baskets)

### **Design Options**

**SI** Orchis

### **Model Versions**

#### **w/o display**

**X11**



2 programs, AC.

**X12**



3 programs, AC.

**X13**



4 programs, AC.

**X14**



5 programs, AC.

**X15**



6 programs, AC.

**X16**



7 programs, AC.

#### **w display**

**X1A**



2 programs, AC.

**X1B**



3 programs, AC.

**X1C**



4 programs, AC.

**X1D**



5 programs, AC.

**X1E**



6 programs, AC.

**X1F**



7 programs, AC.

# S 1 - 2 S E R I E S

fully integrated



## Energy Labeling

**E**



Sliding Door



Self Balance

## Major Features



Delay Timer



Half Load



Aqua Zone

**infoLED**



3<sup>rd</sup> Rack  
Easy Tray

See product specifications for default and optional features

## S12-6

2 to 6 programs  
Button Control / Touch Control  
LED Indicator  
E/D energy labeling  
AC circulation pump  
Mini Active / Super Active / Turbo Drying  
57/54/52/49/47/45/44 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load  
3-6-9 hours delay timer with LED indicator  
Wifi option

## S23-7

3 to 7 programs  
Button Control / Touch Control  
Hidden LED Display  
E/D energy labeling  
AC circulation pump  
Mini Active / Super Active / Turbo Drying  
57/54/52/49/47/45/44 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load  
1-24hr hours delay timer with LED indicator  
Wifi option

### Place Setting Options


10 PS (2 baskets), 10 PS (2 baskets+3rd rack)

### Design Options

Hera

### Model Versions

#### S12-6



<b>S12</b>	2 programs, AC.
<b>S13</b>	3 programs, AC.
<b>S14</b>	4 programs, AC.
<b>S15</b>	5 programs, AC.
<b>S16</b>	6 programs, AC.

#### S23-7



<b>S23</b>	3 programs, AC.
<b>S24</b>	4 programs, AC.
<b>S25</b>	5 programs, AC.
<b>S26</b>	6 programs, AC.
<b>S27</b>	7 programs, AC.



## S3 SERIES

fully integrated



### Energy Labeling

**D E**



Sliding Door



Self Balance

### Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



Aqua Zone

**infoLED**



3<sup>rd</sup> Rack  
Easy Tray



Interior Lighting  
1 or 4 Spot

See product specifications for default and optional features

## S31-5

5 to 7 programs	44 dBA with BLDC pump
Button Control / Touch Control	9 lt water consumption
Hidden LED Display	3 mode half load
E/D energy labeling	1-24hr hours delay timer
AC /BLDC circulation pump	Wifi option
Mini Active / Super Active / Turbo Drying	
57/54/52/49/47/45/44 dBA	

### Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets+3rd rack)

### Design Options

Hera

### Model Versions

#### S3 Button Control



<b>S31</b>	5 programs, AC.
<b>S32</b>	6 programs, AC.
<b>S33</b>	7 programs, AC.

#### S3 Touch Control



<b>S34</b>	7 programs, BLDC.
<b>S35</b>	7 programs, BLDC.

# I 1 - 2 SERIES

fully integrated



## Energy Labeling

**E**



**Sliding Door**



**Self Balance**

## Major Features



**Delay Timer**



**Half Load**



**Aqua Zone**

**infoLED**



**3<sup>rd</sup> Rack  
Easy Tray**

See product specifications for default and optional features

## I11-6 / I1A-G

3/5/6/7/8 programs  
LED indicator / LED display  
E energy labeling  
AC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA  
11 lt water consumption (9 lt with aquazone)  
1 mode half load (D12 w/o half load)  
3-6-9 hours / 1-19 hours delay timer  
(D12 w/o delay timer)

## I 21 - 4

7/8/9 programs  
LED display  
E energy labeling  
AC/BLDC circulation pump  
Mini active / super active / turbo drying  
54/52/49/47/45 dBA (w/o BLDC)  
44dBA (w/ BLDC)  
9 lt water consumption  
3 mode half load  
1-19 hours delay timer

### Place Setting Options


10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### Design Options

Alinda, Spero, Spero (Inox Cladding, Inox Half Cladding, Inox add-on)

### Model Versions

#### I11-6 w/display



#### I1A-G w/o display



#### I21-4



<b>I11-A</b>	2 programs, AC.
<b>I12-B</b>	3 programs, AC.
<b>I13-C</b>	4 programs, AC.
<b>I14-D</b>	5 programs, AC.
<b>I15-E</b>	6 programs, AC.
<b>I16-F</b>	7 programs, AC.
<b>I1G</b>	8 programs, AC.

<b>I21</b>	7 programs, AC.
<b>I22</b>	8 programs, AC.
<b>I23</b>	9 programs, AC.
<b>I24</b>	9 programs, BLDC, Auto Door.

I Series  
**Spero**





I Series  
**Alinda**



# I 5 SERIES

fully integrated



## Energy Labeling

**D E**



Sliding Door



Self Balance

## Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



Aqua Zone

**infoLED**



3<sup>rd</sup> Rack  
Easy Tray



Interior Lighting  
1 or 4 Spot

See product specifications for default and optional features

## **I 51 - 4**

6/8 programs  
LED display  
D / E energy labeling  
AC / BLDC circulation pump  
Mini active / super active / turbo drying  
57/54/52/49/47/45 dBA (w/o BLDC)  
44 (w/ BLDC)  
9 lt water consumption (I51: 12 lt (9 lt with aquazone))  
3 mode half load (1 mode for I51)  
1-19 hours delay timer

### ***Place Setting Options***

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### ***Design Options***


Hemen, Hemen (Inox look)

### ***Model Versions***

#### **Black control panel**



#### **Inox look control panel**



<b>I51</b>	7 programs, AC.
<b>I52</b>	8 programs, AC.
<b>I53</b>	9 programs, AC.
<b>I54</b>	9 programs, BLDC, Auto Door.

# TALL-TUB INTEGRATED RANGE



## Energy Labeling



## Color Options



Painted



Stainless steel

## Major Features



Delay Timer



Half Load



Hydro Power



3<sup>rd</sup> Rack  
Easy Tray

## Dimensions

Height (inch, mm)

32 1/4" ; 820 mm

Width (inch, mm)

17 27/32" ; 450 mm

Depth (inch, mm)

22 1/2" ; 570 mm

See product specifications for default and optional features

## **Z A 5 - Z B 7**

Standard-tub structure

6 or 8 programs

LED display

Energy Star

AC/BLDC circulation pump

Mini active / super active / turbo drying

57/55/53/51 dBA (w/o BLDC)

49/47/45/44 dBA (w/ BLDC)

≤ 3,5 gal water consumption

1 or 3 mode half load

1-19 hours delay timer

### ***Place Setting Options***

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

### ***Design Options***

Spero

### ***Model Versions***

#### **ZBA5**



6 programs, AC or BLDC.

#### **ZBA7**



8 programs, AC or BLDC.



## Tall-tub Integrated Range **Spero**









**Standard Tub**

**Semi-Integrated**




**Integrated**






**Standard Tub**  
USA Models

**Semi-Integrated**



**Integrated**



Specifications





60 cm

60cm - A Series Key Points																	
w/o display models	A12	A13	A14	A15	A16	A17	-	-	-	-	-	-	-	-	-	-	
w/ display models	A1B	A1C	A1D	A1E	A1F	A1G	A21	A22	A23	A26	A27	A28	A29	A24	A2X	A25	
Program Number	3	4	5	6	7	8	6	7	8	6	7	8	9	8	9	8	
Energy Labeling	E (w/Autodoor D)						E (w/Autodoor D)						D		C	B	
Water Consumption	12 lt (9 lt with AquaZone)						9 lt										
Sound Level	12-13 -14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47								49/47/45/44/42/41						-	
	14 PS with 3rd rack	-								-						44	
	15 PS with 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47								49/47/45/44/42/41/39						-	
Circulation pump	Asynchronous									BLDC							
Auto Door	- ( Optional )									-				+	-	+	
Water Box	-															+	
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets with knifeshelf) 13 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)						12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets with knifeshelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)										

60cm - A Series Key Points																						
w/o display models	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
w/ display models	A31	A32	A33	A36	A37	A38	A39	A34	A3X	A35	A41	A42	A43	A46	A47	A48	A49	A44	A4X	A45	A4Y	
Program Number	6	8	6	6	7	8	9	8	8	6	7	10	6	7	8	9	10	10	10	10		
Energy Labeling	E (w/Autodoor D)							D		C	B	E	D				C				B	A
Water Consumption	9 lt																					
Sound Level	12-13 -14 PS	50 Hz:	49/47/45/44/42/41							-		46/44		49/47/45/44/42/41						-		
		57/54/52/49/47/45																				
		60 Hz:	44		-						44											
	57/54/52/49/47																					
	14 PS with 3rd rack	-	49/47/45/44/42/41/39							-		44/42		49/47/45/44/42/41/39						-		
50 Hz: 49/47/45																						
15 PS with 3rd rack	60 Hz: 49/47																					
Circulation pump	Asynchronous		BLDC																			
Auto Door	- ( Optional )		+	-					+	-	+	-						+	-	+		
Water Box	-								+		-										+	
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets with knifeshelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																					

60cm - D6 Series Key Points		
w/o display models	-	-
w/ display models	D65	D66
Program Number	10	10
Energy Labeling	B	D
Water Cons.	9 lt	
Sound Level	12-13 -14 PS	-
	44	-
	14 PS with 3rd rack	-
15 PS with 3rd rack	49 / 47 / 45 / 44 / 42 / 41 / 39	
	BLDC	
Water Box	+	-
Place Setting	12 PS (2 baskets) / 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 15-14 PS (2 baskets + 3rd rack)	

60 cm - T3-T4 Series Key Points															
w/o display models		-	-	-	-	-	-	-	-	-	-				
w/ display models		T31	T32	T34	T35	T36	T41	T42	T43	T45	T4X				
Program Number		6	8	8	8	8	6	7	10	10	10				
Energy Labeling		E		D	B	D	E		D	B	C				
Water Consumption		9 lt													
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47		46 / 44		-		49 / 47 / 45 / 44 / 42 / 41		46/44		49 / 47 / 45 / 44 / 42 / 41		-	-
	14 PS with 3rd rack	-		44		-		-		-		44		44	
	15 PS with 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47		44 / 42		-		49 / 47 / 45 / 44 / 42 / 41 / 39		44/42		49 / 47 / 45 / 44 / 42 / 41 / 39		-	-
Circulation pump		Asynchronous			BLDC										
Auto Door		-			+			-			-			+	-
Water Box		-			+			-			-			+	+
Place Setting		12 PS (2 baskets) / 13 PS (2 baskets) / 14 PS (2basket w/ Knifeshelf) 13 PS (2 baskets + 3rd rack) 15-14 PS (2 baskets + 3rd rack)													

60 cm - T1-T2 Series Key Points						
w/o display models	T11	-	-	-	-	-
w/ display models	-	T12	T13	T21	T24	T25
Program Number	3	4	6	8	8	8
Energy Labeling	E			D	B	D
Water Cons.	12lt (9lt w/ AquaZone)		9 lt			
Sound Level	12-13 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47		46/44	-	49 / 47 / 45 / 44 / 42 / 41
	14 PS	-			44	-
	15 PS	50 Hz: 49/47/45 60 Hz: 49/47		44/42	-	49 / 47 / 45 / 44 / 42 / 41 / 39
Circulation pump	Asynchronous			BLDC		
Auto Door	-			+	+	-
Water Box	-				+	-
Place Setting	12-13 PS (2 baskets) / 14 PS (2 basket w/Knifeshelf) 13 PS (2 baskets + 3rd rack) 15-14 PS (2 baskets + 3rd rack)					

60 cm

60 cm - Y Series Key Points														
w/o display models	Y11	Y12	Y13	Y14	Y15	-	-	-	-	-	-	-	-	
w/ display models	Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25	Y26		
Program Number	2	3	4	5	6	7	6	7	8	9	9	9		
Energy Labeling	E										D			
Water Consumption	12 lt (9 lt with AquaZone)							9 lt						
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47							46 / 44		49 / 47 / 45 / 44 / 42 / 41			
	15 PS (2 basket + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47							44 / 42		49 / 47 / 45 / 44 / 42 / 41 / 39			
Circulation pump	Asynchronous										BLDC			
Auto Door	-										+		-	
Water Box	-													
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets w/Knifeshelf) 13 PS (2 baskets + 3rd rack)							12 PS (2 baskets) / 13 PS (2 Baskets) 14 PS (2 baskets w/Knifeshelf) 13 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)						

60 cm - X Series Key Points						
w/o display models	X11	X12	X13	X14	X15	X16
w/ display models	X1A	X1B	X1C	X1D	X1E	X1F
Program Number	2	3	4	5	6	7
Energy Labeling	E					
Water Consumption	12 lt (9 lt with AquaZone)					
Sound Level	12-13-14 PS 50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47					
Circulation pump	Asynchronous					
Auto Door	-					
Water Box	-					
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets w/Knifeshelf) 13 PS (2 baskets + 3rd rack)					

60 cm - Full Door I Series Key Points																			
w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-	-	-	
w/ hidden display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	I25	I2X	I54	
w/ front display models	I1K	I1L	I1M	I1N	I1O	I1P	I1R	I2K	I2L	I2M	I2P	I2R	I2S	I2T	I2N	I2O	I2U	-	
Program Number	2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	9	9	
Energy Labeling	E							E							D		B	C	D
Water Consumption	12 lt (9 lt with AquaZone)							9 lt											
Sound Level	12-13 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47									49 / 47 / 45 / 44 / 42 / 41					-		49 / 47 / 45 / 44 / 42 / 41	
	14 PS	-														44		-	
	15 PS	50 Hz: 49/47/45 60 Hz: 49/47									49 / 47 / 45 / 44 / 42 / 41 / 39					-		49 / 47 / 45 / 44 / 42 / 41 / 39	
Circulation pump	Asynchronous							Asynchronous			BLDC								
Auto Door	-							-							+		+	-	+
Water Box	-							-									+	+	-
Place Setting	12 PS (2 baskets) / 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																		

60 cm - I Series Key Points																												
w/o display models		I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
w/ hidden display models		I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	I2X	I25	I51	I52	I53	I56	I57	I58	I59	I54	I5X	I55
Program Number		2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	9	7	8	9	6	7	8	9	9	9	9
Energy Labeling		E										D				C	B	E	D				C	B				
Water Consumption		12 lt (9 lt with AquaZone)										9 lt																
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47										49 / 47 / 45 / 44 / 42 / 41				-		50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				49 / 47 / 45 / 44 / 42 / 41				-		
	14 PS (2 baskets + 3rd rack)	-										-				44		-				-				44		
	15 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47										49 / 47 / 45 / 44 / 42 / 41 / 39				-		50 Hz: 49/47/45 60 Hz: 49/47				49 / 47 / 45 / 44 / 42 / 41 / 39				-		
Circulation pump		Asynchronous							Asynchronous				BLDC				Asynchronous				BLDC							
Auto Door		-							-				+		-	+	-				+				-	+		
Water Box		-							-				+		-				+							+	+	
Place Setting		12 PS (2 baskets) / 13 PS (2 baskets) / 14 PS (2 baskets w/KnifeShelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																										

60cm-S Series Key Points																					
	S12	S13	S14	S15	S16	S23	S24	S25	S26	S27	S28	S29	S31	S32	S33	S34	S35	S36	S37	S38	
Program Number	2	3	4	5	6	3	4	5	6	7	8	9	7	8	9	9	7	8	9	9	
Energy Labeling	E (without Autodoor) D (with Autodoor)																		C (without Autodoor) B (with Autodoor)		
Water Consumption	12 lt (9 lt with AquaZone)												9 lt								
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47													49/47/45/44/42/41 Tall Tub: 49/47/45/44						
	14 PS (2 baskets + 3rd rack)																			44	
	15 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47													49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41				-		
Circulation pump	Asynchronous															BLDC					
Auto Door	Optional																				
Water Box	-																			+	
Place Setting	12 PS (2 baskets) / 13 PS (2 baskets) / 14 PS (2 baskets w/KnifeShelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																				

## 45 cm

45 cm - A Series Key Points																	
w/o display models	A12	A13	A14	A15	-	-	-	-	-	-	-	-	-	-	-	-	
w/ display models	A1B	A1C	A1D	A1E	A21	A22	A23	A24	A31	A32	A33	A34	A41	A42	A43	A44	
Program Number	3	4	5	6	6	7	8	8	6	8	6	8	6	7	10	10	
Energy Labeling	E				E			D		E		D		E		D	
Water Consumption	11 lt (9 lt with AquaZone)				9 lt												
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47						44	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				44				
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47							50 Hz: 49/47/45 60 Hz: 49/47								
Circulation pump	Asynchronous							BLDC		Asynchronous			BLDC		BLDC		
Auto Door	-							+		-			+		-		
Water Box	-																
Place Setting	10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)																

45 cm - T1-T2 Series Key Points						
w/o display models	-	T15	-	-	-	
w/ display models	T14	-	T21	T22	T24	
Program Number	7	7	8	8	8	
Energy Labeling	E					D
Water Consumption	11 lt (9 lt with AquaZone)		9 lt			
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				44
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47				
Circulation pump	Asynchronous					BLDC
Auto Door						+
Water Box	-					
Place Setting	10 PS (2 baskets)					
	10 PS (2 baskets + 3rd rack)					

45 cm - Y Series Key Points													
w/o display models	Y11	Y12	Y13	Y14	Y15	-	-	-	-	-	-	-	
w/ display models	Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25		
Program Number	2	3	4	5	6	7	6	7	8	9	9		
Energy Labeling	E						E				D		
Water Consumption	11 lt (9 lt with AquaZone)						9 lt						
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47										44	
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47											
Circulation pump	Asynchronous											BLDC	
Auto Door	-						-						+
Water Box	-						-						
Place Setting	10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)												

45 cm - X Series Key Points							
w/o display models	X11	X12	X13	X14	X15	X16	
w/ display models	X1A	X1B	X1C	X1D	X1E	X1F	
Program Number	2	3	4	5	6	7	
Energy Labeling	E						
Water Consumption	11 lt (9 lt with AquaZone)						
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47					
Circulation pump	Asynchronous						
Auto Door	-						
Water Box	-						
Place Setting	10 PS (2 baskets)						

45 cm - Full Door I Series Key Points												
w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-
w/ display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I24	I24
Program Number	2	3	4	5	6	7	8	7	8	9	9	9
Energy Labeling	E											D
Water Consumption	11 lt (9 lt with AquaZone)							9 lt				
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47										44
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47										
Circulation pump	Asynchronous											BLDC
Auto Door	-											+
Water Box	-											
Place Setting	10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)											

45 cm - I Series Key Points																
w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-		
w/ display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I24	I51	I52	I53	I54	
Program Number	2	3	4	5	6	7	8	7	8	9	9	7	8	9	9	
Energy Labeling	E										D		E		D	
Water Consumption	11 lt (9 lt with AquaZone)							9 lt			9 lt					
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47									44	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				44
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47										50 Hz: 49/47/45 60 Hz: 49/47				
Circulation pump	Asynchronous										BLDC	Asynchronous			BLDC	
Auto Door	-										+	-			+	
Water Box	-										-					
Place Setting	10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)															

45cm- S Series Key Points																
w/ display models	S12 45cm	S13 45cm	S14 45cm	S15 45cm	S16 45cm	S22 45cm	S23 45cm	S24 45cm	S25 45cm	S26 45cm	S31 45cm	S32 45cm	S33 45cm	S34 45cm	S35 45cm	
Program Number	2	3	4	5	6	3	4	5	6	7	5	6	7	7	7	
Energy Labeling	E (without Autodoor) D (with Autodoor)															
Water Consumption	11 lt (9 lt with AquaZone)										9 lt					
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47													44	
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47														
Circulation pump	Asynchronous														BLDC	
Auto Door	Optional															
Water Box	-															
Place Setting	10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)															