



# PAINTS PLASTERS INSULATION & STONES

### PRODUCTS



SILKY PLASTER



**CP PLASTER** 



MP PLASTER



EFFECT MARMARIT




INTERIOR PAINT



EXTERIOR PAINT

# PRODUCTS



#### STONE CARPET



#### WATER INSULATION



EFFECT HALE & STAR

#### SILKY PLASTER









Bültene bakınız Refer to the manu

Yüzeyi temizleyiniz Clean the surface

Su ile inceltiniz Dilute with adding water



Karıştırın Mix



 Mala ile uygulayınız
 Donmaktan koruyun
 5°-35° arası uygulayınız


 It is applied with a trowel
 Protect from frost
 5°-35° is applied





Sağlıklıdır Healthy

#### **SILKY PLASTER**



Bültene bakınız Refer to the manu Yüzeyi temizleyiniz Clean the surface Dilute with adding water

Su ile inceltiniz

Karıştırın Mix

Mala ile uygulayınız It is applied with a trowel Protect from frost

Donmaktan koruyun Protect from frost 5°-35° arası uygulayınız 5°-35° is applied

alev geciktirici flame retardant

Sağlıklıdır Healthy





Refer to the manu



Yüzeyi temizleyiniz Clean the surface

Su ile inceltiniz Dilute with adding water Karıştırın Mix













Sağlıklıdır Healthy

Mala ile uygulayınız It is applied with a trowel Protect from frost

Donmaktan koruyun Protect from frost 5°-35° arası uygulayınız 5°-35° is applied

alev geciktirici flame retardant



































#### BREEZE
















DREAM


DREAM 01

REAM 05



DREAM 06

DREAM 10



DREAM 13

DREAM 14



DREAM 18

DREAM 19





DREAM 25

### **APPLIGATIONS**















# **APPLICATIONS**


























#### **CP PLASTER**



#### WALLUKS CP PLASTER

New, Light, Strong, Aesthetic For Exterior and Interior Facades and Stairs THE MOST IDEAL MATERIAL ...

Applicable on putty, Washable, No other materials required! Ceramic based shell fractures and high strength acrylic resin material, chemical structure and resin quality depending on; has high physical properties such as high adherence, water resistance, resistance to all external influences, long life.

Granite marble has the main colors and granite marble appearance is obtained on the facade. It also covers cracks due to its shell structure. It is resistant to motion deformation with its flexible structure.



### **CP PLASTER**













Bültene bakınız Yüzeyi temizleyiniz Clean the surface Refer to the manu

Su ile inceltiniz Dilute with adding water











Karıştırın Mix

Mala ile uygulayınız It is applied with a trowel Protect from frost

Donmaktan koruyun 5°-35° arası uygulayınız Protect from frost 5°-35° is applied

alev geciktirici flame retardant Sağlıklıdır Healthy

### **CP PLASTER MODELS**



**CP 01** 

CP 06





CP 17



CP 08



**CP 04** 

**CP 09** 



CP 05



CP 10






**CP 16** 





**CP 13** 



CP 18









**CP PLASTER MODELS** 












**CP 25** 



**CP 27** 







**CP 30** 



#### **EFFECT COATING PAINTS**



#### **EFFECT DECORATIVE COATING PAINT HALE & STAR**

#### Definition:

• Texture and glitter of metallic pigment and filler content in certain areas of Hale and Star silver, gold, copper and bronze pearl decorative coatings.

#### Application area:

• After the preparation of walls, plaster, concrete and wooden surfaces on the inner walls of the building, with suitable primers.

#### Features:

- · Gives a shiny appearance with decorative texture and silky pearl coating.
- · It does not harm human health and environment as it is water-based.



### **EFFECT COATING PAINTS**





### **EFFECT COATING PAINTS**






#### **STAR COATING PAINTS COLOURS**



### HALE COATING PAINT COLOURS



#### **MARMARITE COATING PAINTS**



#### EFFECT DECORATIVE COATING PAINT MARMARIT

#### **PRODUCT DESCRIPTION:**

MARMARIT is an acrylic copolymer based water based wall paint. It is used on interior walls with marble pattern for decorative purposes.

TECHNICAL DATA Structure: Acrylic copolymer PH: 8-9 Density: 1,70 Consumption: 1,5 - 2 m<sup>2</sup> / kg Thinner: Ready to use. It is applied without thinning. Drying Time: Touch 15 - 20 min; Dust free 1 hour; Full drying 24 hours



#### MARMARITE COATING PAINT COLOURS



### **INTERIOR PAINTS**



#### WALLUKS INTERIOR PAINTS

Interior paint and coating systems will solve the existing or potential problems in the walls of your buildings and spaces, but they will give you extremely stylish appearance and high performance on your walls with high erasability, breathability, high coverage and vivid colors. Our products are TSE 5808 certified and they are produced with unlimited color alternatives.

Packaging and Storage 15 / 7.5 / 2.5 Lt plastic bucket is available in packages. The material should be stored in a clean, dry environment and protected from the sun, rain, extreme heat and cold air. The production date must be started from the oldest material.

#### Stored for 12 months in unopened packages






#### **INTERIOR PAINTS COLOURS**

6040 Buz Beyazı //ce White

6073 Nil Yeşili /Nile Green\*

1380 Hazan /Autmr

6096 Mentol Menthol



6054 Limon Çiçeği Lemon Flower



6070 Fistik /Peanut\*



1414 Kekik/Thyme

# 5050 Mine Nervain 7404 Duru Mavi / Clear Blue 3939 Köpük Şeker Foam Sugar 5057 Gökmavi Sky Blue 3030 Toz Pembe Chalk Pink 4014 Leylak /Lilac\* 4002 Leylak Çiçeği Lilac Flower 3034 Pembegül /Pinkrose\*

3364 Gül Kurusu Dusty Rose\*

4030 Menekşe Miolet





#### **INTERIOR PAINTS COLOURS**



#### **CARPET STONE**



#### WALLUKS STONE CARPET FLOORING

WALLUKS Stone carpet floor covering is a type of floor covering that has started to become popular in recent years. Although it seems to be preferred especially for outdoors, it is a coating used indoors as well. The most distinctive feature of it is a coating that will be used for multi-faceted projects, since it is produced in the desired form as well as being solid.

#### HOW TO MAKE STONE CARPET?

Unfortunately, there are too many wrong practices and systems in this regard in our country. That's why, as WALLUKS, we are pleased to offer you the STONE CARPET application with the most experienced and professional approach to our valued customers. Stone carpet flooring is a coating that can be applied both indoors and outdoors, as we mentioned above. For this reason, the application is made in 2 different systems.

For outdoor applications; There are 2 main products in stone carpet application. Stone Binder Resin Natural stone



# NANO TECHNOLOGY

-

SU GEÇİRGEN ÇAKIL TAŞI ZEMİN KAPLAMASI WATER PERMEABLE GRAVEL STONE FLOORING

### **CARPET STONEAPPLIGATIONS**





# **CARPET STONE MODELS**



### WATER STOP INSULATIONS




Acrylic Elastic Liquid Membrane

E-BROCHURE



#### Bitum Membran





#### A B Kompenant Acrylic Liquid Membrane



### WATER STOP INSULATIONS





Polyurethane Transparent Liquid Membrane





### REFERANCES



walluks 9



Sp İpeksi Sıva - Sp ...



Seramik\_Sıva



Walluks - Silky Plast...



Sp\_SIVA\_lpeksi\_Siva



WALLUKS STONE ...



walluks 16





walluks 6



WALLUKS STONE ...





walluks stone jpg

### REFERANCES



silky\_plaster\_walluks



walluks 12



sera<mark>mik</mark> sıva



izolasyon



Mineral Sıva - Mp P...



walluks 3



23silky plaster



Seramik Sıva - Cp S...



Sp Plaster - Silky Pl...



İç Cephe Boyası











