

GAZ SOBALARI GAS HEATERS



RS 42 Q

- TR**
- Emaye ön panel
 - 3 Taşlı reflektör
 - 360 Döndürülebilir ayak
 - Quartz ısıtma 3*400W
 - Max.Güç:4.2Kw
 - Isı dağılımına yardımcı fan
 - Boyut:430x385x785mm
 - LPG Ayarlı
- EN**
- Enamelled front panel
 - 3 reflector stone
 - 360 Turnable food
 - Seperate quartz heating element 3*400W
 - Max.Pow:4.2Kw
 - Fan for heat convection
 - Dimension 430x385x785mm
 - Adjustable to NG



RS 42 F

- TR**
- Bordo ön panel
 - 3 Taşlı reflektör
 - 360 Döndürülebilir tekerlek
 - Isı dağılımına yardımcı fan
 - Max.Güç:4.2Kw
 - Boyut:430x385x785mm
 - LPG Ayarlı
- EN**
- Burgundy front panel
 - 3 Reflector stone
 - 360 Turnable food
 - Fan for heat convection
 - Max.Pow:4.2Kw
 - Dimension:430x385x785mm
 - Adjustable to NG



RS 42

- TR**
- Turkuaz renk ön panel
 - 3 Taşlı reflektör
 - 360 döndürülebilir ayak
 - Max.Güç:4.2Kw
 - Boyut:430x485x785mm
 - LPG Ayarlı
- EN**
- Turquoise front panel
 - 3 Reflector stone
 - 360 Turnable food
 - Max.Pow:4.2Kw
 - Dimension:430x385x785mm
 - Adjustable to NG



RS 42

- TR**
- Siyah renk ön panel
 - 3 Taşlı reflektör
 - 360 döndürülebilir ayak
 - Max.Güç:4.2Kw
 - Boyut:430x385x760mm
 - LPG Ayarlı
- EN**
- Black front panel
 - 3 Reflector stone
 - 360 turnable food
 - Max.Pow:4.2Kw
 - Dimension:430x385x760mm
 - Adjustable to NG



RS 42

- TR**
- Kırmızı ön panel
 - 3 Taşlı reflektör
 - 360 döndürülebilir ayak
 - Max.Güç:4.2Kw
 - Boyut:430x385x760mm
 - LPG Ayarlı
- EN**
- Red front panel
 - 3 Reflector stone
 - 360 turnable food
 - Max.Pow:4.2Kw
 - Dimension:430x385x760mm
 - Adjustable to NG



RS 42

- TR**
- Füme renk ön panel
 - 3 Taşlı reflektör
 - 360 döndürülebilir ayak
 - Max.Güç:4.2Kw
 - Boyut:430x385x760mm
 - LPG Ayarlı
- EN**
- Smoked front panel
 - 3 Reflector stone
 - 360 turnable food
 - Max.Pow:4.2Kw
 - Dimension:430x385x760mm
 - Adjustable to NG



M 145 G

- TR**
- Hermetik gaz sobası
 - Krem ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Maksimum güç: 13.10 Kw
 - Ağırlık: 28.8 Buit: 705x356x850mm
 - NG LPG Ayarlanabilir
- EN**
- Hermetic gas heater
 - Cream front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Maximum power : 13.10Kw
 - Net weight : 28.80Kg
 - Dimenson: 705x356x850mm
 - Adjustable to NG / LPG



M 120 G

- TR**
- Bacalı gaz sobası
 - Siyah ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max. Pow:11.98Kw Ağırlık:28.8kg
 - NG ayarlı
- EN**
- Open balance gas heater
 - Black front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max pow:11.98Kw Weight:28.80Kg
 - Adjustable to NG



M 145

- TR**
- Bacalı gaz sobası
 - Rustik görünüm emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max.Güç:13.10Kw Ağırlık:25.7Kg
 - Boyut:665x271x790mm
 - NG-LPG Ayarlanabilir
- EN**
- Open balance gas heater
 - Rustic enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max.Pow:13.10Kw Weight:25.7Kg
 - Dimension:665x271x790mm
 - Adjustable to NG/LPG



M 145

- TR**
- Bacalı gaz sobası
 - Beyaz emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max.Güç:13.10kw Ağırlık:24.7kg
 - Boyut:665x271x635mm
 - NG/LPG Ayarlanabilir
- EN**
- Open balance gas heater
 - White front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max.Pow:13.10Kw Weight:24.7Kg
 - Dimension:665x271x635mm
 - Adjustable to NG/LPG



M 145

- TR**
- Bacalı gaz sobası
 - Krem emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max güç:13.10kw Ağırlık:25.7kg
 - Boyut:640x290x660mm
 - NG/LPG Ayarlanabilir
- EN**
- Open balance gas heater
 - Cream front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max.Pow:13.10Kw Weight:25.7Kg
 - Dimension:640x290x660mm
 - Adjustable to NG/LPG



M 120

- TR**
- Bacalı gaz sobası
 - Beyaz emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max.Güç:11.98kw Ağırlık:24.8kg
 - Boyut:665x271x635mm
 - NG-LPG Ayarlanabilir
- EN**
- Open balance gas heater
 - White front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max pow:11.98Kw Weight:24.8kg
 - Dimension:665x271x635mm
 - Adjustable To NG/LPG



M 70

- TR**
- Bacalı gaz sobası
 - Beyaz emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max.Güç:7.77Kw Ağırlık:18.2kg
 - Boyut: 670x271x540mm
 - NG-LPG Ayarlanabilir
- EN**
- Open balance gas heater
 - Cream front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max.Pow:7.77Kw Weight:18.2Kg
 - Dimension:670x271x540mm
 - Adjustable To NG/LPG



HR 11000 G

- TR**
- Hermetik gaz sobası
 - Beyaz ön panel
 - Otomatik ateşleme panelli
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan panel
 - Max güç:11.10kw Ağırlık:28.8kg
 - Boyut:705x356x850mm
 - NG ayarlı
- EN**
- Flue balance(hermetical) gas heater
 - White front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max Pow:11.10Kw Net weight:28.80kg
 - Dimension:705x356x850mm



HR 11000 G

- TR**
- Hermetik gaz sobası
 - Siyah ön panel
 - Otomatik ateşleme panelli
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan panel
 - Max güç:11.10kw Ağırlık:28.8kg
 - Boyut:705x356x850mm
 - NG ayarlı
- EN**
- Flue balance(hermetical) gas heater
 - Black front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max Pow:11.10Kw Net weight:28.80kg
 - Dimension:705x356x850mm



HR 11000 F

- TR**
- Hermetik gaz sobası
 - Krem emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Isı dağılımına yardımcı fan
 - Max.Güç:11.10Kw Ağırlık:28.8Kg
 - Boyut:705x356x850mm
 - NG Ayarlı
- EN**
- Flue balance(hermetical) gas heater
 - Cream enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Fan for heat convection
 - Max.Pow:11.10kw Weight:28.80Kg
 - Dimension:705x356x850mm
 - Adjustable to NG



HR 11000

- TR**
- Hermetik gaz sobası
 - Krem emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max.Güç:11.10Kw Ağırlık:28.8kg
 - Boyut:705x356x850mm
 - NG Ayarlı
- EN**
- Flue balance(hermetical)gas heater
 - Cream enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max.Pow:11.10Kw Weight:28.80Kg
 - Dimension:705x356x850mm
 - Adjustable to NG



HR 11000

- TR**
- Hermetik gaz sobası
 - Beyaz emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max.Güç:11.10Kw Ağırlık:28.8Kg
 - Boyut:705x356x850mm
 - NG Ayarlı
- EN**
- Flue balance(hermetical)gas heater
 - White enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max.Pow:11.10Kw Weight:28.80Kg
 - Dimension:705x356x850mm
 - Adjustable to NG



HR 11000

- TR**
- Hermetik gaz sobası
 - Beyaz emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max.Güç:11.10Kw Ağırlık:28.8Kg
 - Boyut:705x356x850mm
 - NG Ayarlı
- EN**
- Flue balance(hermetical)gas heater
 - White enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max.Pow:11.10Kw Weight:28.80Kg
 - Dimension:705x356x850mm
 - Adjustable to NG



SR 11000

- TR**
- Hermetik gaz sobası
 - Rustik görünüm emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max güç:11.10Kw
 - Boyut:670x260x880mm
 - NG Ayarlı
- EN**
- Flue balance(hermatical) gas heater
 - Rustic enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian ilt valve with thermostat
 - Max pow:11.10kw
 - Dimension:670x260x880mm
 - Adjustable to NG



SR 11000

- TR**
- Bacalı doğalgaz sobası
 - Kahve rengi emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max Güç:11.10Kw Ağırlık:24.4kg
 - Boyut: 670x260x880mm
 - NG Ayarlı
- EN**
- Open balance gas heater
 - Brown enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max. Pow:11.10Kw Weight:24.4kg
 - Dimension:670x260x880mm
 - Adjustable to NG/LPG



SR 5500

- TR**
- Bacalı doğalgaz sobası
 - Rustik görünüm emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max.Güç:7.21kw Ağırlık:
 - Boyut:640x290x660m
 - NG-LPG Ayarlı
- EN**
- Open balance gas heater
 - Rustic enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max. Pow:7.21Kw Weight:
 - Dimension:670x290x660mm
 - Adjustable to NG/LPG



SR 11000 F

- TR**
- Bacalı gaz sobası
 - Krem emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max.Güç:11.10Kw
 - Isı dağılımına yardımcı fan
 - Boyut: 670x260x880mm
 - NG Ayarlı
- EN**
- Open balance gas heater
 - Cream enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max.Pow:11.10kw
 - Fan for heat convection
 - Dimension:670x260x880mm
 - Adjustable to NG



S 145

- TR**
- Bacalı doğalgaz sobası
 - Krem emaye ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sit İtalyan valf
 - Max Güç:13.10Kw Ağırlık:28.7kg
 - Boyut:665x271x790mm
 - NG-LPG Ayarlanabilir
- EN**
- Open balance gas heater
 - Cream enamelled front panel
 - Automatic igniter
 - Gas safety device
 - Italian silt valve with thermostat
 - Max pow:13.10Kw Weight:28.70kg
 - Dimenson:665x271x790mm
 - Adjustable to NG/LPG



S 120

- TR • Bacalı doğalgaz sobası
- Krem emaye ön panel
- Poize ateşleme sistemi
- Gaz emniyet sistemi
- Termostatlı sit İtalyan valf
- Max güç:11.98Kw
- Ağırlık:27.3Kg boyut:665x271x635mm
- NP-LPG Ayarlanabilir

- EN • Open balance gas heater
- Cream enamelled front panel
- Poize Igniter
- Gas safety device
- Italian sit valve with thermostat
- Max pow:11.98Kw
- Weight:27.3Kg Dimenson:665x271x790mm
- Adjustable to NG/LPG



DT 11000 G

- TR • Hermetik gaz sobası
- Şömine görünümlü camlı krem ön panel
- Otomatik ateşleme sistemi
- Gaz emniyet sistemi
- Termostatlı sit İtalyan valf
- Max.Güç:9.0Kw
- Boyut:510x260x980mm
- NG Ayarlanabilir

- EN • Flue balance(hermetical)gas heater
- Fireplace effect glass black front panel
- Automatic Igniter
- Gas safety device
- Italian sit valve with thermostat
- Max.Pow:9.0Kw
- Dimension:510x260x980mm
- Adjustable to NG



S 70

- TR • Bacalı gaz sobası
- Krem emaye ön panel
- Otomatik ateşleme sistemi
- Gaz emniyet sistemi
- Termostatlı sit İtalyan valf
- Max güç:7.77kw
- Boyut:665x271x525mm
- NG-LPG Ayarlanabilir


- EN • Flue balance(hermetical)gas heater
- Cream enamelled front panel
- Automatic Igniter
- Gas safety device
- Italian sit valve with thermostat
- Max Pow:7.77Kw Weiht:18.2Kg
- Dimension:665x271x525mm
- Adjustable to NG/LPG



DT 11000 F

- TR • Hermetik gaz sobası
- Beyaz ön panel
- Otomatik ateşleme sistemi
- Gaz emniyet sistemi
- Termostatlı sit İtalyan valf
- Isı dağılımına yardımcı fan
- Max.Güç:9.0Kw
- Boyut:510x260x1050mm
- NG Ayarlı

- EN • Flue balance(hermetical)gas heater
- Fireplace effect glass cream front panel
- Automatic Igniter
- Gas safety device
- Italian sit valve with thermostat
- Fan for heat convection
- Fan for heat convection
- Max.Pow:9.0Kw
- Dimension:510x260x1050mm
- Adjustable to NG



DT 11000 G

- TR • Hermetik gaz sobası
- Şömine görünümlü camlı siyah ön panel
- Otomatik ateşleme sistemi
- Gaz emniyet sistemi
- Termostatlı sit İtalyan valf
- Max.Güç:9.0Kw
- Boyut:510x260x980mm
- NG Ayarlı


- EN • Flue balance(hermetical)gas heater
- Fireplace effect glass black front panel
- Automatic Igniter
- Gas safety device
- Italian sit valve with thermostat
- Dimension:510x260x980mm
- Adjustable to NG



DT 11000

- TR • Hermetik gaz sobası
- Beyaz ön panel
- Otomatik ateşleme sistemi
- Gaz emniyet sistemi
- Termostatlı sit İtalyan valf
- Max.Güç:9.0Kw
- Boyut:510x260x980mm
- NG Ayarlı

- EN • Gas valve with thermostat
- Magnetic Ignition - Safety device
- Adjustable to NG/LPG
- SIT Valve (Italian)
- Enameled Front Panel
- Schott Robax Ceramic Glass (German)
- Power Load 6.90 kW (5.940 Kcal/h)
- Dimension 510x260x980 mm



DT 5000

- TR**
- Hermetik gaz sobası
 - Beyaz gaz sobası
 - Otomatik ateşleme sistemi
 - Termostatlı sıt İtalyan valf
 - Max.Güç:4.4Kw
 - Boyut:580x260x590mm
 - NG Ayarlı
- EN**
- Flue balance(hermatical)gas heater
 - White front panel
 - Automatic igniter
 - Gas safety device
 - Italian sit valve with thermostat
 - Max.Pow:4.4Kw
 - Dimension:580x260x590mm
 - Adjustable to NG



DT 3000

- TR**
- Hermetik gaz sobası
 - Beyaz ön panel
 - Otomatik ateşleme sistemi
 - Gaz emniyet sistemi
 - Termostatlı sıt İtalyan valf
 - Maksimum güç:2.65Kw
 - Boyut:500x260x560mm
 - NG Ayarlı
- EN**
- Flue balance(hermatical)gas heater
 - White front panel
 - Automatic igniter
 - Gas safety device
 - Italian sit valve with thermostat
 - Max.Pow:2.656Kw
 - Dimension:500x260x560mm
 - Adjustable to NG

