

Euphoria[®]

FROM PRODUCTION TO ASSEMBLY
ÜRETİMDEN MONTAJA*

ORIGINAL ARCHITECTURE
ÖZGÜN MİMARİ*

HIGH SOUND AND HEAT INSULATION
YÜKSEK SES VE ISI IZOLASYONU*

EARTHQUAKE RESISTANT
DEPREME KARŞI DAYANIKLI*

LIGHT STEEL STRUCTURES
HAFİF ÇELİK YAPILAR*

Power of the Steel
Çeliğin Gücü*



TABLE OF CONTENTS/ İÇİNDEKİLER*


NUMBER OF PAGES/
SAYFA SAYISI

01	TEOTECH
02-07	SYSTEM DETAIL/ SİSTEM DETAYI
08-11	EDUCATIONAL BUILDINGS/ EĞİTİM YAPILARI*
12-15	OFFICE BUILDINGS/ OFİS YAPILARI*
16-19	COMMERCIAL BUILDINGS/ TİCARİ YAPILAR*
20-22	HEALTH STRUCTURES/ SAĞLIK YAPILARI*
23-24	SOCIAL STRUCTURES/ SOSYAL YAPILAR*
25-27	TOURISM STRUCTURES/ TURİZM YAPILARI*
28-31	INDUSTRIAL BUILDINGS/ ENDÜSTRİYEL YAPILAR*
32-38	PUBLIC BUILDINGS/ KAMUSAL YAPILAR*
39-42	MULTIPLE PROJECTS/ ÇOKLU PROJELER*
43-50	SINGLE STOREY/ TEK KATLI*
51-61	TWO STOREY/ İKİ KATLI*
62-63	TRIANGLE HOUSE/ ÜÇGEN EV*
64-67	TINY HOUSE/ TEKERLEKLİ EV*
68-69	TEOCAD PROGRAM
70-73	INTERIOR DETAILS/ İÇ DETAYLAR*
74-77	STEEL IMAGES/ ÇELİK GÖRSELLERİ*
78-81	CONSTRUCTION SITE PHOTOS/ ŞANTIYE FOTOĞRAFLARI*




→ Drywall/ Alçıpan
→ Osb Sheet/ Osb Levha

INTERIOR WALL
İÇ DUVAR




→ Paint/ Boya
→ Plaster/ Sıva
→ Ceramic Adhesive/ Kalekim
→ Net/ File

EXTERIOR WALL
DIŞ DUVAR




→ Osb Sheet/ Osb Levha
→ Membran
→ Shingle/ Şingil

ROOFING
ÇATI KAPLAMA




→ Osb Sheet/ Osb Levha
→ Moisture Barrier/ Nem Bariyeri
→ Metal Tile Roof/ Metal Kiremit

ROOFING
ÇATI KAPLAMA



→ Osb Sheet/ Osb Levha
→ Moisture Barrier/ Nem Bariyeri
→ Standing Seam Roof/ Kenet Sac


ROOFING
ÇATI KAPLAMA



→ Floor Ceramics/ Seramik

→ 5 cm Screed Concrete/ 5 cm Şap Betonu

→ Osb Sheet/ Osb Levha



UNDERLAYMENT
ARAKAT DÖŞEME

SYSTEM DETAIL

SİSTEM DETAYI*

3

INTERIOR WALL DETAIL İÇ DUVAR DETAYI*



- Osb Sheet/ Osb Levha
- Drywall/ Alçıpan
- Joint Filler/ Derz Dolgusu
- Joint Plaster/ Derz Alçısı
- 2 Layers of Satin Plaster/ 2 Kat Saten Alçı
- Emery/ Zımpara
- Paint/Boya

INSULATION DETAIL İZOLASYON DETAYI*



- Mineral Rockwool/ Mineral Taşyünü

ELECTRICAL INSTALLATION DETAIL ELEKTRİK TESİSAT DETAYI*



- Electrical Installation/ Elektrik Tesisatı
- 9 cm-14 cm

EXTERIOR WALL DETAIL DIŞ DUVAR DETAYI*



- Moisture Barrier/ Nem Bariyeri
- Fibercemet Net/ File
- Ceramic Adhesive/ Kalekim
- Plaster/ Sıva
- Paint/ Boya

LIGHT STEEL STRUCTURAL ELEMENTS

HAFİF ÇELİK YAPI ELEMANLARI*

HAFİF ÇELİK YAPI SİSTEMİ



Hafif Çelik Yapı Sistemi ; 90 mm-140mm. genişliğinde AISI (American Iron and Steel Institute) ve (DIN-EN 10326) Standartlarında Galvanizli Yapı Çeliği İç -Dış Duvar, Tavan, Çatı Panelleri, Çatı Makasları, Kiriş ve Parapetlerin, gereksinim duyulan diğer bina elemanlarıyla birlikte Mühendislik ve Mimari tasarımları yapılarak bilgisayar destekli Roll Form makinalarımızda fabrika sahasında ön üretimi gerçekleştirilmektedir.

LIGHT STEEL CONSTRUCTION SYSTEM

Light Steel Construction System; 90mm-140mm. In AISI (American Iron and Steel Institute) and (DIN-EN 10326) Standards, Galvanized Structural Steel Interior-Exterior Wall, Ceiling, Roof Panels, Roof Trusses, Beams and Parapets, together with other required building elements, Engineering and Architectural designs are made and computer-aided Pre-production is carried out at the factory site in our Roll Form machines.

ÇATI KAPLAMA



Roll Form makinasında tasarlanan çatı panelleri, 90 mm genişliğindedir. Makas ve tavan panellerinin üzerine uygulanır ve bina çevresine 18 cm alın oluşturur. İstenildiği takdirde çatı kaplaması olarak; kenet çatı, metal kiremit, ondüline, sandviç panel veya trapez çatı kaplamaları da uygulanabilmektedir.

ROOFING

Roof panels designed on the Roll Form machine are 90 mm framed. It is applied over the truss and ceiling panels and creates an 18 cm face around the building. As roof covering when requested; Seam roof, metal tile, corrugated, sandwich panel or trapezoidal roof coverings can also be applied.

ELEKTRİK- SİHHİ TESİSAT



Temiz soğuk su tesisatı 1/2"PVC pprc borular ile sıva altı olarak yapının 1 m. dışarısına çekilir.

Plastik kablo kanallarından SIVA ALTI çekilir, 2000 Watt, 220 Volt. Prizlerde NYA 3x2,5 mm² A 2x1,5 mm² kablo kullanılır. Sigortalar prizlerde 16 Amp., aydınlatmada 10 Amp. Konutlardaki tesisat, (sorti ve linyeler) linye hatları 2.5 mm² NYM, aydınlatma 1.5 mm NYM kablo, standartlara uygun tertiplenmiş, sorti ve linye otomatik sigorta ile teçhizatlandırılmıştır. İnternet için CCTV kablo hattı çekilmektedir.

ELECTRICAL-SANITARY INSTALLATION

The clean cold water installation is drawn 1 m outside of the building with 1/2" PVC pprc pipes as flush mounted. FINISHED from plastic cable ducts, 2000 Watt, 220 Volt. NYA 3x2.5 mm² A 2x1.5 mm² cable is used in sockets. Fuses are 16 Amp in sockets, 10 Amp in lighting. The plumbing in the residences (sortes and lines) line lines are 2.5 mm² NYM, lighting is 1.5 mm NYM cable, arranged in accordance with the standards, and are equipped with sorties and line automatic fuses. CCTV cable line is installed for internet.

İZOLASYON (ISI YALITIMI)



100 mm kalınlığında 44 kg/m³ yoğunlukta - TS 13501, A1 sınıfı yanmaz, (Knauf İnsulation Taşyünü) kullanım sıcaklığı -55/+760°C, ısı iletkenlik katsayısı : $\lambda h = 0.040 \text{ W/mK}$ 'dir. BOYA Saten

INSULATION (THERMAL INSULATION)

100 mm thick, 44 kg/m³ density - TS 13501, A1 class non-combustible, (Knauf Insulation Rockwool) usage temperature -55/+760°C, thermal conductivity coefficient: $\lambda h = 0.040 \text{ W/mK}$. PAINT Satin

İÇ/DIŞ DUVAR



Dış yüzeyde nem bariyeri üzerine; Çimento Esaslı Levha - Fibercement (Hekim-board-Tepepan) çeşitli ebatlarda ve şekillerde Düz, Yalıbsakı veya Fugalı sistem olarak uygulanır. Veya Boar-dex-Grandex (Dış cephe kapl. levhası) ve mineral sıva veya grenli boya uygulanır.

12,5 mm Alçıpan (Lafarge-Full-board-Corex) uygulanır. (1200mm x 2500mm). İsteğe bağlı olarak 12,5 mm alçıpanın altına 11 mm OSB veya çift kat alçıpan ekstra fiyatlandırılarak uygulanabilmektedir.

INTERIOR/ OUTER WALL

6

Dış yüzeyde nem bariyeri üzerine; Çimento Esaslı Levha - Fibercement (Hekim-board-Tepepan) çeşitli ebatlarda ve şekillerde Düz, Yalıbsakı veya Fugalı sistem olarak uygulanır. Veya Boar-dex-Grandex (Dış cephe kapl. levhası) ve mineral sıva veya grenli boya uygulanır.

12,5 mm Alçıpan (Lafarge-Full-board-Corex) uygulanır. (1200mm x 2500mm). İsteğe bağlı olarak 12,5 mm alçıpanın altına 11 mm OSB veya çift kat alçıpan ekstra fiyatlandırılarak uygulanabilmektedir.

BOYA



PAINT

DIŞ DUVAR:

Akrilik dış cephe boyası uygulanır. (Marshall / Filli Boya)

İÇ DUVAR:

Akrilik dış cephe boyası uygulanır. (Marshall / Filli Boya)

EXTERIOR WALL:

Acrylic exterior paint is applied. (Marshall / Filli Boya)

INTERIOR WALL:

Acrylic exterior paint is applied. (Marshall / Filli Boya)

KAPI- PENCERE



DOOR-WINDOW

7

DIŞ KAPI:

Kompozit Çelik Kapı: Belirlenen ölçülerde 12 kilitli (Kale kilit) kompozit çelik kapı kullanılmaktadır.

İÇ KAPILAR:

Lake İç Kapı:

KANAT : 42 mm kalınlıktadır. Kapı kanadının ön ve arka kısmında 6mm kalınlığında MDF plaka vardır.

KASA : 40 mm kalınlıktadır. Komple MDF olup kasanın her iki yanına uygulanmaktadır.

PERVAZ : 16mm kalınlıkta, 80 mm genişliğinde bombeli MDF den üretilmiştir.

PENCERE:

EGEPEN DECEUNINCK, PİMAPEN, EUROLINE PVC, Zendow tipi PVC Pencere -Kapı Sistemi, 5 odacıklı ve 70 mm genişliğinde pencereler kullanılmaktadır. Sisteme ait ısı iletim katsayısı (Uf), IFT Rosenheim'da yapılan testler sonucunda 1,4 -1,5 W / m2K olarak belirlenmiştir.

CAMLAR

4+16+4 mm Isı cam - Vasistas Pencere Camları: 4 mm. buzlu cam olarak uygulanır. İsteğe göre Konfor veya Sinerji cam veya karolajlı (çıtalı) cam uygulamaları yapılabilmektedir. SİNEKLİK Sürgü kapılarda pileli, diğer açılır pencerelerde menteşeli sineklik kullanılır.

EXTERIOR DOOR:

Composite Steel Door: In determined dimensions

Composite with 12 locks (Castle lock) steel door is used

INTERIOR DOORS:

Lacquered Interior Door:

WING:

It is 42 mm thick. There is a 6mm thick MDF plate on the front and back of the door leaf.

CASE:

It is 40 mm thick. It is made of MDF and is applied to both sides of the case.

COVER:

It is produced from curved MDF with a thickness of 16 mm and a width of 80 mm.

WINDOW:

EGEPEN DECEUNINCK, PİMAPEN, EUROLINE PVC, Zendow type PVC Window-Door System, Windows with 5 chambers and 70 mm width are used. Heat conduction of the system coefficient (Uf) was determined as 1.4 -1.5 W / m2K as a result of the tests carried out at IFT Rosenheim. determined.

WINDOWS

4+16+4 mm Insulating glass - Transom Window Glasses: 4 mm. Applied as frosted glass. on demand

Comfort or Synergy glass or tiled (slatted) glass applications can be made according to the requirements.

FLY SWIPE Pleated in sliding doors, hinged fly screens are used in other opening windows.



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

EDUCATIONAL BUILDINGS

EĞİTİM YAPILARI*



T.R. Ministry of Agriculture
and Forestry

Nursery Building

T.C. Tarım ve Orman Bakanlığı Kres Binası*

ANKARA
1800 m²




9

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

EDUCATIONAL BUILDINGS

EĞİTİM YAPILARI*



Ibrahim Oktem

Primary School

Ibrahim Oktem İlkokulu*

İSTANBUL
750 m²



10

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

EDUCATIONAL BUILDINGS

EĞİTİM YAPILARI*



Karabük University
Light Steel Roof

Karabük Üniversitesi Hafif Çelik Çatı*


KARABÜK
750 m²


ZONGULDAK
580 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

OFFICE BUILDINGS

OFİS YAPILARI*



Kartal Sales
Office

Kartal Satış Ofisi*



İSTANBUL
567 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

OFFICE BUILDINGS

OFİS YAPILARI*



Incek

Sales Office

Incek Satış Ofisi*

ANKARA
150 m²




INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

OFFICE BUILDINGS

OFİS YAPILARI*



Loca Sales

Office

Loca Satış Ofisi*



İSTANBUL
95 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

OFFICE BUILDINGS

OFİS YAPILARI*



Panel
Sales Office
Panel Satış Ofisi*

ANKARA
290 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

COMMERCIAL BUILDINGS

TİCARİ YAPILAR*



Incek

Wedding Hall

Incek Düğün Salonu*

ANKARA
400 m²




INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

COMMERCIAL BUILDINGS

TİCARİ YAPILAR*



Fethi Paşa
Korusu*



İSTANBUL
210 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

COMMERCIAL BUILDINGS

TİCARİ YAPILAR*



Auto Gallery

Oto Galeri*



KIBRIS
500 m²




INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

COMMERCIAL BUILDINGS

TİCARİ YAPILAR*



Special Operations
Department
Social Facility

Özel Harekat Daire Başkanlığı Sosyal Tesis*

ANKARA
125 m²




20

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

HEALTH STRUCTURES

SAĞLIK YAPILARI*



+

○



Ataturk Airport
Prof. Dr. Murat Dilmener
Sahra Hospital
Atatürk Havalimanı Sahra Hastanesi*



İSTANBUL
75.000 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

HEALTH STRUCTURES

SAĞLIK YAPILARI*



Life Center

Yaşam Merkezi*



22

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

HEALTH STRUCTURES

SAĞLIK YAPILARI*



A.Ş.Ş

Cat Rehabilitation Center

A.Ş.Ş Kedi Rehabilitasyon Merkezi*

ANKARA
715 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

SOCIAL STRUCTURES

SOSYAL YAPILAR*



Vodafone

Smart Village

Vodafone Akıllı Köy*



AYDIN
537 m²



24

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

SOCIAL STRUCTURES

SOSYAL YAPILAR*



Altınpark
Guest House

Altınpark Konuk Evi*

ANKARA
252 m²



25

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

TOURISM STRUCTURES

TURİZM YAPILARI*



+

○



Fimar Hotel

Fimar Otel*

AMASYA
80 m²

“

26

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

TOURISM STRUCTURES

TURİZM YAPILARI*



+

○



Assos Hotel

Assos Otel*

ÇANAKKALE
75 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

TOURISM STRUCTURES

TURİZM YAPILARI*



Vanessa Hotel

Vanessa Otel*



28

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

INDUSTRIAL BUILDINGS

ENDÜSTRİYEL YAPILAR*



Girisim Electricity

Steel Roof

Girişim Elektrik Çelik Çatı*



AĞRI
365 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

INDUSTRIAL BUILDINGS

ENDÜSTRİYEL YAPILAR*



Yıldızlar Holding
Steel Roof

Yıldızlar Holding Çelik Çatı*

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

INDUSTRIAL BUILDINGS

ENDÜSTRİYEL YAPILAR*



+

○



Aydemşan

In-Factory

Office Building

Aydemşan Fabrika İçi Ofis Binası*

ANKARA
350 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

INDUSTRIAL BUILDINGS

ENDÜSTRİYEL YAPILAR*



Temşan
In-Factory
Office Building

Temşan Fabrika İçi Ofis Binası*

ANKARA
440 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

PUBLIC BUILDINGS

KAMUSAL YAPILAR*



TOKİ

Earthquake Houses

TOKİ Deprem Konutları*



ELAZIĞ

220 PIECES/ADET 90 m²



33

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

PUBLIC BUILDINGS

KAMUSAL YAPILAR*



TOKI

Earthquake Houses

TOKI Deprem Konutları*



ERZURUM
220 PIECES/ADET 90 m²



34

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

PUBLIC BUILDINGS

KAMUSAL YAPILAR*



A.B.B

Güvercinlik Facilities

A.B.B Güvercinlik Tesisleri*

ANKARA
1525 m²

“

35

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

PUBLIC BUILDINGS

KAMUSAL YAPILAR*



+

○



I.H.A.

Test Center

IHA Test Merkezi*

ANKARA
1187 m²

“

36

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

PUBLIC BUILDINGS

KAMUSAL YAPILAR*



+

○

Havran

National Garden

Havran Millet Bahçesi*

 **BALIKESİR**
730 m²



37

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

PUBLIC BUILDINGS

KAMUSAL YAPILAR*



Fisherman
State
Balıkçı Hali*

ANKARA
258 m²

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

PUBLIC BUILDINGS

KAMUSAL YAPILAR*



+

○



Kapıkule
Border Gate

Edirne Kapıkule Sınır Kapısı*

EDİRNE
250 m²




INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

MULTIPLE PROJECTS

ÇOKLU PROJELER*



Loft Koru*



ANKARA
8 PIECES/ADET 120 m²



40

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

MULTIPLE PROJECTS

ÇOKLU PROJELER*



Asland

Architecture

Asland Mimarlık



İSTANBUL
12 PIECES/ADET 70-80 m²



INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

MULTIPLE PROJECTS

ÇOKLU PROJELER*



+

○



"Deep Blue"



İSTANBUL
30 PIECES/ADET 205 m²

“

42

INSTITUTIONAL STRUCTURES

KURUMSAL YAPILAR*

MULTIPLE PROJECTS

ÇOKLU PROJELER*



+

Croatia

Villa Projects

Hırvatistan Villa Projelerimiz*

CROATIA/HIRVATİSTAN
10 PIECES/ADET 340 m²

“

43

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

SINGLE STOREY

TEK KATLI*



ANKARA
115 m²



44

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

SINGLE STOREY

TEK KATLI*



ANKARA
184 m²

“


45

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

SINGLE STOREY

TEK KATLI*



ANKARA
90 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

SINGLE STOREY

TEK KATLI*



ANKARA
90 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

SINGLE STOREY

TEK KATLI*



KONYA
104 m²

“

48

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

SINGLE STOREY

TEK KATLI*



ANKARA
119 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

SINGLE STOREY

TEK KATLI*



ANKARA
120 m²

“

50

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

SINGLE STOREY

TEK KATLI*



ANKARA
92 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*




ANKARA
169 m²

“

52

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*



ANKARA
169 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*



ANKARA
142 m²

“

54

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*



📍
MUĞLA
252 m²

“

55

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*



İSTANBUL
270 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*




BARTIN
200 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*



ARTVIN
152 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*



GAZİANTEP
180 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*



SAKARYA
152 m²

“

60

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*



NEVŞEHİR
142 m²



INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TWO STOREY

İKİ KATLI*



ANKARA
120 m²

“

62

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TRIANGLE HOUSE

ÜÇGEN EV*



TEOCAD*

ANTALYA
142 m²






INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TRIANGLE HOUSE

ÜÇGEN EV*



TEOCAD*

GAZİANTEP
120 m²






INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TINY HOUSE

TEKERLEKLİ EV*



TEOCAD*



2,5M X 8M




INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TINY HOUSE

TEKERLEKLİ EV*



TEOCAD*

2,5M x 8M



“


66

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*

TINY HOUSE

TEKERLEKLİ EV*



TEOCAD*

2,5M x 7M

INDIVIDUAL STRUCTURES

BİREYSEL YAPILAR*



TINY HOUSE

TEKERLEKLİ EV*








TEOCAD*

2,5M x 7M



TEOCAD PROGRAM





INTERIOR DETAILS

İÇ DETAYLAR*

70





INTERIOR DETAILS

İÇ DETAYLAR*





INTERIOR DETAILS

İÇ DETAYLAR*

72






INTERIOR DETAILS

İÇ DETAYLAR*

73





STEEL IMAGES

ÇELİK GÖRSELLERİ*

74





STEEL IMAGES

ÇELİK GÖRSELLERİ*





STEEL IMAGES

ÇELİK GÖRSELLERİ*

76





STEEL IMAGES

ÇELİK GÖRSELLERİ*

77



“

78

CONSTRUCTION SITE PHOTOS

ŞANTIYE FOTOĞRAFLARI*



+

○





CONSTRUCTION SITE PHOTOS

ŞANTIYE FOTOĞRAFLARI*






80

CONSTRUCTION SITE PHOTOS

ŞANTIYE FOTOĞRAFLARI*





Power of the Steel
Çeliğin Gücü*

LIGHT STEEL STRUCTURES
HAFİF ÇELİK YAPILAR*