

# MINI OVENS



# What we offer in this presentation

- Product Range
- Highlighted Features
- Product Details
- Airfry Technology
- Accessories
- Packaging
- ISTA 1A Packaging
- Technical Features



# Product Range



70 XL




70 PRO



45 L



42 L




38 L



37 L



34 L



20 L



20 L A13

# HIGHLIGHTED FEATURES





# Highlighted Features



## Compliance to A13 EK1 Regulation

- Special cooking system design
- Robust construction design
- Double low-e glass door



## Special Turbo Fan


- Homogeneous Heat Distribution



## Counter Protection

- High Quality Insulation
- Double Metal Sheet

# Highlighted Features



## Special Heating Element

- Special M/P Type Design
- Stainless steel heating elements
- Homogeneous heat distribution



## Easy to Clean Enamel Cavity

- Acid proof enamel material
- Smooth surface



## Hidden Heating Element

- Easy to Clean
- Safe tray use

# Highlighted Features



## Powerful Hot Plates

- Hotplate Powers

180/168 Ø - 1.500W

145/138 Ø - 1.000W

80Ø - 300W / 450W



## Perfect Sealing

- 3 Side Gasket



## Smooth Surface

- Easy to Clean

# PRODUCT DETAILS





# 70 XL



70 XL Grey



70 XL Anthracite



70 XL White

## Main Features

- Power : 1.800W
- Model : 70 XL
- Inner Cavity : Enamelled
- Heating Element : M Type
- Door Glass : Removable Double
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 450

## Optional Features

- Turbo Fan
- Rotisserie
- Extra Grill Power
- Lamp
- Yoghurt Function
- Defrost Function
- Round Tray
- Tray Holder
- Color Options



90 Minute  
Mechanical Timer



Lamp



Rotisserie



Turbo Fan



Double Glass



2 Step Oven Door



Double Layer  
Thermo Sole

# 70 PRO



70 PRO Grey



70 PRO Anthracite



70 PRO Rose

## Main Features

- Power : 2.000W
- Model : 70 PRO
- Inner Cavity : Enamelled
- Heating Element : M Type
- Door Glass : Removable Double
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 458

## Optional Features

- Digital Timer
- Turbo Fan
- Rotisserie
- Extra Grill Power
- Lamp
- 4th Knob Control
- Yoghurt Function
- Defrost Function
- Round Tray
- Tray Holder
- Color Options



90 Minute  
Mechanical Timer



Lamp



Rotisserie



Turbo Fan



Double Glass



2 Step Oven Door



Double Layer  
Thermo Sole



# 58 L



58L Grey



58L Anthracite



58L White

## Main Features

- Power : 1.800W
- Model : 58L
- Inner Cavity : Enamelled
- Heating Element : M Type
- Door Glass : Removable Double
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 450

## Optional Features

- Turbo Fan
- Rotisserie
- Extra Grill Power
- Lamp
- Yoghurt Function
- Defrost Function
- Round Tray
- Tray Holder
- Color Options



90 Minute  
Mechanical Timer



Lamp



Rotisserie



Turbo Fan



Double Glass



2 Step Oven Door



Double Layer  
Thermo Sole



# 45 L



45L White



45L Anthracite



45L Grey

## Main Features

- Power : 1.400W
- Model : 45L
- Inner Cavity : Enamelled
- Heating Element : M Type
- Door Glass : Single
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 592

## Optional Features

- A13 EK1 Standard
- Digital Timer
- Turbo Fan
- Rotisserie
- Extra Grill Power
- Lamp
- 4th Knob Control
- Double Glass
- Yoghurt Function
- Round Tray
- Tray Holder
- Color Options



90 Minute  
Mechanical Timer



Lamp



Rotisserie



Turbo Fan



Double Glass



Double Layer  
Thermo Sole





# 42 L



42L Grey



42L Anthracite



42L White

## Main Features

- Power : 1.300W
- Model : 42L
- Inner Cavity : Enamelled
- Heating Element : P Type
- Door Glass : Single
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 697

## Optional Features

- Turbo Fan
- Rotisserie
- Extra Grill Power
- Lamp
- 2HP / 3HP Options
- 4th Knob Control for HP
- Double Glass
- Yoghurt Function
- Defrost Function
- Round Tray
- Tray Holder
- Color Options



90 Minute  
Mechanical Timer



Lamp



Rotisserie



Turbo Fan




Double Glass



Double Layer  
Thermo Sole

# 38 L



38L Grey



38L Anthracite



38L White

## Main Features

- Power : 1.500W
- Model : 38 L
- Inner Cavity : Galvanize
- Heating Element : P Type
- Door Glass : Single
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 854

## Optional Features

- Air Fry
- Turbo Fan
- Rotisserie
- Lamp
- 2HP Options
- Double Glass
- Round Tray
- Tray Holder
- Color Options



Air Fry



90 Minute  
Mechanical Timer



Lamp



Rotisserie



Turbo Fan



Double Glass



2 Step Oven Door



# 37 L



37L Grey



37L Anthracite



37L White

## Main Features

- Power : 1.300W
- Model : 37L
- Inner Cavity : Enamelled
- Heating Element : M Type
- Door Glass : Double
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 667

## Optional Features

- Turbo Fan
- Rotisserie
- Extra Grill Power
- Lamp
- 2HP / 3HP Options
- 4th Knob Control for HP
- Yoghurt Function
- Defrost Function
- Round Tray
- Tray Holder
- Color Options



90 Minute  
Mechanical Timer



Lamp



Rotisserie



Turbo Fan



Double Glass



Double Layer  
Thermo Sole



# 34 L



34L Grey

## Main Features

- Power : 1.300W
- Model : 34L
- Inner Cavity : Galvanize
- Heating Element : P Type
- Door Glass : Single
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 920

## Optional Features

- Rotisserie
- Round Tray
- Tray Holder
- Color Options



90 Minute  
Mechanical Timer



Rotisserie




34L Anthracite



34L White

# 20 L



20L Grey



20L Anthracite



20L Inox

## Main Features

- Power : 1.500W
- Model : 20L
- Inner Cavity : Galvanize
- Heating Element : SS – Straight Type
- Door Glass : Single
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 1.268

## Optional Features

- Air Fry
- Digital Timer
- Turbo Fan
- Rotisserie
- Double Glass
- Lamp
- Pizza Pan
- Tray Holder
- Color Options



Air Fry



90 Minute  
Mechanical Timer



Lamp



Rotisserie



Turbo Fan



Double Glass



2 Step Oven Door





# 20 L A13 – EK1



20L Anthracite

## Main Features

- Power : 1.500W
- Model : 20L
- Inner Cavity : Galvanize
- Heating Element : SS – Straight Type
- Door Glass : Double
- Accessories : Tray + Wire Grid
- Loading Quantity – 40HC : 1024

## Optional Features

- Air Fry
- Digital Timer
- Turbo Fan
- Rotisserie
- Lamp
- Pizza Pan
- Tray Holder
- Color Options



Air Fry



90 Minute  
Mechanical Timer



Lamp



Rotisserie



Turbo Fan



Double Glass



2 Step Oven Door



# Airfry Technology



Air frying is a method of cooking that circulates hot air inside your oven at a high speed through the use of two step fans.

It is popular because of its faster cooking time and energy saving technology compared to traditional ovens, making it a popular option for busy individuals.

Also, it is a more preferable cooking alternative for people who prioritize their health.




## Even Baking

Rapid air circulation ensures that foods are cooked evenly, eliminating the risk of undercooked or burnt food.



## Crispier Foods

The same great taste and texture as deep-fried foods, also offers wide range of meals with consistent, even cooking results every time.



## Faster Cooking

Hot air and convection technology for faster cooking.



## Large Airfry Capacity


The large capacity of 38 L Mini Oven makes it perfectly suitable for families



## Healthy Cooking

Low oil usage ensures healthy cooking and minimizes the environmental impact of waste oil

# ACCESSORIES



# Knobs & Handles

**Q Knobs**

---



**Pop-up Knobs**

---



**QP Knobs**

---



Can be only used for 42L,45L and 70L Pro digital version.



**H5 Handles**

---



# OEM Knobs

I7



I8



ZP1



MD1



\* Can not be used for EU market.

ZP3



\*Can be only used for 20L & 20L A13.


P2 Pop-up



\*Can be only used for 42L,45L & 70 Pro.

# OEM Handles

**H8**



**Z4**




\*Can be only used for 70 Pro & 70 XL

**H2**



**H6**



\*Can not be used for 70 Pro & 70 XL

**H7**



\*Can be only used for 20 L & 30 L



# Retro Knobs & Handles

Carino RD10



RD1



RD3



RD3



Carino RT10



RT1



RT9



\*Can not be used for 70 XL

# Accessories



Square  
Tray




Round  
Tray



Nonstick  
Pizza Pan



Bake  
Pan



Chrome – Nickel  
Coated Grid



Rotisserie



Rotisserie  
Handle



Tray  
Holder



  
Mesh Tray  
Mesh Basket

**Dishwasher  
Safety**

**Food  
Contact**



Protective Stainless Steel Circle



Homogen Enamel Coating



Smooth Surface



Easy to Clean

## Cooking Functions

## Number of Functions

## Cooking Modes

Static

0+3



Static with Extra Grill

0+4



Electroturbo

0+5




Electroturbo with Extra Grill

0+6



Airfry

0+7



# Packaging



Styrofoam Packaging

| Range  | Gross Dm (mm) |     |     | Qty   |       |       |
|--------|---------------|-----|-----|-------|-------|-------|
|        | (W)           | (D) | (H) | 40 HC | 20 DC | Truck |
| 70 XL  | 680           | 515 | 450 | 450   | 180   | 552   |
| 70 PRO | 657           | 520 | 422 | 458   | 186   | 548   |
| 45     | 635           | 500 | 360 | 592   | 238   | 714   |
| 42     | 565           | 480 | 380 | 697   | 288   | 840   |
| 38     | 540           | 420 | 335 | 360   | 854   | 959   |
| 37     | 580           | 490 | 380 | 667   | 288   | 805   |
| 34     | 530           | 390 | 360 | 920   | 384   | 1.082 |
| 20     | 465           | 400 | 295 | 1.268 | 506   | 1.566 |
| 20 A13 | 500           | 419 | 320 | 1.024 | 437   | 1.200 |

# ISTA 1A Packaging



**Styrofoam Packaging**

ISTA 1A is a test for packaged products weighing 68 kg or less and that they are robust and resistant to damage during transportation.

### Advantages of ISTA 1A Packaging

- ISTA 1A Packaging increases customer satisfaction with undamaged products.
- It provides economic benefits or fewer returns and less damage.

| Range | Gross Dm (mm) |     |     | Qty   |       |       |
|-------|---------------|-----|-----|-------|-------|-------|
|       | (W)           | (D) | (H) | 40 HC | 20 DC | Truck |
| 45    | 660           | 517 | 404 | 488   | 192   | 595   |
| 37    | 608           | 402 | 504 | 524   | 210   | 600   |
| 20    | 515           | 335 | 415 | 998   | 411   | 1.036 |

# Technical Features

|                                   | <br>70 XL | <br>70 PRO | <br>45 L | <br>42 L | <br>38 L | <br>34 L | <br>20 L |
|-----------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| White Color                       | ✓                                                                                         | -                                                                                           | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | -                                                                                          |
| Different Color Options           | Opt                                                                                       | Opt                                                                                         | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        |
| Static (0+3 Functions)            | ✓                                                                                         | ✓                                                                                           | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          |
| Airfry Technologies               | -                                                                                         | -                                                                                           | -                                                                                          | -                                                                                          | -                                                                                          | -                                                                                          | Opt                                                                                        |
| Turbo Fan (0+5 & 0+6 Functions)   | Opt                                                                                       | Opt                                                                                         | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | -                                                                                          | Opt                                                                                        |
| Extra Grill (0+4 & 0+6 Functions) | Opt                                                                                       | Opt                                                                                         | Opt                                                                                        | Opt                                                                                        | -                                                                                          | -                                                                                          | -                                                                                          |
| Inner Light                       | Opt                                                                                       | Opt                                                                                         | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | -                                                                                          | Opt                                                                                        |
| Rotisserie                        | Opt                                                                                       | Opt                                                                                         | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | -                                                                                          |
| 90 Minute Mechanical Timer        | ✓                                                                                         | ✓                                                                                           | ✓                                                                                          | - Opt. For HP                                                                              | - Opt. For HP                                                                              | ✓                                                                                          | ✓                                                                                          |
| Digital Timer                     | -                                                                                         | Opt                                                                                         | Opt                                                                                        | Opt                                                                                        | -                                                                                          | -                                                                                          | Opt                                                                                        |
| Insulation                        | ✓                                                                                         | ✓                                                                                           | ✓                                                                                          | ✓                                                                                          | -                                                                                          | ✓                                                                                          | -                                                                                          |
| Single Glass                      | -                                                                                         | -                                                                                           | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          |
| Double Glass                      | ✓                                                                                         | ✓                                                                                           | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | -                                                                                          | Opt                                                                                        |
| Inner Body                        | Enamelled                                                                                 | Enamelled                                                                                   | Enamelled                                                                                  | Enamelled                                                                                  | Alu-zinc                                                                                   | Alu-zinc                                                                                   | Alu-zinc                                                                                   |
| Cavity Volume (L)                 | 59,2                                                                                      | 54,5                                                                                        | 43                                                                                         | 36,6                                                                                       | 29,85                                                                                      | 27,8                                                                                       | 20,5                                                                                       |
| Chrome Coated Wire Grid           | ✓                                                                                         | ✓                                                                                           | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          |
| Enamelled Tray                    | ✓                                                                                         | ✓                                                                                           | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          | ✓                                                                                          |
| Enamelled Round Tray              | Opt                                                                                       | Opt                                                                                         | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | -                                                                                          |
| Tray Holder                       | Opt                                                                                       | Opt                                                                                         | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        | Opt                                                                                        |
| Crumb Tray                        | -                                                                                         | -                                                                                           | -                                                                                          | -                                                                                          | -                                                                                          | -                                                                                          | ✓                                                                                          |
| Hidden Bottom Resistance          | ✓                                                                                         | Opt                                                                                         | Opt                                                                                        | Opt                                                                                        | -                                                                                          | -                                                                                          | -                                                                                          |
| Enamelled Inner Back Surface      | Opt                                                                                       | Opt                                                                                         | Opt                                                                                        | -                                                                                          | -                                                                                          | -                                                                                          | -                                                                                          |
| Dimensions (W/H/D) mm             | 632 / 418 / 486                                                                           | 619 / 378 / 493                                                                             | 590 / 330 / 470                                                                            | 520 / 330 / 450<br>HP-520 / 360 / 450                                                      | 360 x 256 x 324                                                                            | 480 / 330 /<br>366                                                                         | 435 / 265 / 380                                                                            |
| Loading Quantities (HC / Truck)   | 450 / 552                                                                                 | 458 / 548                                                                                   | 592 / 714                                                                                  | 697 / 840                                                                                  | 854/959                                                                                    | 920 / 1.082                                                                                | 1.268 / 1.566                                                                              |



# Technical Features



|                                   | 59 L            | 43 L            | 37 L                                   | 20 L            |
|-----------------------------------|-----------------|-----------------|----------------------------------------|-----------------|
| White Color                       | ✓               | ✓               | ✓                                      | -               |
| Different Color Options           | Opt             | Opt             | Opt                                    | Opt             |
| Static (0+3 Functions)            | ✓               | -               | ✓                                      | ✓               |
| Airfry Technologies               | -               | -               | -                                      | Opt             |
| Turbo Fan (0+5 & 0+6 Functions)   | Opt             | ✓(0+5)          | Opt                                    | Opt             |
| Extra Grill (0+4 & 0+6 Functions) | Opt             | -               | Opt                                    | -               |
| Inner Light                       | Opt             | Opt             | Opt                                    | Opt             |
| Rotisserie                        | Opt             | Opt             | Opt                                    | -               |
| 90 Minute Mechanical Timer        | ✓               | ✓               | ✓ Opt. For HP                          | ✓               |
| Digital Timer                     | -               | Opt             | -                                      | -               |
| Insulation                        | ✓               | ✓               | ✓                                      | ✓               |
| Double Glass (low-e)              | ✓               | ✓               | ✓                                      | ✓               |
| Inner Body                        | Enamelled       | Enamelled       | Enamelled                              | Alu-zinc        |
| Cavity Volume                     | 59,2            | 43              | 36,6                                   | 20,5            |
| Chrome Coated Wire Grid           | ✓               | ✓               | ✓                                      | ✓               |
| Enamelled Tray                    | ✓               | ✓               | ✓                                      | ✓               |
| Enamelled Round Tray              | Opt             | Opt             | Opt                                    | -               |
| Tray Holder                       | Opt             | Opt             | Opt                                    | Opt             |
| Crumb Tray                        | -               | -               | -                                      | ✓               |
| Hidden Bottom Resistance          | ✓               | -               | -                                      | -               |
| Enamelled Inner Back Surface      | ✓               | -               | -                                      | -               |
| Dimensions (W/H/D) mm             | 632 / 418 / 486 | 590 / 330 / 470 | 532 / 332 / 459<br>HP- 532 / 354 / 459 | 435 / 265 / 380 |
| Loading Quantities (HC / Truck)   | 450 / 552       | 592 / 714       | 667 / 805                              | 1.024 / 1.200   |