Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Oleyl Amine, distilled

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the Substance / Mixture : Specific use(s): Intermediate

1.3 Details of the supplier of the safety data sheet

Company : Chem International

6099 Ponders Court Greenville, SC 29615

Telephone number: (864) 458-7868

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture

HCS 2012 (29 CFR 1910.1200)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin corrosion, Category 1B H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ systemic toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Specific target organ systemic toxicity - H373: May cause damage to organs through prolonged or repeated exposure.

repeated exposure, Category 2, Gastrointestinal tract

, Liver

, Respiratory Tract

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters airways.

2.2 Label elements

HCS 2012 (29 CFR 1910.1200)

Pictogram







Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

Signal Word : Danger

Hazard Statements:

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to organs (Gastrointestinal tract, Liver, Respiratory

Tract) through prolonged or repeated exposure.

Precautionary Statements:

Prevention

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse.

Storage

P310

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards which do not result in classification

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1 Substance

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

Hazardous Ingredients and Impurities

Chemical Name	Identification number CAS-No.	Concentration [%]
9-Octadecen-1-amine, (9Z)-	112-90-3	95 - 99
9-Octadecenenitrile, (9Z)-	112-91-4	0.5 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

3.2 Mixture

Not applicable, this product is a substance.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Show this material safety data sheet to the doctor in attendance.

First responder needs to protect himself.

Place affected apparel in a sealed bag for subsequent decontamination.

If inhaled : Remove victim from exposure and then have him lie down in the recovery

position.

If breathing is difficult, give oxygen. If victim has stopped breathing:

Administer CPR (cardio-pulmonary resuscitation)

Get immediate medical advice/ attention.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 30

minutes.

Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Discard contaminated shoes and clothing.

Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Seek medical advice.

Ingestion : Do not induce vomiting without medical advice.

If victim is conscious:
Rinse mouth with water.

Keep at rest.

Do not give anything to drink.
Do not leave the victim unattended.
Vomiting may occur spontaneously

Risk of product entering the lungs on vomiting after ingestion.

Lay victim on side. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Skin contact may aggravate existing skin disease

Inhalation of product may aggravate existing chronic respiratory problems

such as asthma, emphysema or bronchitis

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : All treatments should be based on observed signs and symptoms of distress

in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Treat symptomatically.

There is no specific antidote available.

SECTION 5: Firefighting measures

Flash point : 302 °F (150 °C)

closed cup

Flammability class: Will burn

Autoignition temperature : 509 °F (265 °C)

Flammability / Explosive limit : no data available

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Dry chemical

Carbon dioxide (CO2)

Extinguishing media - large fires

Foam Water spray

Unsuitable extinguishing media : High volume water jet

(frothing possible)

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Under fire conditions:

Will burn

Container may rupture on heating. Harmful or toxic vapors are released.

On combustion or on thermal decomposition (pyrolysis), releases:

Nitrogen oxides (NOx)

Carbon oxides

5.3 Advice for firefighters

Special protective equipment for fire-fighters : Firefighters should wear NIOSH/MSHA approved self-contained breathing

apparatus and full protective clothing.

Specific firefighting methods : Cool closed containers exposed to fire with water spray.

Collect contaminated fire extinguishing water separately. This must not be

discharged into drains.

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment

and emergency procedures

: Wear suitable protective equipment.

For further information refer to section 8 "Exposure controls / personal

protection."

Avoid contact with the skin and the eyes.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems. Spills may be reportable to the National Response Center (800-424-8802) and

to state and/or local agencies

6.3 Methods and materials for containment and cleaning up

Methods for containment : Stop the leak. Turn leaking containers leak-side up to prevent the escape of

liquid.

Dam up with sand or inert earth (do not use combustible materials).

Recovery : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Shovel or sweep up.

Keep in suitable, closed containers for disposal. Never return spills in original containers for re-use.

Decontamination / cleaning : Wash nonrecoverable remainder with large amounts of water.

Recover the cleaning water for subsequent disposal.

: Clean contaminated surface thoroughly.

Flush with plenty of water.

Decontaminate tools, equipment and personal protective equipment in a

segregated area.

Disposal : Dispose of in accordance with local regulations.

Additional advice : The product should not be allowed to enter drains, water courses or the soil.

: Material can create slippery conditions.

6.4 Reference to other sections

Reference to other sections : 7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

13. DISPOSAL CONSIDERATIONS

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling and usage : Handle in accordance with good industrial hygiene and safety practice.

Avoid inhalation of vapor or mist. Avoid contact with skin and eyes.

Do not ingest.

Hygiene measures : Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or

handling this materials:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco,

applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

7.2 Conditions for safe storage, including any incompatibilities

Technical Measures for storage : Take all necessary measures to avoid accidental discharge of products into

drains and waterways due to the rupture of containers or transfer systems.

Storage conditions

Recommended : Keep container tightly closed in a dry and well-ventilated place.

To be avoided : Keep away from open flames, hot surfaces and sources of ignition.

Keep away from incompatible materials to be indicated by the manufacturer

Incompatible products : Strong acids

Strong oxidizing agents
Strong reducing agents.

Packaging Measures

Packaging materials—Recommended : Polyethylene or polypropylene drums, high density

Storage stability

Storage temperature : 39 - 120 °F (4 - 49 °C)

7.3 Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Control measures

Engineering measures : Where engineering controls are indicated by use conditions or a potential for

excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures:

Effective exhaust ventilation system

Avoid splashes.

Personal protective equipment

Respiratory protection : When respirators are required, select NIOSH/MSHA approved equipment

based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Hand protection : Where there is a risk of contact with hands, use appropriate gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Gloves must be inspected prior to use.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Eye and face protection requirements will vary dependent upon work

environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended

for this material.

Eye contact should be prevented through the use of:

Safety glasses with side-shields

Face-shield

Skin and body protection : Recommended preventive skin protection

Footwear protecting against chemicals

impervious clothing

Choose body protection according to the amount and concentration of the

dangerous substance at the work place.

Hygiene measures : Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or

handling this materials:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco,

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation

ocation.

Emergency equipment immediately accessible, with instructions for use.

The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment. Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

Appearance : Form: liquid

Physical state: liquid (77 °F (25 °C))

Color: colorless to pale yellow.

Particle size : Not applicable, liquid

Odor : Ammoniacal

Odor Threshold : No data available

pH : Not applicable, insoluble product

Melting point/freezing point : 50 - 68 °F (10 - 20 °C)

Boiling point/boiling range : 482 - 662 °F (250 - 350 °C) (760 mmHg (1,013.25 hPa))

Flash point : 302 °F (150 °C) closed cup

Flammability class: Will burn

Evaporation rate (Butylacetate = 1) : no data available

Flammability (solid, gas) : no data available

Flammability (liquids) : no data available

Flammability / Explosive limit : no data available

Autoignition temperature : 509 °F (265 °C)

Oleyl Amine, distilled

CHEM INTERNATIONAL

Revision: 1.00 Issuing date: 09/28/2018

Vapor pressure : $< 0.75 \text{ mmHg} (< 1 \text{ hPa}) (68 ^{\circ}\text{F} (20 ^{\circ}\text{C}))$

estimated

Vapor density : no data available

Density : 0.8 g/cm3 (77 °F (25 °C)) Method: DIN 51757

Relative density: 0.8 (77 °F (25 °C))

Solubility : <u>Water solubility :</u>

(77 °F (25 °C))

insoluble

Solubility in other solvents:

Ethanol: soluble

Isopropanol: soluble

Partition coefficient: n-octanol/water : log Pow: 7.5 (68 °F (20 °C))

estimated

Thermal decomposition : no data available

Viscosity : Viscosity, dynamic : 5,000 - 20,000 mPa.s (86 °F (30 °C))

estimated

Viscosity, kinematic: 6.2 - 25.3 mm2/s

Explosive properties : Not explosive

Oxidizing properties : Not considered as oxidizing., Structure-activity relationship (SAR)

9.2 Other information

Surface tension : Not applicable, insoluble product

Molecular weight : 265 g/mol

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Polymerization : Hazardous polymerization does not occur.

Oleyl Amine, distilled

CHEM INTERNATIONAL

Revision: 1.00 Issuing date: 09/28/2018

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

Keep away from heat and sources of ignition.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

Strong reducing agents

Strong acids

10.6 Hazardous decomposition products

Decomposition products : On combustion or on thermal decomposition (pyrolysis), releases:

(Carbon oxides (CO + CO2)). Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity : LD50 : 1,689 mg/kg - Rat

Method: OECD Test Guideline 401

Harmful if swallowed. Unpublished reports

Information refers to the main constituent

Acute inhalation toxicity : no data available

Acute dermal toxicity : Method: OECD Test Guideline 402

By analogy

Not classified as harmful by contact with skin

Unpublished reports

Information refers to the main constituent

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation

Skin irritation : Rabbit

Causes burns.

Method: OECD Test Guideline 404

Unpublished reports

Information refers to the main constituent

Serious eye damage/eye irritation

Eye irritation : Risk of serious damage to eyes.

Internal evaluation

Information refers to the main constituent

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

Respiratory or skin sensitization

Sensitization

9-Octadecenenitrile, (9Z)-Guinea pig

Not classified as sensitizing by skin contact

Method: OECD Test Guideline 406

By analogy

Unpublished reports

Mutagenicity

Genotoxicity in vitro Ames test

with and without metabolic activation

negative

Information refers to the main constituent In vitro tests did not show mutagenic effects

Unpublished reports

Chromosome aberration test in vitro with and without metabolic activation

negative

Unpublished reports

Mutagenicity (in vitro mammalian cytogenetic test)

with and without metabolic activation

negative

Unpublished reports

Genotoxicity in vivo Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal

analysis) - Mouse

Oral negative

Unpublished reports

Information refers to the main constituent

Carcinogenicity

The product itself has not been tested. Carcinogenicity

According to the data on the constituents Not classifiable as a human carcinogen.

According to the classification criteria for mixtures.

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP **IARC**

OSHA ACGIH

Toxicity for reproduction and development

Toxicity to reproduction / fertility Rat

Oral

No effect observed in male or female reproductive system in repeated dose

tox studies.

Unpublished reports

Information refers to the main constituent

Developmental Toxicity/Teratogenicity Rat

Oral

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

NOAEL teratogenicity: > 30 mg/kg

NOAEL maternal: 3 mg/kg

Method: OECD Test Guideline 414

No teratogenic effects have been observed

Unpublished reports

Information refers to the main constituent

Rabbit Oral

NOAEL teratogenicity: >= 80 mg/kg

NOAEL maternal: 10 mg/kg

Method: OECD Test Guideline 414

No teratogenic effects have been observed

Unpublished reports

STOT

STOT-single exposure : Target Organs: Respiratory organs

Toxicology Assessment: May cause respiratory irritation.

By analogy, Information refers to the main constituent

STOT-repeated exposure : Target Organs: Gastrointestinal tract, Liver, Respiratory Tract

Toxicology Assessment:

May cause damage to organs through prolonged or repeated exposure.

Information refers to the main constituent

May cause damage to organs through prolonged or repeated exposure if

swallowed. Oral 28 d - Rat NOAEL: 3.25 mg/kg bw/day Method: OECD Test Guideline 407 Repeated dose (28 days) toxicity (oral)

Unpublished reports

Information refers to the main constituent

Aspiration toxicity

Aspiration toxicity : May be fatal if swallowed and enters airways. The product itself has not been

tested. Information refers to the main constituent

SECTION 12: Ecological information

12.1 Toxicity

Aquatic Compartment

Acute toxicity to fish : LC50 - 96 h : 0.11 mg/l - Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 203

Very toxic to fish. Unpublished reports

Information refers to the main constituent

Oleyl Amine, distilled

CHEM INTERNATIONAL

Revision: 1.00 Issuing date: 09/28/2018

Acute toxicity to daphnia and other aquatic

invertebrates.

EC50 - 48 h : 0.011 mg/l - Daphnia magna (Water flea)

Method: OECD Test Guideline 202 Very toxic to aquatic organisms.

Unpublished reports

Information refers to the main constituent

Toxicity to aquatic plants : EC50 - 96 h : 0.04 mg/l - Selenastrum capricornutum (green algae)

Method: OECD Test Guideline 201

Growth rate

Very toxic to algae. Unpublished reports

Information refers to the main constituent

Toxicity to microorganisms : EC50 : 222.5 mg/l

Method: OECD Test Guideline 209 Information refers to the main constituent

Chronic toxicity to daphnia and other aquatic

invertebrates.

NOEC: 0.013 mg/l - 21 d - Daphnia magna (Water flea) Reproduction Test Method: OECD Test Guideline 211

Very toxic to aquatic life with long lasting effects.

Unpublished reports

Information refers to the main constituent

Chronic Toxicity to aquatic plants : NOEC: 0.01 mg/l - 96 h - Pseudokirchneriella subcapitata

Method: OECD Test Guideline 201

Very toxic to algae. Unpublished reports

Information refers to the main constituent

Ecotoxicity assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

M-Factor

9-Octadecen-1-amine, (9Z)- : Acute aquatic toxicity = 10

(according to the Globally Harmonized System (GHS))

9-Octadecenenitrile, (9Z)- : Acute aquatic toxicity = 10

Chronic aquatic toxicity = 10

(according to the Globally Harmonized System (GHS))

12.2 Persistence and degradability

Biodegradability

Biodegradability : Method: OECD Test Guideline 301 B

66 % - 28 d

Readily biodegradable.

The 10 day time window criterion is not fulfilled.

Unpublished reports

Information refers to the main constituent

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

Stability

Stability in water

9-Octadecenenitrile, (9Z)- : Stable

Unpublished reports

12.3 Bioaccumulative potential

Bioconcentration factor (BCF) : By analogy

Bioaccumulative internal evaluation

Information refers to the main constituent

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating, and toxic

(PBT). This substance is not considered to be very persistent and very

bioaccumulating (vPvB).

12.6 Other adverse effects

Environment assessment : Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

Advice on Disposal : Chemical additions, processing or otherwise altering this material may make

the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different

from federal laws and regulations. Consult state and local regulations

regarding the proper disposal of this material.

Waste Code : EPA:

Hazardous Waste - YES

RCRA:

D002 - Corrosive waste - (C)

Advice on cleaning and disposal of packaging

Advice on Disposal : Rinse with an appropriate solvent.

Dispose of contents/container in accordance with local regulation.

SECTION 14: Transport information

Transportation status: IMPORTANT! Statements below provide additional data on listed transport classification.

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

DOT

<u>14.1 UN number</u> UN 2735

14.2 Dangerous Good Description UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., (Oleylamine), 8, II

14.3 Transport hazard class 8

14.4 Packing group

Packing group II Label(s) 8 ERG No 153

14.5 Environmental hazards YES

Marine pollutant

TDG

14.1 UN number UN 2735

14.2 Dangerous Good Description UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., (Oleylamine), 8, II

14.3 Transport hazard class 8

14.4 Packing group

Packing group II Label(s) 8 ERG No 153

14.5 Environmental hazards YES

Marine pollutant

IMDG

14.1 UN number UN 2735

14.2 Dangerous Good Description UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., (Oleylamine), 8, II, IMDG

Code Segregation Group 18 - Alkalis

IMDG Code segregation group Alkalis

14.3 Transport hazard class 8

14.4 Packing group

 Packing group
 II

 Label(s)
 8

 EmS
 F-A , S-B

14.5 Environmental hazards YES

Marine pollutant

14.6 Special precautions for user

For personal protection see section 8.

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

IATA

<u>14.1 UN number</u> UN 2735

14.2 Dangerous Good Description UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S., (Oleylamine), 8, II

14.3 Transport hazard class 8

14.4 Packing group

Packing group II
Label(s): 8
Packing instruction (cargo aircraft) 855
Max net qty / pkg 30.00 L
Packing instruction (passenger aircraft) 851
Max net qty / pkg 1.00 L

14.5 Environmental hazards YES

Marine pollutant

14.6 Special precautions for user

For personal protection see section 8.

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

SECTION 15: Regulatory information

15.1 Notification status

United States TSCA Inventory : YES (positive listing)
On TSCA Inventory

Canadian Domestic Substances List (DSL) : YES (positive listing)

All components of this product are on the

Canadian DSL.

Australia Inventory of Chemical Substances (AICS) : YES (positive listing)

On the inventory, or in compliance with the

inventory

Japan. CSCL - Inventory of Existing and New Chemical Substances : YES (positive listing)

On the inventory, or in compliance with the

inventory

Korea. Korean Existing Chemicals Inventory (KECI) : YES (positive listing)

On the inventory, or in compliance with the

inventory

China. Inventory of Existing Chemical Substances in China (IECSC) : YES (positive listing)

On the inventory, or in compliance with the

inventory

15.2 Federal Regulations

SARA 311/312 Hazards

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	yes
Chronic Health Hazard	yes

SARA 313 : This material does not contain any chemical components with known CAS

numbers that exceed the threshold (De Minimis) reporting levels established

by SARA Title III, Section 313.

SARA 302 : No chemicals in this material are subject to the reporting requirements of

SARA Title III, Section 302.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Reportable quantity
Unlisted hazardous wastes - Characteristic of Corrosivity		100 lb

SARA 304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

Oleyl Amine, distilled



Revision: 1.00 Issuing date: 09/28/2018

SARA 302 Reportable Quantity

This material does not contain any components with a SARA 302 RQ.

15.3 State Regulations

California Prop 65 : This product does not contain any chemicals known to the State of California

to cause cancer, birth, or any other reproductive defects.

SECTION 16: Other information

NFPA-Classification

Health : 3 serious
Flammability : 1 slight
Instability or Reactivity : 0 minimal

HMIS-Classification

Health : 3 serious Flammability : 1 slight Reactivity : 0 minimal

Further information

Date Prepared : 05/15/2015

Date Revised : 09/28/2018 (date only)

Further information : Product classified under the US GHS format.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH : American Conference of Governmental Industrial Hygienists

OSHA : Occupational Safety and Health Administration
WHMIS : Workplace Hazardous Materials Information System

NTP : National Toxicology Program

IARC : International Agency for Research on Cancer
NIOSH : National Institute for Occupational Safety and Health

NFPA : National Fire Protection Association

HMIS : Hazardous Materials Identification System (Paint & Coating)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in another manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.