Form 5-2 Side 1

Alternative Approaches to Life Safety Worksheet for Rating For Employees

	Worksheet for Rating I	ng For Employees	
Work Shift:	Evaluator:		
Facility Name:	Zone: N/A Date:		
This form is to be completed for usually is late at night. Where it the highest score. Read Section 5	the time of day, week, ect. When the combined rating for staff a is not obvious which staff shift will score highest, complete sep 5–5 before filling out this form.	nd residents yield to arate forms for each	he highest score. The staff shift and util
Checklist 5-2A	Staff Response and Training	Yes	No
A protection plan has been this rating have been trained	n promulgated and all staff members considered in ed in its implementation. (See 5-5.2.1)		
The total available staff at	any given time is able to handle the individual resident who is in the facility. (see 5-52.2 & ex-		
Every staff member consideration in the evaluation of every	dered in this rating can meaningfully participate resident. (see 5-5.2.3)		
All staff members consider	red in this rating are required to be in the facility ermitted. (see 5-5.2.4 & Exceptions)		
	e conducted during the previous year (5-5.2.5&		
All items must score "Yes" (For use with NFPA 101A-	before proceeding. 1995/NFPA 101-1994)		

Evacuation Assistance	ce Score =	

Determining The Staff Shift Score

Evacuation Capability Determination For Board and Care Occupancies

Note: In large facilities, staff members might be responsible for assisting resi-dents in a fire or smoke zone but also might have responsibilities for residents in other zones. (see section 5-5)

Table 5-2A Promptness of Response Scores

Promptness of Response Scores			
Staff Availability Alarm I		ffectiveness	
	Assured	Not Assured	
Stand by or asleep	16	2	
Immediately Available	20	2	
Immediately Available & Close By	20	10	

For use with NFPA 101A-1995/NSPA 101-1994

Scoresheet 5-2B

- 1-On Score Sheet 5-2B, list the names of staff members who are required to be on duty in the facility during the shift being rated.
- 2-Determine weather the effectiveness of the alarm I "assured" or "not assured." (See Section 5-5.3.)
- 3-Using the values from Tables 5-2A, determine each staff member's "promptness of response score" for the shift being rated. Enter each staff member's ber's name and score in the appropriate spaces on ScoreSheet 5-2B.
- 4-Total the "promptness of response scores" for the shift rated.

Scoresheet 5-2B	Staff Scores
Staff Name	Promptness of Response Score
Chaff Chiff To A	
Staff Shift Total:	

Rating The Facility

Rate the facility by checking the circle the circle the indicates the vertical distance a resident must travel from a sleeping room (SR) to an exit.

Vertical Distance from Sleeping Rooms to Exits All SR on Floors with Any SR One Floor from Exit Any SR Two or More Floors from Exit Direct Exit Small Facility Score 0.8 Score 1.8 Score 1.2 Large Facility or Apartment Score 1.0

Note: Small Facilities have 16 or fewer residents. See 5-6.6 for apartments (For use with NFPA 101A-1995/NFPA 101-1994

Form 5-4 DETERMINING EVACUATION CAPABILITY

Multiply the "total Resident Evacuation Assistance Score" by the facility score (*Vertical Distance, Sleeping Rooms to Exit*) divide the answer by the "Staff Shift Score" to determine the Evacuation Capability Score.

5-4A CALCUI	LATION OF EVAC	CUATION CAPABII	LITY
Total Resident Evacuation Assistance Score (Scoresheet 5-1C)		Distance From ng Room to Exit (Fo	orm 5-3)
	X	0.8	=
2	20	Ev	racuation Capability Score (go to form 5-4B)
	Shift coresheet 5-2B)		

Determine and record evacuation capability below: 5-4B

Evacuation Capability Score	Level of Evacuation Capability	Evacuation Capability for this Facility or Zone
<u><1.5</u>	Prompt	
>1.5 ≤ 5.0	Slow	
> 5.0	Impractical	

	Date of Drill:		
	Day of The Week:		
	Time Started:	Time Completed:	Lapsed Time:
Person In Charge of Drill:			
Other Person on Duty:			
Location of Simulated Fire:			
Escape Path Used:			
Point of Safety Used:			
Checked Items:			
Fire Alarm System:	Smoke Detectors:		
Fire Extinguishers:			

Fire Dill Log

Resident Name	Evacuation Time	Exit Used	Comments
Day Care Participant Log:			
out of articipant Log.			

Evacuation Capability for Board and Care Occupancy (101-A-39) Form 5-1C TOTAL RESIDENT EVACUATION ASSISTANCE SCORE

- List each resident's name on Score Sheet 5-1C. Use a separate Score Sheet for each one being rated. Use additional Score Sheets for a large number of residents.
 Enter the score from each Form 5-1B, which was completed for each resident.
- 3. Total the scores for all residents in the facility or zone being rated, as appropriate.

Date of Evacuation Capability Report:

Score Sheet 5-1C	Resident Scores	
Resident Name	Score	
Day Care:		
zaj care.		
Total:		