











| | MODEL NUMBER | PRODUCT | WIDTH | DEPTH | HEIGHT | WEIGHT | VOLUME | PRICE | DESCRIPTION |
|--|-------------------------|------------------------|-------|--------|----------|----------|----------|----------|---|
|  | Bannister - Canopy Top: | | | | | | | | |
| | CT-BA-14-36 | Single Face, 14" Depth | 36" | 14" | 1 1/4" | 30 Lbs. | | \$ 629 | Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface and a backer sheet of .020" thick for balanced construction. The edges shall be banded with a 3/4" thick x 1-1/4" high solid external band with the bottom edge chamfered forming a knife edge detail. Edges shall be banded to top after the top and bottom laminate sheets have been applied. Edges shall be butt joined together. Single face tops shall receive edges on 2 short and 1 long edge and double face tops shall receive edges on 2 long edges and short edges banded on end units only. Tops longer than 108" shall be joined together using tight joined fasteners. |
| CT-BA-14-72 | 72" | | 14" | 1 1/4" | 60 Lbs. | | \$ 877 | | |
| CT-BA-14-108 | 108" | | 14" | 1 1/4" | 90 Lbs. | | \$ 1,119 | | |
| CT-BA-14-144 | 144" | | 14" | 1 1/4" | 120 Lbs. | | \$ 1,571 | | |
| CT-BA-14-180 | 180" | | 14" | 1 1/4" | 150 Lbs. | | \$ 1,741 | | |
| CT-BA-14-216 | 216" | | 14" | 1 1/4" | 180 Lbs. | | \$ 1,983 | | |
| CT-BA-14-252 | 252" | | 14" | 1 1/4" | 210 Lbs. | | \$ 2,363 | | |
| CT-BA-14-288 | 288" | | 14" | 1 1/4" | 240 Lbs. | | \$ 2,605 | | |
|  | CT-BA-26-36 | Double Face, 26" Depth | 36" | 26" | 1 1/4" | 60 Lbs. | | \$ 1,019 | |
| | CT-BA-26-72 | | 72" | 26" | 1 1/4" | 120 Lbs. | | \$ 1,447 | |
| | CT-BA-26-108 | | 108" | 26" | 1 1/4" | 180 Lbs. | | \$ 1,952 | |
| | CT-BA-26-144 | | 144" | 26" | 1 1/4" | 240 Lbs. | | \$ 2,417 | |
| | CT-BA-26-180 | | 180" | 26" | 1 1/4" | 300 Lbs. | | \$ 2,923 | |
| | CT-BA-26-216 | | 216" | 26" | 1 1/4" | 360 Lbs. | | \$ 3,436 | |
| | CT-BA-26-252 | | 252" | 26" | 1 1/4" | 420 Lbs. | | \$ 3,903 | |
| | CT-BA-26-288 | | 288" | 26" | 1 1/4" | 480 Lbs. | | \$ 4,408 | |
| NOTES: | | | | | | | | | |
| *Canopy tops do not include any hardware. | | | | | | | | | |
| *When ordering tops exact dimensions must be specified, nominal dimensions are inadequate. | | | | | | | | | |
| | CT-BA-30-36 | Double Face, 30" Depth | 36" | 30" | 1 1/4" | 75 Lbs. | | \$ 1,105 | |
| | CT-BA-30-72 | | 72" | 30" | 1 1/4" | 150 Lbs. | | \$ 1,593 | |
| | CT-BA-30-108 | | 108" | 30" | 1 1/4" | 180 Lbs. | | \$ 2,014 | |
| | CT-BA-30-144 | | 144" | 30" | 1 1/4" | 255 Lbs. | | \$ 2,722 | |
| | CT-BA-30-180 | | 180" | 30" | 1 1/4" | 330 Lbs. | | \$ 3,141 | |
| | CT-BA-30-216 | | 216" | 30" | 1 1/4" | 405 Lbs. | | \$ 3,568 | |
| | CT-BA-30-252 | | 252" | 30" | 1 1/4" | 480 Lbs. | | \$ 4,283 | |
| | CT-BA-30-288 | | 288" | 30" | 1 1/4" | 555 Lbs. | | \$ 4,681 | |

| | MODEL NUMBER | PRODUCT | WIDTH | DEPTH | HEIGHT | WEIGHT | VOLUME | PRICE | DESCRIPTION |
|--|--------------------|------------------------|-------|--------|----------|----------|----------|----------|---|
|  | Beta - Canopy Top: | | | | | | | | |
| | CT-BT-14-36 | Single Face, 14" Depth | 36" | 14" | 1 1/4" | 30 Lbs. | | \$ 420 | Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface and a backer sheet of .020" thick for balanced construction. The edges shall be banded with a 1/4" thick x 1-1/4" high solid internal band. Edges shall be banded to top before laminate sheets have been applied, all edges shall be eased. Single face tops shall receive edges on 2 short and 1 long edge and double face tops shall receive edges on 2 long edges and short edges banded on end units only. Tops longer than 108" shall be joined together using tight joined fasteners. |
| CT-BT-14-72 | 72" | | 14" | 1 1/4" | 60 Lbs. | | \$ 583 | | |
| CT-BT-14-108 | 108" | | 14" | 1 1/4" | 90 Lbs. | | \$ 785 | | |
| CT-BT-14-144 | 144" | | 14" | 1 1/4" | 120 Lbs. | | \$ 1,174 | | |
| CT-BT-14-180 | 180" | | 14" | 1 1/4" | 150 Lbs. | | \$ 1,354 | | |
| CT-BT-14-216 | 216" | | 14" | 1 1/4" | 180 Lbs. | | \$ 1,547 | | |
| CT-BT-14-252 | 252" | | 14" | 1 1/4" | 210 Lbs. | | \$ 1,952 | | |
| CT-BT-14-288 | 288" | | 14" | 1 1/4" | 240 Lbs. | | \$ 2,139 | | |
|  | CT-BT-26-36 | Double Face, 26" Depth | 36" | 26" | 1 1/4" | 60 Lbs. | | \$ 590 | NOTES: |
| | CT-BT-26-72 | | 72" | 26" | 1 1/4" | 120 Lbs. | | \$ 846 | *Canopy tops do not include any hardware. |
| | CT-BT-26-108 | | 108" | 26" | 1 1/4" | 180 Lbs. | | \$ 1,065 | |
| | CT-BT-26-144 | | 144" | 26" | 1 1/4" | 240 Lbs. | | \$ 1,641 | *When ordering tops exact dimensions must be specified, nominal dimensions are inadequate. |
| | CT-BT-26-180 | | 180" | 26" | 1 1/4" | 300 Lbs. | | \$ 1,881 | |
| | CT-BT-26-216 | | 216" | 26" | 1 1/4" | 360 Lbs. | | \$ 2,107 | |
| | CT-BT-26-252 | | 252" | 26" | 1 1/4" | 420 Lbs. | | \$ 2,722 | |
| | CT-BT-26-288 | | 288" | 26" | 1 1/4" | 480 Lbs. | | \$ 2,946 | |
| | CT-BT-30-36 | Double Face, 30" Depth | 36" | 30" | 1 1/4" | 75 Lbs. | | \$ 676 | |
| | CT-BT-30-72 | | 72" | 30" | 1 1/4" | 150 Lbs. | | \$ 1,049 | |
| | CT-BT-30-108 | | 108" | 30" | 1 1/4" | 225 Lbs. | | \$ 1,127 | |
| | CT-BT-30-144 | | 144" | 30" | 1 1/4" | 300 Lbs. | | \$ 1,772 | |
| | CT-BT-30-180 | | 180" | 30" | 1 1/4" | 375 Lbs. | | \$ 2,153 | |
| | CT-BT-30-216 | | 216" | 30" | 1 1/4" | 450 Lbs. | | \$ 2,224 | |
| | CT-BT-30-252 | | 252" | 30" | 1 1/4" | 525 Lbs. | | \$ 2,829 | |
| | CT-BT-30-288 | | 288" | 30" | 1 1/4" | 600 Lbs. | | \$ 3,281 | |

| | MODEL NUMBER | PRODUCT | WIDTH | DEPTH | HEIGHT | WEIGHT | VOLUME | PRICE | DESCRIPTION |
|---|--------------|------------------------|-------|-------|--------|----------|--------|----------|---|
| | | | | | | | | | |
|  | | Delicato - Canopy Top: | | | | | | | |
| | | | | | | | | | |
|  | CT-DL-14-36 | Single Face, 14" Depth | 36" | 14" | 1 1/4" | 30 Lbs. | | \$ 474 | Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface and a backer sheet of .020" thick for balanced construction. The edges shall be banded with a 1/2" thick x 1-1/4" high solid external band. Edges shall be banded to top after the top and bottom laminate sheets have been applied. Single face tops shall receive edges on 2 short and 1 long edge and double face tops shall receive edges on 2 long edges and short edges banded on end units only. Tops longer than 108" shall be joined together using tight joined fasteners. |
| | CT-DL-14-72 | | 72" | 14" | 1 1/4" | 60 Lbs. | | \$ 669 | |
| | CT-DL-14-108 | | 108" | 14" | 1 1/4" | 90 Lbs. | | \$ 871 | |
| | CT-DL-14-144 | | 144" | 14" | 1 1/4" | 120 Lbs. | | \$ 1,329 | |
| | CT-DL-14-180 | | 180" | 14" | 1 1/4" | 150 Lbs. | | \$ 1,524 | |
| | CT-DL-14-216 | | 216" | 14" | 1 1/4" | 180 Lbs. | | \$ 1,734 | |
| | CT-DL-14-252 | | 252" | 14" | 1 1/4" | 210 Lbs. | | \$ 2,193 | |
| | CT-DL-14-288 | | 288" | 14" | 1 1/4" | 240 Lbs. | | \$ 2,387 | |
| | | | | | | | | | |
| | | | | | | | | | |
| | CT-DL-26-36 | Double Face, 26" Depth | 36" | 26" | 1 1/4" | 60 Lbs. | | \$ 676 | NOTES: *Canopy tops do not include any hardware. *When ordering tops exact dimensions must be specified, nominal dimensions are inadequate. |
| | CT-DL-26-72 | | 72" | 26" | 1 1/4" | 120 Lbs. | | \$ 949 | |
| | CT-DL-26-108 | | 108" | 26" | 1 1/4" | 180 Lbs. | | \$ 1,189 | |
| | CT-DL-26-144 | | 144" | 26" | 1 1/4" | 240 Lbs. | | \$ 1,765 | |
| | CT-DL-26-180 | | 180" | 26" | 1 1/4" | 300 Lbs. | | \$ 2,115 | |
| | CT-DL-26-216 | | 216" | 26" | 1 1/4" | 360 Lbs. | | \$ 2,363 | |
| | CT-DL-26-252 | | 252" | 26" | 1 1/4" | 420 Lbs. | | \$ 3,039 | |
| | CT-DL-26-288 | | 288" | 26" | 1 1/4" | 480 Lbs. | | \$ 3,281 | |
| | | | | | | | | | |
| | | | | | | | | | |
| | CT-DL-30-36 | Double Face, 30" Depth | 36" | 30" | 1 1/4" | 75 Lbs. | | \$ 753 | |
| | CT-DL-30-72 | | 72" | 30" | 1 1/4" | 150 Lbs. | | \$ 1,182 | |
| | CT-DL-30-108 | | 108" | 30" | 1 1/4" | 225 Lbs. | | \$ 1,259 | |
| | CT-DL-30-144 | | 144" | 30" | 1 1/4" | 300 Lbs. | | \$ 1,983 | |
| | CT-DL-30-180 | | 180" | 30" | 1 1/4" | 375 Lbs. | | \$ 2,417 | |
| | CT-DL-30-216 | | 216" | 30" | 1 1/4" | 450 Lbs. | | \$ 2,494 | |
| | CT-DL-30-252 | | 252" | 30" | 1 1/4" | 525 Lbs. | | \$ 3,227 | |
| | CT-DL-30-288 | | 288" | 30" | 1 1/4" | 600 Lbs. | | \$ 3,654 | |

| | MODEL NUMBER | PRODUCT | WIDTH | DEPTH | HEIGHT | WEIGHT | VOLUME | PRICE | DESCRIPTION |
|---|-----------------|------------------------|-------|-------|--------|----------|--------|----------|---|
|   | | Element - Canopy Top: | | | | | | | |
| | CT-EL-14-36 | Single Face, 14" Depth | 36" | 14" | 1 1/4" | 30 Lbs. | | \$ 452 | Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface and a backer sheet of not less than .020" thick for balanced construction. The edges shall be banded with a 1/4" thick x 1-1/4" high solid external band. Edges shall be banded to top after laminate sheets have been applied. All edges are eased. Single face tops shall receive edges on 2 short and 1 long edge and double face tops shall receive edges on 2 long sides only. Tops longer than 108" shall be joined together using tight joined fasteners. |
| | CT-EL-14-72 | | 72" | 14" | 1 1/4" | 60 Lbs. | | \$ 637 | |
| | CT-EL-14-108 | | 108" | 14" | 1 1/4" | 90 Lbs. | | \$ 831 | |
| | CT-EL-14-144 | | 144" | 14" | 1 1/4" | 120 Lbs. | | \$ 1,259 | |
| | CT-EL-14-180 | | 180" | 14" | 1 1/4" | 150 Lbs. | | \$ 1,454 | |
| | CT-EL-14-216 | | 216" | 14" | 1 1/4" | 180 Lbs. | | \$ 1,664 | |
| | CT-EL-14-252 | | 252" | 14" | 1 1/4" | 210 Lbs. | | \$ 2,091 | |
| | CT-EL-14-288 | | 288" | 14" | 1 1/4" | 240 Lbs. | | \$ 2,277 | |
| | | Double Face, 26" Depth | 36" | 26" | 1 1/4" | 60 Lbs. | | \$ 629 | NOTES: *Canopy tops do not include hardware. *When ordering tops, exact dimensions are required. Nominal dimensions are inadequate. |
| | CT-EL-26-72 | | 72" | 26" | 1 1/4" | 120 Lbs. | | \$ 895 | |
| | CT-EL-26-108 | | 108" | 26" | 1 1/4" | 180 Lbs. | | \$ 1,127 | |
| | CT-EL-26-144 | | 144" | 26" | 1 1/4" | 240 Lbs. | | \$ 1,680 | |
| | CT-EL-26-180 | | 180" | 26" | 1 1/4" | 300 Lbs. | | \$ 2,014 | |
| | CT-EL-26-216 | | 216" | 26" | 1 1/4" | 360 Lbs. | | \$ 2,246 | |
| | CT-EL-26-252 | | 252" | 26" | 1 1/4" | 420 Lbs. | | \$ 2,899 | |
| | CT-EL-26-288 | | 288" | 26" | 1 1/4" | 480 Lbs. | | \$ 3,148 | |
| | | Double Face, 30" Depth | 36" | 30" | 1 1/4" | 75 Lbs. | | \$ 715 | |
| | CT-EL-30-72 | | 72" | 30" | 1 1/4" | 150 Lbs. | | \$ 1,119 | |
| | CT-EL-30-108 | | 108" | 30" | 1 1/4" | 225 Lbs. | | \$ 1,189 | |
| | CT-EL-30-144 | | 144" | 30" | 1 1/4" | 300 Lbs. | | \$ 1,889 | |
| | CT-EL-30-180 | | 180" | 30" | 1 1/4" | 375 Lbs. | | \$ 2,301 | |
| | CT-EL-30-216 | | 216" | 30" | 1 1/4" | 450 Lbs. | | \$ 2,363 | |
| | CT-EL-30-252 | | 252" | 30" | 1 1/4" | 525 Lbs. | | \$ 3,077 | |
| | CT-EL-30-288 | | 288" | 30" | 1 1/4" | 600 Lbs. | | \$ 3,482 | |

| | MODEL NUMBER | PRODUCT | WIDTH | DEPTH | HEIGHT | WEIGHT | VOLUME | PRICE | DESCRIPTION |
|--|-----------------|------------------------|-------|-------|--------|----------|--------|----------|--|
|  | | Ronda - Canopy Top: | | | | | | | Canopy tops shall be 1-1/4" thick 3-ply high density particle core. Top shall receive a .050" thick plastic laminate surface and a backer sheet of .020" thick for balanced construction. The edges shall be banded with a 3/4" thick x 1-1/4" high solid external band with top and bottom edges radiused 1/2" forming a full bullnose edge detail. Edges shall be banded to top after the top and bottom laminate sheets have been applied. Edges shall be butt joined together. Single face tops shall receive edges on 2 short and 1 long edge and double face tops shall receive edges on 2 long edges and short edges banded on end units only. Tops longer than 108" shall be joined together using tight joined fasteners. |
| | CT-RD-14-36 | Single Face, 14" Depth | 36" | 14" | 1 1/4" | 30 Lbs. | | \$ 498 | |
| | CT-RD-14-72 | | 72" | 14" | 1 1/4" | 60 Lbs. | | \$ 684 | |
| | CT-RD-14-108 | | 108" | 14" | 1 1/4" | 90 Lbs. | | \$ 910 | |
| | CT-RD-14-144 | | 144" | 14" | 1 1/4" | 120 Lbs. | | \$ 1,360 | |
| | CT-RD-14-180 | | 180" | 14" | 1 1/4" | 150 Lbs. | | \$ 1,578 | |
| | CT-RD-14-216 | | 216" | 14" | 1 1/4" | 180 Lbs. | | \$ 1,795 | |
| | CT-RD-14-252 | | 252" | 14" | 1 1/4" | 210 Lbs. | | \$ 2,263 | |
| | CT-RD-14-288 | | 288" | 14" | 1 1/4" | 240 Lbs. | | \$ 2,473 | |
| | | | | | | | | | |
|  | CT-RD-26-36 | Double Face, 26" Depth | 36" | 26" | 1 1/4" | 60 Lbs. | | \$ 692 | NOTES: *Canopy tops do not include any hardware. *When ordering tops exact dimensions must be specified, nominal dimensions are inadequate. |
| | CT-RD-26-72 | | 72" | 26" | 1 1/4" | 120 Lbs. | | \$ 971 | |
| | CT-RD-26-108 | | 108" | 26" | 1 1/4" | 180 Lbs. | | \$ 1,236 | |
| | CT-RD-26-144 | | 144" | 26" | 1 1/4" | 240 Lbs. | | \$ 1,827 | |
| | CT-RD-26-180 | | 180" | 26" | 1 1/4" | 300 Lbs. | | \$ 2,193 | |
| | CT-RD-26-216 | | 216" | 26" | 1 1/4" | 360 Lbs. | | \$ 2,441 | |
| | CT-RD-26-252 | | 252" | 26" | 1 1/4" | 420 Lbs. | | \$ 3,148 | |
| | CT-RD-26-288 | | 288" | 26" | 1 1/4" | 480 Lbs. | | \$ 3,397 | |
| | | | | | | | | | |
| | | | | | | | | | |
| | CT-RD-30-36 | Double Face, 30" Depth | 36" | 30" | 1 1/4" | 75 Lbs. | | \$ 793 | |
| | CT-RD-30-72 | | 72" | 30" | 1 1/4" | 150 Lbs. | | \$ 1,229 | |
| | CT-RD-30-108 | | 108" | 30" | 1 1/4" | 225 Lbs. | | \$ 1,282 | |
| | CT-RD-30-144 | | 144" | 30" | 1 1/4" | 300 Lbs. | | \$ 2,053 | |
| | CT-RD-30-180 | | 180" | 30" | 1 1/4" | 375 Lbs. | | \$ 2,519 | |
| | CT-RD-30-216 | | 216" | 30" | 1 1/4" | 450 Lbs. | | \$ 2,628 | |
| | CT-RD-30-252 | | 252" | 30" | 1 1/4" | 525 Lbs. | | \$ 3,343 | |
| | CT-RD-30-288 | | 288" | 30" | 1 1/4" | 600 Lbs. | | \$ 3,770 | |