



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	TM-3-L	Terminal 3 Laminate Top	24"	28 ¹ / ₄ "	60"			\$ 6,368	<p>KEYBOARD SURFACE & MOUSE LEDGE: Tops are constructed of 1" thick 3-ply particleboard core. The top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. All edges will be banded with a 1/8" thick acrylic edge and is 37" high from finished floor.</p> <p>CPU CABINET: Constructed from 3/4" high density particleboard core with grade 'A' face veneers. Cabinet consists of a vented locking side door with dimensions 12" deep x 24" wide x 24" high and the rear of the unit consists of a wood column.</p> <p>TERMINAL BASE: Metal structural column is 2 1/2" diameter epoxy powder coated and consists of a 23" deep x 23" wide x 4" high wood platform base.</p> <p>MONITOR CAPABILITY: A wood mounting plate is provided and utilizes monitor arm TM-MA-1, offered separately.</p>


TM-3 Usage Option



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	TM-4-L	Terminal 4 Laminate Top	24"	23 ³ / ₄ "	48"			\$ 5,259	KEYBOARD SURFACE & MONITOR LEDGE: Tops are constructed of 1" thick 3-ply particleboard core. The tops' surfaces are laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. All edges will be banded with a 1/8" thick acrylic edge. Monitor ledge consists of a 7" high frosted acrylic screen and is 41" high from finished floor. The keyboard surface is 37" high from finished floor.
									CPU CABINET: Constructed from 3/4" high density particleboard core with grade 'A' face veneers. Cabinet consists of a perforated metal vent locking side door with dimensions 12" deep x 24" wide x 24" high and enveloped with diameter metal tubing.
									TERMINAL BASE: Metal framing tubing is 1 1/2" diameter epoxy powder coated.

TM-4 Usage Option



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	TM-5-L	Terminal 5 Laminate Top	24"	20 ¹ / ₄ "	48"			\$ 5,036	KEYBOARD SURFACE & MONITOR LEDGE: Tops are constructed of 1" thick 3-ply particleboard core. The Tops' surfaces are laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. All edges will be banded with a 1/8" thick acrylic edge. Monitor ledge consists of a 7" high metal surround and is 41" high from finished floor. The keyboard surface is 37" high from finished floor.
									CPU CABINET: Constructed from 3/4" high density particleboard core with grade 'A' face veneers. Cabinet consists of a perforated metal vent locking side door with dimensions 12" deep x 24" wide x 24" high.
									TERMINAL BASE: Metal structural column is 1 1/2" x 1 1/2" epoxy powder coated and consists of a 24" deep x 24" wide metal platform base.

TM-5 Usage Option

