



# **Test Report**

No. AJFS1910010184FF

Date: OCT.22, 2019

Page 1 of 3

#### ALFRESCO MANUFACTURING LTD

NO 289, QIANJIANG SOUTHROAD, LINHAI, ZHEJIANG, CHINA

The following sample(s) was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion. results apply to the sample as received.

Sample Description: HARD FOAM SGS Ref No.: SHHL1910055257FB

Style/Item No.: /

<u>Country of Origin</u>: CHINA <u>Country of Destination</u>: UK

#### **Test Requested:**

Schedule 2 Part I ignitability test for non - foam filling materials singly In Statutory Instrument 1988 No. 1324 (Amended 1989, 1993 and 2010) the Furniture and Furnishings (Fire) (Safety) Regulations As specified in above standard(s) and incorporated with using ignition source 2 of BS 5852: Part 2:1982.

Test Results: -- See attached sheet --

**Conclusion:** The tested sample **Meets** the Requirements of Schedule 2 Part I in Statutory Instrument 1988

No.1324 (Amended 1989,1993 and 2010) the Furniture and Furnishings (Fire) (Safety)

Regulations.

#### **Test Period:**

Sample Receiving Date : OCT.15, 2019

Test Performing Date : OCT.15, 2019 TO OCT.21, 2019

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

Allen Zou Lab Manager



AJFS1910010184F



# **Test Report**

No. AJFS1910010184FF

Date: OCT.22, 2019

Page 2 of 3

#### **Test conducted**

The Furniture and Furnishings (Fire) (Safety) Regulations 1988. S.I. No. 1324 (amended 1989, 1993 and 2010),

Schedule 2, Part I, Ignitability test for Non-foam filling (Singly filling).

Butane Flame Test (Ignition Source 2)

### **Conditioning**

Prior to testing: At least 72 h in indoor ambient conditions and 16 h in an atmosphere having a temperature of 20±5°C and a relative humidity of 50±20%.

At time of testing: Temperature between 15°C ~ 30°C and Relative humidity between 20% ~ 70%

#### **Test results**

The following test results relate only to the ignitability of the combination of materials under the particular condition of test. They are not intended as a means of assessing the full potential fire hazard of the materials or products in use.

## (A) Progressive smouldering

Criteria of failure (Clause 4.1 of BS 5852 Part 2:1982)	1 <sup>st</sup>	2 <sup>nd</sup>
4.1 a) Any composite that produces externally detectable amounts of smoke, heat or glowing 30 min after the removal of the burner tube.	NO	NO
4.1 c) Any composite that displays escalating combustion behaviour so that it is unsafe to continue the test and requires forcible extinction.	NO	NO
4.1 d) Any composite that smoulders until it is essentially consumed within the test duration relevant to the source.	NO	NO

## (B) Flaming

Criteria of failure (Clause 4.2 of BS 5852 Part 2:1982)		2 <sup>nd</sup>
4.2 a) Any composite that continues to flame for more than 120s after the removal of the burner tube	NO	NO
4.2 d) Any composite that displays escalating combustion behaviour so that it is unsafe to continue the test and forcible extinction is required.	NO	NO
4.2 e) Any composite that burns until it is essentially consumed within the test duration relevant to the source.	NO	NO

To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, agry and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/



# **Test Report**

No. AJFS1910010184FF

Date: OCT.22, 2019

Page 3 of 3

## **Details of result:**

Specimen No.		1 <sup>st</sup>	2 <sup>nd</sup>
Progressive smouldering (PS) or Flaming (F)		NO	NO
Duration of	Ignition source (sec)	40s	40s
	After flames (min, sec)	0s	0s
	Smoke (min, sec)	29s	33s
Extent of damage of horizontal component	Width (mm)	38	41
	Length (mm)	44	47
	Depth (mm)	30	32
Extent of damage of vertical component	Width (mm)	45	44
	Depth (mm)	Through	Through
Reason for failure (Ref to failure code)			
Finial examination of progressive smouldering (9.4)		NO	NO
Comments & observations			
Overall result		PASS	PASS

**Statement:** This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

## **Photo Appendix:**

Details of sample:

Color: White

This fiber sample of approximate package density of 8.3 kg/m<sup>3</sup>.



SGS authenticate the photo on original report only

\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/erms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/erms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307

No.301, SunijBr Road, 2 Block, SunijBr I hdustry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com