

IGE  
GE



COUNTY OF ESSEX

CONSTRUCT  
 CONCRETE SIDEWALK,  
 4" THICK  
 MEET EXISTING ASPHALT  
 DRIVEWAY, STA. 10+31  
 11 S.Y.  
 7.73

CONSTRUCT  
 9"x18" CONCRETE  
 VERTICAL CURB STA. 10+12  
 TO STA. 10+31  
 19 L.F.  
 17

CONSTRUCT  
 15" REINFORCED CONCRETE  
 CULVERT PIPE @ 1.0%  $\nabla$   
 INV. AT OUTFALL 168.20  
 7 L.F.

CONSTRUCT  
 TOPSOILING,  
 4" THICK  
 40 S.Y. — (63)  
 FERTILIZING AND SEEDING,  
 TYPE A-3  
 40 S.Y. — (64)  
 STRAW MULCHING  
 40 S.Y. — (65)


11  
 #545  
 3 Story  
 Brick

Lot 10


Lot 9

1 Story  
Masonry

Exist. R.O.W. Line



**SIGN ONE**



50'± R.O.W.

S. Jefferson Street

**PUBLIC  
 R.O.W.  
 NEW  
 ADDITION  
 OVER  
 4' FROM  
 CURB**

3' Granite Curb

M.H.

M.H.