

» From tree to glass

Everything you need to make your own juice or cider



ORGANIC? WELL, THAT'S EASY

Speidel offers everything you need to make your juice or must completely by yourself. Not only do you know exactly what's inside, but you also have the good feeling that you are making the best use of nature's resources.





» Here's how it works

1 GROWING AND HARVESTING

Depending on the type of juice or drink, the first step is to go out and pick the fruits of your choice. Already here your own juice differs in the quality of purchased juices. Cultivation is in your own hands, completely free of pesticides or other undesirable substances that you don't want to find in your juice.

2 GRINDING

Now the fruit has to be cut first and then squeezed out. It is important to consider the correct cutting size. The fruit must not be cut too roughly, but also not too fine so that a high juice yield and rapid fermentation can be achieved.

With the pome fruit grinder from Speidel you shred your fruit perfectly. It is easy to use and easy to clean. See page 8 for more information.







3 JUICING

After the fruit has been cut up, place the fruit mash into the hydropress to squeeze out the juice. You can either enjoy the fruit juice straight away or process it into must, cider or wine.

Due to the water pressure inside the Hydropress, the fruit mash is pressed through the slotted plate and you get fresh juice. More information about the Hydropress can be found on page 12.

4 STORING OR PROCESSING

If you can't wait any longer, enjoy a glass of freshly squeezed juice and fill the rest into one of the Speidel storage containers.

5 FERMENTING

If you prefer to process your fruit juice into must or cider, simply fill the fresh juice into one of Speidel's fermentation containers. You will find the right container for every kind of beverage in our assortment: be it the must container made of high-quality plastic, the juice container made of stainless steel or the pressure cask.





FERMENTING DONE RIGHT

Grind fruit from your own orchards in your own fruit grinder and then press it: That's more effort than getting the juice from the supermarket, but it's also more fun. DIY is the way to go.





» Centrifugal mill

The Speidel centrifugal mill cuts up the fruit in ideal manner: not too coarse and not too fine – just the right size to guarantee you the highest juice yield for ciders.

EASY TO USE

The centrifugal mill can be connected to a standard 230 Volt socket. A large hopper makes it easy to fill the fruit directly from the box. This way an output of up to 1,000 kilograms per hour is possible. Cleaning is simple: Remove the feed hopper and spray the device and hopper with water.

MAINTENANCE-FREE

The centrifugal mill is virtually maintenance-free. Only the blade unit should be sharpened from time to time.

NO RUST EVEN AFTER YEARS OF USE


The hopper, motor block, cutter blades, apron, feet etc. are all made of high quality, rust-free materials requiring neither care nor any special treatment. So you have no rust to worry about even after years of use.

SAFETY IS A TOP PRIORITY

The centrifugal mill complies with all European safety standards (CE mark); it has a protective motor switch which is triggered in case of an overload, a feed hopper with reach-in and switch-on protection and a PE shield to protect the cutters and the motor against any unauthorized interference and against splashing water.



CENTRIFUG	AL MILL			
Order No.	Width cm	Height cm	Outlet height cm	Weight ^{kg}
22200	59	133	38	25







TECHNICAL DETAILS OF CENTRIFUGAL MILL

- Hopper made of yellow-coloured, robust PE plastic (recyclable)
- Lower section: made of black-coloured, robust PE plastic (recyclable)
- > Motor: 230 V, 50 Hz, Output 2.2 kW, 2,800 rpm
- > On / Off: Switch with switch-on lock
- > Connection: 230 V, 50 Hz
- Cutter unit: reversible blades made of hardened stainless steel

ADVANTAGES OF CENTRIFUGAL MILL

- > More power: 2.2 kW
- > No rust on any parts even after years of use
- Made in Germany
- Certified food safe

89



NCASC

JUICING

The Hydropress works with water pressure. This not only protects the vitamins, but also ensures the juice has a wonderfully fresh aroma. Sounds a little exaggerated but it's really delicious.





» Hydropress

The stainless steel Hydropress not only looks good, it also presses that way. The stainless steel lid with quick-release clamp simplifies operation and the discharge outlet made of stainless steel is quickly and easily cleaned. This makes the pressing of juice, fruit, honeycombs, marinated tobacco or citrus fruit a pure pleasure.

Simply grind pome fruit or crush grapes, berries, etc. and fill them into the Speidel Hydropress, open the water tap and watch how the pressure of the incoming tap water presses the fruit mash from the inside out against the slotted plate.

HIGH JUICE YIELD – LESS WASTE

The rapid pressing and the short flow distance preserve the vitamins; the juice has a wonderful aroma of delicious freshness. Due to the high pressure applied, you achieve an exceptionally high juice yield, even if the press basket is only partially filled.


WITHOUT ELECTRICITY, WITHOUT MUSCLE POWER

An energy-saving, ingeniously simple drive mechanism: Connect up a garden hose to the normal domestic water supply and turn the tap on. The tap water expands the rubber diaphragm inside the press and presses the shredded fruit against the mesh basket. The pressure and pressing time can be regulated by turning on the tap more or less.

STAINLESS STEEL HYDROPRESS MODELS

Capacity	Order No.	Ø cm	Height cm	Outlet Height cm	Weight ^{kg}
20	22620-01	44	83	31	14
40	22600-01	52	92	31	20





TECHNICAL DETAILS OF HYDROPRESS

- >Water feed / connection:
- GEKA quick coupling $^{3\!\!4"}$ thread
- > Drain ball valve: male connector ³/₄" with hose cover
- > Max. water pressure: 3 bar

ADVANTAGES OF HYDROPRESS

- Slotted plate instead of perforated plate for better yield
- Made in Germany
- Certified food safe

CONTENTS DELIVERY OF HYDROPRESS

- Press
- Press bag
- Splash guard
- GEKA adapter for ¾" thread



You will find the matching accessories on page 36

ALUMINUM CAST HYDROPRESS MODELS

Capacity	Order No.	Ø cm	Height cm	Outlet height cm	Weight ^{kg}	
90	22690	59	107	30	28	
180*	22618	72×94	132	35	72	

*180-litre basket on tilting stand with wheels for easier emptying (swivelling by 180°)

NO UNNECESSARY PACKAGING WASTE

Those who press their own juice and store it in reusable bottles or juice barrels produce less packaging waste. This was good for the environment way before today and it still is.





» Round / oval container

Besides the right fruit and a good recipe, the container plays the most important role. It must not only be airtight, but also preserve the aroma and bouquet over many months. Above all, it needs to keep out harmful bacteria that can penetrate via the air and the material of the container. The more airtight the container, the better the must. Speidel's oval container of is one of the most popular must containers. We use only colourless, food grade PE plastic for our oval and round containers. The extra-thick wall preserves the aroma and the alcohol and keeps the must fresh and lively for a long time (as opposed to cheap, thin-walled containers). The large filling dome allows you to clean by hand right into the furthest corners.



ROUND / OVAL CONTAINER MODELS

Capacity	Order No.	Shape	Length	Width	Height	ø
l			cm	cm	cm	ст
12	21047	round (R)			35	26
20 30	21052 21006	round (R) round (R)			42 47	31 34
60	21007	round (R)			61	40
120	21008	round (R)			80	50
60	21001	oval (O)	51	35	52	
100	21002	oval (O)	61	40	62	
200	21004	oval (O)	80	49	77	
300	21005	oval (O)	87	57	87	
500	21042	oval (O)	110	66	104	



ADVANTAGES OF ROUND / OVAL CONTAINER

- > The "original" beverage container
- Tried and trusted for decades
- Thick-walled for the best, long-lasting aroma
- Made in Germany
- Certified food safe
- Robust carrying handles

You will find the matching accessories on page 37



» Juice container

Using the Speidel juice container, you can store fruit juices for months and tap off some every day without the juice fermenting or becoming bitter. Because of their health value, juices made from apples, pears, black and red currants, raspberries, elderberries and grapes are particularly popular. Each variety can be stored separately or mixed. Water can also be added to make the juice more palatable. If you want, cider or wine that are already fermented can be stored in the juice container.

The container does not need to be full. Because the floating lid adapts to the contents; it always floats on the top of the juice. As the juice is tapped off, it lowers automatically. A "sealing ring" made of the finest, medical vaseline oil keeps the atmospheric oxygen out. So the juice stays fresh for months. The ancient Romans, too, used to pour oil as an "airlock" on top of their wine to make it keep longer.

With the powerful Speidel flat immersion heater, freshly pressed fruit juice can be directly heated up to 85° or 90°C and then stored in the same container without racking.

So you save fiddling about with a disposable container and racking the finished juice into bottles.



JUICE CONTAINER MODELS

Capacity	Order No.	Height cm	Ø cm	Weight ^{kg}
65	47050	77	35	8
110	47051	77	44	10
170	47052	77	55	15

JUICE CONTAINER: COMPLETE KITS

Products	Order No.
65-litre complete kit 65-litre juice container + stainless steel flat immersion heater with thermometer	47150
 110-litre complete kit 110-litre juice container + stainless steel flat immersion heater with thermometer 	47151
 170-litre complete kit 170-litre juice container + stainless steel flat immersion heater with thermometer 	47152
+	

ADVANTAGES OF JUICE CONTAINERS

- > Drain pipe welded not bolted means perfect hygiene
- Container with polished, mirror-finish surface means easy cleaning
- > Ventilation slits for optimal ventilation
- Made in Germany

CONTENTS DELIVERY OF JUICE CONTAINER

- Stainless steel container with flat bottom, open at top with reinforced edge (approx. 10 mm across)
- > Welded-on threaded connector ³/₄" to run off clear juice at bottom
- > PE tap ¾", nom. diam. 10
- > Stainless steel floating lid with spherical knob
- Stainless steel slip lid with spherical knob and ventilation
- > 1 litre of vaseline oil

You will find the matching accessories on page 38





» Cider-Keg / Pressure cask

With this versatile pressure cask you can make up to 50 litre of your own drinks, keep them fresh for months and tap some off every day – without heatingand without adding chemical preserving agents.

SWEET FRUIT JUICE, MUST OR CIDER

with a variable alcohol level made of apples, pears, berries or grapes. You can decide the alcohol content for yourself: The shorter the cask remains open after filling, the less fermentation sets in and the lower the alcohol content is (max 10 bar due to fermentation).

LOW ALCOHOL SWEET JUICE

made from apples, pears , berries, etc. Almost alcohol-free by adding carbon dioxide: reduced secondary fermentation, month-long freshness (max. 10 bar).

FERMENTED DRINKS

Tap fresh wine, cider, beer and sparkling wine just like in a pub: Only 0.5 to 1 bar carbon dioxide pressure keeps the drink fresh for months and provides the necessary pressure for drawing off. In the case of wine, carbon dioxide avoids excessive sulphurization.

PRODUCE YOUR OWN SODA WATER OR MILD SPARKLING MINERAL WATER

yourself from tap water by adding carbon dioxide. For all those who love soft drinks with low amounts of carbon dioxide and want to save a lot of money. Always the best water quality (in Germany, to some extent, better than that of bottled water), no more dragging crates here and there, and always fresh on tap.



PRESSURE CASK					
Capacity	Order No.	Height cm	Ø cm	Weight ^{kg}	
50	47014	53	39	12	



Our pressure barrel is also suitable for making wine and federweisser



ADVANTAGES OF PRESSURE CASK

- > TÜV monitoring for maximum safety
- > Up to 10 bar pressure (beer barrels are only designed for pressure up to 3 bar)

CONTENTS DELIVERY OF PRESSURE CASK

- → Cask
- Stainless suction tubing with beer pump and stainless steel ball valve with outlet bend
- Threaded connector with pressure gauge
- Safety valve
- Blind plug for gas connection valve

You will find the matching accessories on page 38

In contrast to casks for beer, the pressure cask designed for pressures up to 10 bar.



» Fermentation and storage cask made of stainless steel



Stainless steel is the ideal material for casks: It is food safe and absolutely airtight. Neither the air from the outside nor the aroma on the inside can pass through it. Stainless steel has absolutely no effect on the taste and is not attacked by fruit acids. It is easy to clean outside and inside without aggressive cleaning agents.

USE

Because of its versatile uses, we describe our stainless steel fermentation and storage cask as a universal cask. It is ideally suited as juice container or for storing, mixing and transporting various liquids such as wines, juices, liqueurs, syrups, etc.

PERFECT CLEAN

High quality finishes and perfect workmanship make for easy cleaning.

DESIGN

> Cask made of AISI 304 stainless steel

Surfaces inside and outside IIId

FERMENTATION AND STORAGE CASK MODELS

Capacity	Order No.	Height	Ø	Weight
l		cm	cm	kg
15	UF-028 Var 0001	35	28	5,0
30	UF-035 Var 0005	40	35	6,5
45	UF-035 Var 0001	56	35	7,0
60	UF-035 Var 0006	69	35	8,5
95	UF-044 Var 0001	70	44	10,0
120	UF-044 Var 0003	88	44	12,5
mit Doppel	mantel			
15	UF-028-Var 0003	35	28	7,0
30	UF-035-Var 0007	40	35	9,0
60	UF-035-Var 0009	69	44	14,0





CONTENTS DELIVERY OF FERMENTATION AND STORAGE CASK

- > Tightly sealing clamping-ring lid with silicone seal
- $\mbox{>}$ Drain pipe female thread $\mbox{34"}$ with plastic blind plug
- Plastic threaded connector with blanking cap for
- airlock

You will find the matching accessories on page 39





» Transport, storage, and mashing container

FOOD SAFE

All containers here are made of colourless, UV-resistant PE and thereby comply with EU Regulation 1935 / 2004.

ROBUST

As is usual with Speidel, these containers are particularly thickwalled and therefore extremely robust.

CLEANING

The smooth inner surface ensures that the container is very easy to clean.

TAP TO RUN OFF CLEAR JUICE

The outlet is at the lowest point of the container. This makes it possible to empty it completely.

BASE

The PE base is not only stable, itmakes it easy for forklifts and pallet trucks to get under the container.

DIPPING EDGE

The dipping edge acts as an airlock. When filled with liquid, the fermenting mixture inside is protected from bacteria.



TRANSPORT, STORAGE AND MASHING CONTAINER MODELS

Products	Capacity	Order No.	Weight ^{kg}
1 Transport container	400	10400	35
	600	10600	43
2 Storage container	500	11800	33
	1,000	11036	64
	1,500	11520	84
3 Mashing container	600	10610	50
	1,000	11034	80



You will find the matching accessories on page 39




3

ø

DIMENSIONS OF TRANSPORT, STORAGE AND MASHING CONTAINER

2

Transport container



Storage container

Hash container

ø

Products	Capacity	Weight	Height	Ø
	l	kg	cm	cm
1 Transport container	400	35	85	106
	600	43	113	106
2 Storage container	500	33	141	88
	1,000	64	138	126
	1,500	84	186	126
3 Mashing container	600	50	119	112
	1,000	80	132	133

Ø

THE BEST FOR YOU CHILDREN

Those who produce their own juice know exactly where the fruit comes from and also that there is no chemistry in it. That sounds obvious, but it is becoming more and more important for many people who are losing more and more confidence in the food industry.





» GÄRSPUNDmobil

With the GÄRSPUNDmobil you can monitor the fermentation process from a distance. It measures the fermentation activity by the number of blops of your fermentation bung and the temperature and sends this data via wireless internet connection to your customer account on myspeidel.com. On the right you can see an exemplary fermentation and temperature curve. This makes it easier to predict and plan the expected filling time. You can use the data to find out the connections between fermentation and temperature development and the taste of your must and optimize these processes.



You can find the fermentation bung on page 37 (Order No. 21010)

GÄRSPUNDMOBIL				
Order No.	Width cm	Height cm	Weight ^{kg}	
21100	4	6	0.1	



The fermentation curve: That's what a typical fermentation process looks like.

> The GÄSPUNDmobil can be used in combination with stainless steel tanks as well as must containers made of PE



TECHNICAL DETAILS OF GÄRSPUNDMOBIL

- Measures the fermentation activity by counting the number of Blops of your fermentation lock as well as the temperature
- Sends these information to MySpeidel via wireless internet connection
- > Network standard: IEEE 802.11 b/g/n

CONTENTS DELIVERY GÄRSPUNDMOBIL

- > Device GÄRSPUNDmobil
- > Thermal detector cable
- > Tank screw connection for the cable
- > Mini-USB to USB cable
- Without fermentation lock (please order the Speidel fermentation bung separately)

ADVANTAGES OF GÄRSPUNDMOBIL

- Optimization of the fermentation process and improvement of the finished must or cider
 Access to My Special
- Access to My Speidel
- > Online administration of data and recipes
- > LEDs indicate the status of the device



» Fermentation egg

The organic fermentation in the egg-form is based on the golden ratio without corners and edges. Wine, beer and cider could move fluently during the fermentation and storage. This gentle process guarantees on keeping the completely development of the product. The idea of fermentation or aging in the egg is just to come back to the ancient methods but with the new materials. Already in the ancient times beer has been placed for resting into the egg-formed amphoraes. Recently there were several successful tests for storage wine in the egg-formed fermentation vessels made of concrete. Shortly after Speidel has developed the fermentation egg made of food-safe polyethylene.



FERMENTAT	ION EGG MODELS	5		
Capacity	Order No.	Height	Width	Weight
l		cm	cm	kg
60	21090	79	48	8
250	21070	120	76	21
600	21080	157	103	42

ADVANTAGES OF FERMENTATION EGG

- Suited for the fermentation of wine, beer and must
- Made of food-safe PE
- Wine, must and beer can float freely during the fermentation phase and the storage
- Spontaneous fermentation, more complex and more sophisticated wines and beers
- The oxygen permeability of the food-safe plastic allows a consistent oxygen impact and thus leads to an ideal process of fermentation and maturation.
- After the fermentation the smooth surface can be cleaned easily.

CONTENTS DELIVERY FERMENTATION EGG

- Fermentation egg with lid and socket
- > Without tap and rollsocket

You will find the matching accessories on page 41





» Stainless steel fermentation tanks (pressureless)

Speidel stainless steel fermentation tanks are the professional tanks for ambitious customers. Those who already know their way around and want to carry out fermentation processes at an increased level and in larger quantities are well advised to change from plastic to stainless steel containers. The tanks are the ideal fermentation container for professional production in terms of quality and handling. The smooth inner surfaces are perfectly finished and can be cleaned just as easily after each use. And thanks to the double cooling jacket and cooling unit connection, they are also excellently suited for precise temperature control in the production process. So if you want to work with a high-quality tank at a high level in the long term, our stainless steel fermentation tanks are the right choice.



SIA	STAINLESS STEEL FERMENTATION TANKS (PRESSURELESS) MODELS						
~							

Capacity	Urder No.	Height	Ø	weight
l		cm	cm	kg
60	FD-044-S Var 0019	90	44	16
120	FD-044-S Var 0020	127	44	20

ADVANTAGES STAINLESS STEEL FERMENATION TANKS

- The Speidel stainless steel fermentation tank is recommended for fermentation of fruit mash and beer
- The special 3D inner surface makes cleaning easier
- The double cooling jacket is prepared for the connection of a cooling unit
- The stainless steel fermentation tank stands stable and safe on three legs

TECHNICAL DETAILS OF STAINLESS STEEL FERMENATION TANKS

- $\strut >$ Racking outlet $3\!\!4"$ IT
- > Bottom outlet ¾" IT
- > Double jacket 2 x 1" ET
- > NW 10 nozzle with blind cap for thermal detector sheath
- With cooling jacket
- > Lid with drill hole for fermentation lock



RENEWABLE RESOURCES

Fruit from our own trees is not only used for enjoyment, but also to preserve valuable cultural landscape. It is only through the use of these trees that the old orchards are maintained and preserved.



» Accessories grinding and pressing

ACCESSORIES CENTRIFUGAL MILL

Products

Stainless steel basin

- → ø 55 cm, height 27 cm
- > Including carrying handles for placing underneath the grinder

ACCESSORIES HYDROPRESS

Products

- Stainless steel basin
- > ø 55 cm, height 27 cm
- > Including carrying handles for placing underneath the grinder

Fine filter bag for yeast and lees

SPARE PARTS FOR HYDROPRESS

- When using pressing additives
- 1 For 90-litre hydropress
- **2** For 180-litre hydropress

Products	
Splash guard	
1 20-litre	
2 40-litre	
3 90-litre	

4 180-litre

Diaphragm

- **1** 20-litre
- **2** 40-litre
- **3** 90-litre
- 4 180-litre

Press bag

- **1** 20-litre
- **2** 40-litre
- **3** 90-litre
- 4 180-litre





Order No.

47062

Order No.

22691

	Order No.
	63238
	63274
	63278
	69210
	63226
	63272
	63285
	63831
	00001
- Ale	
	63230
	63273
	63286
	63840
	22692



47062

22619

» Accessories storing and fermenting

ACCESSORIES ROUND / OVAL CONTAINER	
Products	Order No.
Airlock and plug	
Impact resistant	21010
Plastic outlet valve	
1 With swivel nut. nom. diam. 10	21043
2 With swivel nut, nom. diam. 15	20009
Lid	21015
Outlet valve	
> Stainless steel, ½" with swivel nut	21050
Thermometer Strip	1
Suitable for all Speidel must containers	
> Dimensions 13x2 cm	
°Celsius and Fahrenheit	
→ 4°C - 24°C	66715

SPARE PARTS FOR ROUND / OVAL CONTAINER		
Products		Order No.
Screw-on lid1 For 12-litre round container2 For 20 and 30-litre round container	0	21048 21017
Complete lidFor 60 and 120-litre round container		21021
Bund clip for lidFor 60 and 120-litre round container		21019
Cover > For oval container	0	21022
Handle		62969
 Seal 1 For 12-litre round container 2 For 20 and 30-litre round container 3 For 60 and 120-litre round container 	\bigcirc	21049 21031 21025
Seal > For oval container	\bigcirc	21027
Seal for outlet valve nom. diam. 10 / 15	\bigcirc	21046
Seal for lid	0	64845

ACCESSORIES JUICE CONTAINER

Products		Order No.
 Stainless steel flat immersion heater with thermometer For heat sterilization of juices 3,200W, 230V with cable and plug 	A	47059
<pre>1 litre vaseline oil > Packing unit = 25 litres</pre>	Ŷ	47054
 Stainless steel drain tap with lock nut ¾" ET, material AISI 304 Alternative to plastic tap 	4	65276

SPARE PARTS FOR JUICE CONTAINER	
Products	Order No.
PE outlet valve	21013

ACCESSORIES PRESSURE CASK

Products		Order No.
Cleaning brush Attachment for drill 	R	47009
Screw-in gas kit non-return valve > Hose, connection for ½" thread	\bigcirc	47015
 CO₂ Pressure reduction valve Working pressure up to 10 bar 		47057
 CO₂ Gas cylinder Filled with 2 kg of carbon dioxide (for 50 l) 		47058



ACCESSORIES FERMENTATION AND STORAGE CASK

Products		Order No.
Stainless steel drain tap with lock nut • ¾"ET, material AISI 304	6	65276
Airlock and plug Impact resistant 	Ţ	21010
Thermometer Strip > Suitable for all Speidel must containers > Dimensions 13x2cm > °Celsius and Fahrenheit > 4°C - 24°C		66715


ACCESSORIES TRANSPORT, STORAGE AND MASHING CONTAINER

Products	Order No.
Stainless steel ball valve > 1¼" ET-IT, AISI 304	66552
Airlock and plug Impact resistant	21010
Stainless steel threaded connector (DIN) DIN 40-1¼" ET, material AISI 304 Nitrile sealing ring	66551 63204
Stainless steel threaded connector (WKN) > WKN-114" ET, material AISI 304	66549
Stainless steel threaded connector (Mainzer) Mainzer 32–11/4" ET, material AISI 304	66550
Stainless steel threaded connector (Pfälzer) > Pfälzer 38–1¼" ET, material AISI 304	66567
Thermometer kit > Thermometer and sealing sleeve for retrofitting to PE barrels	11820
Heat exchanger plate 1 For 1,000-litre storage container 2 For 1,500-litre storage container	68641
	68643

» General accessories

ACCESSORIES YEASTS

Products	Order No.
Cold formantation yeast	
Cold fermentation yeast	
For 50 litre of juice per kg of mash	
Fermentation temperature from 5 °C	77280-01
Steinberg yeast	
For 50 litre of juice per kg of mash	
Fermentation temperature 10 °C to 25 °C	77280-04
Port wine yeast	
For 50 litre of juice per kg of mash	
Fermentation temperature 10 °C to 25 °C	77280-05
FOR A STATE OF A STATE	
)



» Accessories for advanced brewers

ACCESSORIES FERMENTATION EGG

Products		Order No.
Ball valve ¾" ET–ET	and the second se	75104
Ball valve 1" ET–ET		69315
Fermentation lock with plug		21010

ACCESSORIES STAINLESS STEEL FERMENTATION TANKS (PRESSURELESS)

Products	-	Order No.
Threaded jacket for thermometer, length = 125 mm	0	64071
Bi-metal dial thermometer, length = 125 mm		63887
Ball valve ¾" ET–ET		75104
Fermentation lock with plug		21010

ACCESSORIES FRUIT HARVEST

Products

PE Tipping tub

- > Dimensionally stable due to compound walls with stabilising funnels outside
- Inside with smooth walls
- > No rips, no dirty angles, perfectly hygenic
- > Easy cleaning, also outside
- Tiltable from all four sides (with forklift with rotating tynes)
- > Stackable (filled: two tubs on top of each other at a time; empty: endless)
- > Dark green, food safe PE-plastic (recyclable)

Cover hood made of food safe canvas



BEE SMART ABOUT IT

When you make your own juice, not only everyone who drinks it is happy, but also the honey bees. Because on the fruit trees the wild bees and honey bees find plenty of food.

State







SPEIDEL – WE THINK TANKS

Speidel Tank- und Behälterbau GmbH Krummenstraße 2 72131 Ofterdingen Telephone 0049 (0)7473 9462-0 Telefax 0049 (0)7473 9462-99 verkauf@speidel-behaelter.de

Technical design of products are subject to change.