

Q1) A map of England is drawn to a scale of 1:325,000. How many cm on the map would show 65km?

Q2) A road map measured 3.5cm which represented a distance of 35km. What distance does 1mm on the map represent?




Q3) A builder can finish building one wall in 3 hrs. How many hours are needed for 2 builders working at the same rate to finish building five walls?

Q4) If 8 monkeys take 8 minutes to eat 8 bananas. How many monkeys would it take to eat 48 bananas in 24 minutes?



Q5) What is the probability that the spinner lands on Section A? How about the probability the spinner lands on Section B?





Q6) A restaurant serves 2 starters, 2 main courses and 3 desserts. How many different three course combinations can be served? (Assume you must have one dish for each course)

Q7) A restaurant serves 12 starters, 3 main courses and 4 desserts. How many different three course combinations can be served? (Assume you must have one dish for each course)



Q8) Richard rolls two 1-6 (standard) dice together once and makes a note of the total score.

- a. What is the probability Richard gets a single digit score?
- b. What is the probability Richard rolls a prime number from the two dice?
- c. What is the probability that Richard rolls a square number?



Q9) Can you find numbers to replace X, Y and X in this sum? (X,Y and Z are all different integers)

Q10) Can you find a four-digit number which is reversed when multiplied by 9? (i.e ABCD x 9 = DCBA)



ANSWERS

Q1) Workings: 1cm:325,000cm

Using the below: 100cm: 1m 1,000m = 1km

Therefore: 100,000cm = 1km

We can re-write as follows: 1cm = 3.25km ? = 65km

65 km/3.25 km = 20

Q1) Ans: 20 cm

Q2) Workings: 3.5cm: 35km 1cm: 10km 1mm: 1km **Q2) Ans: 1km**



Q3) Workings:

1 builder: 3 hrs = 1 wall 2 builders: 1.5 hrs = 1 wall 2 builders: ????? = 5 walls

Therefore $1.5 \times 5 = 7.5 \text{ hrs}$

Q3) Ans: 7.5 hrs

Q4) Workings:

8 monkeys: 8 mins = 8 bananas 1 monkey: 8mins = 1 banana 1 monkey: 24mins = 3 bananas ??????: 24mins = 48 bananas

Therefore 48/3 = 16 so 16X1 = 16

Q4) Answer: 16 monkeys

Q5) Answer: ½

It is very tempting to say 1/3 since there are three shapes that are identical. However, we must consider the "angle" of each section. In a circle, the total internal angle is 360

Section A = straight line (therefore 180 degrees) $180/360 = \frac{1}{2}$

Section B = 90 degrees so $90/360 = \frac{1}{4}$

Q6) Answer: 12

Let's call

starters: A,B

main: C,D

desserts: E,F,G



Combos are:

ACE ADE

ACF ADF

ACG ADG

BCE BDE

BCF BDF

BCG BDG

So 12 combos is the answer. However, there is a shorter way!

There are 2 starters, 2 main courses and 3 desserts so you can just do:

2 X 2 X 3 = 12

Q7) Answer: 144

Do: $12 \times 3 \times 4 = 36 \times 4 = 144$

Q8) a) Answer = 30/36 = 5/6

Q8 explanation:

- 6+6 = 12
- 6+5 = 11
- 5+6 = 11
- 5+5 = 10
- 6+4 = 10
- 4 + 6 = 10

So 6 possibilities above for two digit scores, therefore 30 possibilities for one digit scores. (Since there are 36 different combinations).

8b) What is the probability that Richard rolls a prime number?

Prime numbers are:



Combos are:

$$1+2 = 3$$

$$1+4 = 5$$

$$4+1 = 5$$

$$2+3 = 5$$

$$3+2 = 5$$

$$2+5 = 7$$

$$4+3 = 7$$

$$6+5 = 11$$

8c) What is the probability of rolling a square number? 1,4,9 but exclude 1 so just 4 and 9

8c) Answer = 7/36

- 1+3 = 4
- 3+1 = 4
- 2 + 2 = 4
- 3+6 = 9
- 6+3=9
- 4+5=9
- 5+ 4 = 9

Q9) Answer: X = 1, Y = 4, Z = 8

XYZ + XYZ + XYZ = 3(XYZ) = YYY

In the above equation, we can say 3 times XYZ = YYY since we are just adding XYZ to itself 3 times.

Let's write 3(XYZ) = YYY or XYZ = YYY/3 We just divide both sides by 3.

Let's try YYY = 111, YYY = 222, YYY = 333 etc.

111/3 = 37 (can't be this as it is a 2 digit number)

222/3 = 74 (can't be this as it is a 2 digit number)

333/3 = 111 (can't be this as the 3 digits are all the same)

444/3 = 148 (let's check this!)

148

148

+ 148

444

Q10) Explanation:

DCBA must be a multiple of 9 (as ABCD is being x9). Multiples of 9 have a property where the sum of the digits is also a multiple of 9.

i.e D+C+B+A = 9Z (where Z is an integer)

We know A must be 1 because if we tried 2000x9 = 18,000The result is a 5-digit number, so the only way to ensure we have a 4 digit number is to try A = 1

Thus, 1BCD X 9 = DCB1

We can now work out D because in the 9x time, 9x9 = 81

So we now have

1BC9

x 9

9CB1

Looking at the above, we know two facts:

B must be either 0 or 1 because if B was 2 or more, then there would be carrying. Since 9x2 = 18. This cannot be the case as we must have no carrying (since we want $1 \times 9 = 9$)

Remembering the special properties of multiples of 9:

D+C+B+A=9Z

9+C+0+1 = 18 (so C must be 8 if B =0)

Or

9+C+1+1 = 18 (so C must be 7 if B = 1)

Let's try the two options:

1089 or 1179

1089

X 9

9801

1179

X 9

10,611

Q10) ANSWER = **ABCD** = **1089**