



CMC NIVRA Industries Corporation
cmcnivra.com



PRODUCT CATALOGUE



Production Line

Part of the production line of our principal is shown below.

Injection Production Line

We have 2 sets injection machines and around 40 sets injection moulds for production of PVC traffic cones, delineator post, traffic baton shell, warning light shell and other plastic parts.



Blowing Production Line

We have 2 sets blowing machines and around 30 sets blowing mould for production of plastic barrier, PE traffic cone, etc.



OEM / ODM

We have our own housing factory, special projects welcomed.
Logo and design can be customized as per customer's requirement,
No MOQ requirements for customization quality and after sales service can be made available.

R&D

Our R&D department have 5 staff including 4 engineers.



Warehouse



Rubber Production Line

Rubber production line mainly manufacture rubber speed bump, rubber cable protector ramp, rubber corner protector, wheel stoppers and rubber traffic cone, rubber base, etc.

Our 5 sets Rubber Production line can enable production capacity increase, and our rubber production capacity is around 50000 pcs. per month.



Electronic Assembling Production Line

3 Electronic Assembling Production Lines enable us to produce 5000 pcs warning lights in 15 days. We can meet client's requirement – quick order and quick delivery.





INTRODUCTION

CMC NIVRA Industries Corporation is a professional importer and supplier of various products to provide the consumers and users the products to meet their requirement in their respective projects and endeavors. Our principal manufacturer has a broad range of their own design with excellent quality. Their technology has a strong ability for injection and blowing mould processes. Their R & D department produces plastic products in various sizes, shapes and colors with superior strength in a short lead time with low cost of production to meet and satisfy customers from all over the world.

Our company's and our principal's philosophy are for high quality, reasonable price, best service and prompt delivery.

The products shown in this catalog are exported in North and South America, Europe, East Asia, the Middle East and Africa.

HISTORY

CMC NIVRA started as a business unit of Cargem Management Corporation focused in the marketing and servicing of construction and mining equipment. To meet the changing business environment and to have its own niche in the industry and to focus on other potential products and services, the people behind the business unit have decided to incorporate it in June 16, 2017 and register with the Securities and Exchange Commission, and named it as CMC NIVRA Industries Corporation.

SERVICE

To provide customized products and services after sales for clients, the company established its branch operations in Cebu, Iloilo, Cagayan de Oro and Davao City.



CMC NIVRA Industries Corporation
cmcnivra.com

SHOWROOM OF ELECTRIC VEHICLES

JENNY'S Ave., Corner Moon St.
Pasig City, Barangay Maybunga
Metro Manila
Tel. No. +63-2 8-941-5748

MAIN OFFICE

P & E Building #12 United cor. 1st Sts.
Suite 1201, Bo. Kapitolyo, Pasig City
1603 Manila Philippines
Email: cmcnivra@gmail.com
Tel.: +63-2 8-631-9520
+63-2-8-634-4746
Telefax: +632 8635-4821

CEBU BRANCH:

SALUSTIANA Building,
Ground Floor Unit 3
M.L. Quezon Avenue, Casuntingan
Mandaue City, Cebu 6014 PH
Tel.: +032 8-511-9774
Telefax: +032 8-236-9907

DAVAO BRANCH:

USMAN Building, Ground Floor 1
Diversion Road, Buhangin
Davao City 8000 PH
Tel.: +082 8-224-3426

ILOILO BRANCH:

TYDYCO Commercial Bldg. Room 102,
Bypass Road, Kahilwayan Ave.,
Sta. Barbara, Iloilo City
Mobile No. 0945-723-8684

CAGAYAN DE ORO BRANCH:

KAUSWAGAN Arcade, Ground Floor
Kauswagan Highway, Cagayan de Oro City
Misamis Oriental 9000 PH
Tel.: +088 8-881-3947

LOCATIONS OF WAREHOUSES:

35th Earth Road
Barangay Ibayo Tipas
Taguig City, Metro Manila


JENNY'S Ave. Corner Moon St.
Barangay Maybunga
Pasig City, Metro Manila



CABLE PROTECTOR


1-Channel Floor Cord Protector Ramp

1



1-Channel Cable Protector Ramp

2



PIC	Model No	Size	Channel Size	Weight	Material
1	JW-CP-00A	1000*130*20mm	40*13mm	1.5kg	PVC
2	JW-CP-00B	1000*245*45mm	89*35mm	2.17kg	PVC

1-Channel Rubber Cable Protector

3



1 Channel Rubber Cable Protector

4



PIC	Model No	Size	Channel Size	Weight	Material
3	JW-CP-00E	1000*580*120mm	128*102mm	22kg	Rubber for body and PVC for ramp cover
4	JW-CP-00C	1000*220*30mm	69*17mm	5kg	Rubber for body and Plastic for cover

Rubber 1 Channel Cable Protector

5



2 Channel PVC Cable Protector Ramp

6




PIC	Model No	Size	Channel Size	Weight	Material
5	JW-CP-00D	1000*260*70mm	71*49mm	8.5kg	Rubber for body and PVC for ramp cover
6	JW-CP-001D	1000*245*45mm	32*32mm	2.5kg	PVC



CABLE PROTECTOR

2-Channel Rubber Cable Protector Ramp



2-Channel Rubber Cable Protector Ramp



Rubber 2 Channel Cable Protector

PIC	Model No	Size	Channel Size	Weight	Material
1	JW-CP-001C	900*570*90mm	93*71mm	22kg	Rubber for body and Plastic for cover
2	JW-CP-001B	1000*450*70mm	55*51mm	13kg	Rubber for body and PVC for ramp cover
3	JW-CP-001A	1000*250*50mm	30*35mm	7kg	

3-Channel Rubber Cable Protector Ramp



3-Channel Rubber Cable Protector




PIC	Model No	Size	Channel Size	Weight	Material	Cover
4	JW-CP-002B	900x500x75mm	53x65mm	17kg	100% new rubber for body	High Resist Compression plastic material (strong flexible, wheel over it can not bend)
5	JW-CP-002A	1000*300*50mm	35*29mm	9kg	High quality recycling rubber for body (black colour part)	



CABLE PROTECTOR

4-Channel Cable Protector



5-Channel Rubber Cable Protector Ramp



PIC	Model No	Size	Channel Size	Weight	Material	Cover
1	JW-CP-003	900*500*60mm	44*40mm	15kg	High quality recycling rubber for body	High Resist Compression plastic material (strong flexible, wheel over it can not bend)
2	JW-CP-004	900x500x50mm	30x30mm	15kg	High quality recycling rubber for body (black colour part)	

Fire Hose Ramp



Fire Hose Ramp



Fire Hose Ramp



PIC	Model No	Size	Weight	Channel Size	Weight Capacity
3	JSD-012A	855x300x85mm	12kg/piece	90x90mmx2	20Tons
4	JSD-012B	855x300x125mm	19kg/piece	100x100mmx2	20Tons
5	JSD-012C	1010x300x135mm	22kg/piece	150x150mmx2	20Tons




WARNING LIGHT

Solar Powered Warning Light

COLOR Red Yellow Blue White

Magnet base
High Brightness LED
3 powder model: solar, storage battery, A/C
Waterproof design can be used in rainy day



Option Power

Item No	Size	Voltage	Light Source
SU1800R	18*14cm	DC12V/24V AC11V/220V	LED
SU1800Y	18*14cm	DC12V/24V AC11V/220V	
SU1800RB	18*14cm	DC12V/24V AC11V/220V	
SU1230R	12.3*10cm	DC12V/24V AC11V/220V	
SU1230RB	12.3*10cm	DC12V/24V AC11V/220V	
SU1230Y	12.3*10cm	DC12V/24V AC11V/220V	

Solar Warning Light



Applications

Use for marine Industry, Airport, Telecommunication Towers, Construction Cranes, Inland Waterways and Emergency Subways

Main Functions and Features

Integrated design, enabling a rugged and completely waterproof sea capable of prolonged and deep immersion (IP68)

PC hull, with photocell and manual switch

Extremely reliable and cost saving

4 holes on base which you can fix by screw

With bird pike (SUM1500 series)

Waterproof (IP68)

LED Light Spec		Power	
LED Quantity	8 PCS	Solar module type	Monocrystalline silicon
Visible Distance	1500 meters	Solar Panel	4V, 160mA 0.64W
Available Color	Red/Amber	Battery	2 PCS 1.2V Ni-Mh battery
Light Source	LED	Product Size	13x15(dia.) cm
LED Life	≥100000 hours	Function	Flash
Continuous Working Time	100 hours		



WARNING LIGHT

Barricade Warning Light



Barricade Warning Light



PIC	Model No	Color	Product size	Visual Distance	Battery
1	WL-006	Red / Yellow	185*105*250mm (the lamp face Φ185mm)	≥1000M	R20battery(D,UM-1)1.5V*2pcs
2	WL-003A	Red Amber Blue	Base Size11*7.5*12.5	≥1000M	2pc*4R25

Solar Warning Light SU311

SU311-RB changes the LED bulbs into two colors(red and blue). It flashes in turn, more attractive.



SUM311-RB



- Size: 23.2(H) * 18(D) cm
- Material: ABS(frame) PC(shell)
- Single Lens with advance optics for high visibility
- 8 PCS red LED bulbs and 8 PCS LED bulbs
- Function: Red/Blue flash in turn- closed
- 360 degree swivel head
- Light Sensor Control



Optional screw for panel of traffic sign



Charger optional



SUM311A-RB



SUM311B-RB



SUM311C-RB



SUM311D-RB



SUM311E-RB



SUM311F-RB



WARNING LIGHT

Solar Warning Light SU100



SU100A

- LED QTY : 6 RED + 6 BLUE
- Material: ABS
- Battery: 2 PCS Ni-MH 1.2V
- Automatic light control, on at dusk, off at dawn
- Function: red/blue flash in turn
- Continuous working time: more than 120 hours



SU100B



SU100C



SU100D



SU100E

Solar Warning Light SU105



SU105A

- LED QTY : 6 RED + 6 BLUE
- Material: ABS
- Battery: 2 PCS Ni-MH 1.2V
- Automatic light control, on at dusk, off at dawn
- Function: red/blue flash in turn
- Continuous working time: more than 120 hours



SU105B



SU105C



SU105D



SU105E

Solar Warning Light SU30 / SU20



SU20RB

SU30

- Function: Red/Blue flash in turn
- Visible Distance: more than 200 meters
- Battery: 2 PCS Ni-MH 1.2V rechargeable battery
- Photocell auto on at dusk, off at dawn

Item NO	Size	LED QTY	Rechargeable
SU20RB	19(H)*11(dia.) cm	6 RED + 6 BLUE	not allowed
SU30	26.5(H)*11(dia.) cm	6 RED + 6 BLUE	allow

Solar Warning Light SU27



SU-27

- LED QTY: 4 PCS Ultra bright LEDs
- 4 PCS D batteries
- Function: Flash - 4 Quad Flash - Steady - Close
- Continuous Working Time: more than 200 hours

Solar Warning Light SU370



SU-370A

SU-370C

SU370 series warning lights new launched battery-operated.



- Size: 38(L) * 18.5(dia.) cm
- Material PP/AS
- LED QTY: 2 PCS ultra bright LEDs
- Function: Steady - Flash - Close
- LED Color: Red/Yellow
- Battery Type: 4R25 6V

Warning Light ST-121/265



ST-121R



ST-121Y

- 12 PCS ultra bright LED bulbs
- Light Color: RED/YELLOW
- Function: Flash - Close
- The reflector on the lens side can show the signal for drivers in the darkness
- Water-Proof and portable



265Y

265R



PIC	Item NO	Size	Spec	Battery Type
1	ST-121 R/Y	5(H) * 10(dia.) cm	magnetic bottom	Three AA
2	265 R/Y	26.5(H) * 12(dia.) cm	with handle	Two D

AB-25 / A25



AB-A25



AB-25



AB-25A

PIC	Item NO	Size	Spec
1	AB-A25	32(H) * 19(dia.) cm	4 x D battery
2	AB-25	32(H) * 19(dia.) cm	4 x D battery
3	AB-25A	37(H) * 19(dia.) cm	2 x D battery

- LED QTY: 6 PCS ultra bright LEDs
- Function: Flash - Close
- Material: ABS/AS
- Automatic light control, on at dusk, off at dawn
- Visible Distance: over 800 meters

Solar Warning Light JW070



JW70D



JW70A



JW70B



JW70C



JW70E

- Item NO.: JW070
- Battery Type: 2 x Ni-MH 1.2V rechargeable battery
- LED QTY: 6 PCS
- Photocell auto on at dusk, off at dawn
- With different base for various usage





WARNING LIGHT

Solar Warning Light JW072



JW72A



JW72B



JW72C



JW72D



JW72D

- Battery Type: 2 x Ni-MH 1.2V rechargeable battery
- Function: flash in turn or flash -close
- Photocell auto on at dusk, off at dawn
- With different base for various usage

Warning Light JW073



Item NO	Product size	Visual Distance	Battery Type
JW073	135*70*305mm flashing department ϕ 135mm	\geq 1000M	R20 battery(D,UM-1) 1.5V*2 pcs

Solar Warning Light JW074



Item NO	Lens Diameter	Height	Source	Material	Feature	Battery
JW074	7.2 cm	15.3 cm	Super bright 6 LED	PC Material	Light Control System	Ni-MH 2.4V1300mAh battery, 0.3W solar panel



WARNING LIGHT

Solar Warning Light JW075



Item NO	JW075
Size	185x95x325 mm
Solar Panel	0.3 W
Power	Ni-MH 2.4V 1300mAh rechargeable battery
Visual Distance	Over 500 meters
Color	Red and yellow are both available
LED Number	High Brightness 2 PCS LEDs

Solar Warning Light JW076



- *Item NO.: JW076*
 - *LED QTY: 4 PCS ultra bright LED*
 - *Function: Flash - Close*
 - *Built-in silver gilt cup, increase the light scope*
 - *Mounted to walls, barricades, traffic cone and pokes.*
- Use during road construction and signal safety hazard build sites, warehouse, airport, etc.*

Warning Light JW077



Item NO	JW077
Lens Diameter	185 cm
Height	38 cm
Light Source	2 PCS ultra brightness LEDs, light sensor control system
Battery	2 PCS 6V 4R25



WARNING LIGHT

Warning Light JW088



Item NO	JW088
Size	185*105*250mm(the lamp face 過185mm)
Material	PC,PP
Light Resource	High Brightness LED *24pcs
Visual Distance	Over 1000 meters
Flashing Style	Three Flash a stop),60times/min
Base Option	Flat base cover with 3 / 6 pcs magnetic button
Flashing Frequency	Standard flash rate in 65+/-10fpm
Battery	R20battery(D,UM-1)1.5V*2pcs

Solar Warning light JW206A



Item NO	JW206A
Solar Panel	4.6V120-150 mA,0.3W
Power	2.4V 2800 mAh rechargeable battery
Visual Distance	Over 500 meters
Color	Red, yellow,Amber

Solar Warning light JW206B



- Size: 22.5(H) * 18(dia.) cm
- Material: PP/AS
- Double Lens with advanced optics for visibility
- 4 PCS ultra bright LEDs
- 360 degree swivel head
- Photocell automatic on at dusk,off at dawn



WARNING LIGHT

Single Battery Type Warning Light JW-1310

Single Battery Type Warning Light JW-1315



PIC	Item NO	Color	Battery	Visual Distance	Product Size	Advantage
1	JW-1310	Amber / Yellow / Red	1 x 4R25 6V battery	Over 1000 meters	L185*W95*H325mm	/
2	JW-1315	Amber / Yellow / Red	1 x 4R25 6V battery	Over 1000 meters	/	360 degree flashing

Warning Light JW069



- Twofold Basic Diameter 340mm
- Power: Halogen, Xenon, LED
- Input: 12V/DC
- Flash frequency: 65/min





WARNING LIGHT

LED Road Flare



Size	11(dia.) * 3.5(H) cm
Weight	187g
Color	Red, Yellow, Blue, Green, White and Black
Function	9 kind of flashing
Visible distance	≥800meters
Work time	more than 100 hours
Type	Rechargeable /Battery
Feature	magnetic ,waterproof ,anti-corrosion, compression
Material	TPE+PC
LED number	16 Super bright LEDs



Roadside LED Flare Kit



Size	12cm diameter x 20cm high
Weight	100 without battery
Battery	3pcs AAA dry battery
Shelf-Life	10 Years
Waterproof	IP66
Op. & Storage Temps	Fahrenheit: -40/-40 to 212/248 deg F Celsius: -40/-40 to 100/110 deg C
Emission Source	360 degree LED array: solid-state; no filament
LED Light Colors	Red, amber, blue, green, white, infrared (IR). Custom colors available.
Daylight & Night Visibility Ranges	Night: visible to 900M (3,000 ft) on road , 10 miles (16 km) from air Day: visible to 300M (1,000 ft).
Housing Color & Material	Polymer and PC
Package	This electronic road flare set comes in a handy carrying case.
HAZMAT	Hermetically sealed; intrinsically safe
Chemical	Contains no hazardous chemicals, Withstands exposure to petroleum-based fuels
Switch Type	Push Button
Approvals & Certifications	Complies with U.S. DOT (FMCSA) 49 CFR E 392.25 & 393.95(g). MUTCD Type A (flashing) and Type C (solid on). Designed to meet MIL-SPEC/MIL-STD 810 for shock, vibration, and water-resistance.

LED Beacon Light



JW-1001B



JW-1002



JW-1003

PIC	Item NO	Voltage	Power	Color	Size	G.W.	Warranty	Carton size	
1	JW-1001B	DC12V	6W	Red / Blue / Amber	185*124*130mm	0.6kg	One year	/	With 64 LEDs
2	JW-1002	DC12V	4W	Red / Blue / Amber / Red&Blue	Φ115*H125mm	0.7kg	One year	120*125*170mm	Explosion-flashing
3	JW-1003	DC12V/24V	4W	Red / Blue / Red&Blue	Φ95*H115mm	0.6kg	One year	/	With 36leds Explosion-flashing

LED Beacon Light



JW-1003A



JW-1003B



JW-1005

PIC	Item NO	Voltage	Power	Color	Size	G.W.	Warranty	Carton size	
4	JW-1003A	DC12V	20W	Red / Blue / Amber / Red&Blue	Φ163*H132mm	0.9kg	One year	175*170*150mm	With 80leds Explosion-flashing
5	JW-1003B	DC12V	16W	Red / Blue / Amber / Red&Blue	Φ115*H117mm	1.2kg	One year	123*122*160mm	With 80leds Explosion-flashing
6	JW-1005	DC12V/24V	6W	Red / Amber	Φ174*H197mm	1.1kg	One year	185*185*160mm	With 36leds Explosion-flashing

LED Beacon Light

1



JW-1006

2



JW-2003

3



JW-2004

PIC	Item NO	Voltage	Power	Color	Size	G.W.	Warranty	Carton size	
1	JW-1006	DC12V	10W	Red / Blue	Φ165*H135mm	1.1kg	One year	190*175*165mm	Explosion-flashing
2	JW-2003	DC12V/24V	1W	Red / Blue / Amber / Red&Blue	Φ100*H110mm	0.4kg	One year	110*110*165mm	With 9leds Explosion-flashing
3	JW-2004	DC12V/24V	1W	Red / Blue / Amber	290*150*120mm	0.8kg	One year	300*160*140mm	Explosion-flashing

LED Beacon Light

4



JW-2005

5




JW-2006

PIC	Item NO	Voltage	Power	Color	Size	G.W.	Warranty	Carton size	
4	JW-2005	DC12V	4W	Red / Blue	Φ150*H133mm	0.6kg	One year	190*175*165mm	With 24leds Explosion-flashing or rotating
5	JW-2006	DC12V/24V	2W	Amber / Red&Blue	Φ145*H125mm	0.6kg	One year	190*175*160mm	With 24leds Explosion-flashing



TRAFFIC CONE

PE Traffic Cone LZ-001



PIC	Height	Base Size	Weight
1	500 mm	28x28 cm	1.5 kgs
2	750 mm	38x38 cm	2.5 /4.2 kgs
3	1000 mm	49x49 cm	5.0 kgs
4	1000 mm	55x55 cm	7.5 kgs

Israel Standard Traffic Cone LZ-002



PIC	Height	Base Size	Weight
5	500 mm	28x28 cm	1.5 kgs
6	750 mm	43x43 cm	4.0 kgs
7	1000 mm	50x50 cm	6.0 kgs



TRAFFIC CONE

Rubber Traffic Cone LZ-003




Height	Base Size	Weight	Color	Reflective
700 mm	39x39 cm	4.2 kgs	Red / Black	None / Collar

Tripod Traffic Cone LZ-019



Height	Base Size	Weight
560 mm	40x40x40 cm	1.2 kgs

PVC Traffic Cone LZ-005



PIC	Height	Base Size	Weight	Reflective
1	300 mm	21x21 cm	0.6 kgs	none
2	450 mm	28x28 cm	1.1 kgs	15 cm
3	700 mm	36x36 cm	1.8 / 2.3 kgs	15 + 10 cm
4	900 mm	36x36 cm	4.2 kgs	15 + 10 cm

PVC Traffic Cone Europe Standard LZ-005A



High intensive reflective sheeting(auto-adhesive style)




Micro-prismatic reflective sheeting (Non auto-adhesive style)

Height	Base Size	Weight	Weight
750 mm	34x34 cm	2.35 kgs	Orange Red Yellow Blue



TRAFFIC CONE

PVC Traffic Cone interlock base LZ-004



PIC	Height	Base Size	Weight	Color
1	450 mm	28x28 cm	1.6 kgs	Orange / Red / Yellow / Blue
2	700 mm	36x36 cm	3.3 kgs	Orange / Red / Yellow / Blue
3	900 mm	36x36 cm	4.2 / 5.0 / 5.5 kgs	Orange / Red / Yellow / Blue

PVC Traffic Cone interlock base Europe Standard LZ-004A



High intensive reflective sheeting(auto-adhesive style)



Micro-prismatic reflective sheeting (Non auto-adhesive style)


Height	Base Size	Weight	Color
750 mm	36x36 cm	3.3 kgs	Orange / Red / Yellow / Blue

Traffic Cone Topper



PIC	Model NO	Belt Width/Length	Belt Color	Shell Height
1	JW-TCT-01	50mm/ 9 meters	Yellow / Black / Red / White	250 mm
2	JW-TCT-02	50mm/ 3 meters	Yellow / Black / Red / White	250 mm

Retractable Cone Bar JW-TCB=01




PIC	Max Length	Diameter	Color	Expandable Model
3	2.13 meter	34 mm	White / Red, Black / Yellow	single side /double sides expand
4	3.13 meter	34 mm	White / Red, Black / Yellow	double sides expand



TRAFFIC CONE

Retractable Traffic Cone

The retractable traffic cone can be put mini LED warning light on the top of cones.



Item No.	Base Size	Height (exclude top light)	QTY/CTN	N./G. Weight	Carton Size	Carton Size
RTC-B70	30.6X30.6X3.8cm	70CM	10	7.2/9.2	45X32.5X32.5CM	45*32.5*37CM 10PCS/CTN
RTC-B65	30.6X30.6X3.8cm	65CM	10	7.0/9.0	45X32.5X32.5CM	
RTC-B60	30.6X30.6X3.8cm	60CM	10	6.8/8.8	45X32.5X32.5CM	
RTC-B55	30.6X30.6X3.8cm	55CM	10	6.4/8.4	45X32.5X32.5CM	
RTC-B50	24.5X24.5X3.6cm	50CM	20	10.0/12.0	52X26.5X44.5CM	61*52*46.5CM 40PCS/CTN
RTC-B45	24.5X24.5X3.6cm	45CM	20	9.3/11.3	52X26.5X44.5CM	
RTC-B40	24.5X24.5X3.6cm	40CM	20	8.6/10.6	52X26.5X44.5CM	
RTC-B35	19X19X4.5CM	35CM	40	10.5/12.5	49.6X39X36CM	49.6X39X36CM
RTC-B30	19X19X4.5CM	30CM	40	9.7/11.7	49.6X39X36CM	49.6X39X36CM



TRAFFIC BATTON

ST-900 Series

Traffic baton is an effective product which makes great influence on traffic control aspects. It will pay more and more important role in the safety control field.

- Function: Flash - Steady - Close
- Battery Type: Two D Battery / rechargeable battery
- LED Color: Red, Blue, Green, Orange, White, etc.
- Visible Distance: more than 200 meters
- Flash Frequency: 4 HZ
- Material: ABS(handle), PVC(tube)



color



ST-S900R

ST-900R

ST-L900R

Item NO.	Size	Color	LED Number	Work time after full charge
ST-900 series	54(L) x 4(dia.) cm	R/G/B/RGW	6 pieces	6 hours
ST-S900 series	41(L) x 4(dia.) cm	R/G/B/RGW	4 pieces	6 hours
ST-L900 series	87(L) x 4(dia.) cm	R/G/B/RGW	12 pieces	6 hours



ST-900R-1

ST-S900R-1



ST-900R-5



Function: Flash - Steady - White Light-Close.

Item NO.	Size	Color	LED Number
ST-900R-1	54(L) x 4(dia.) cm	R/G/B/Y	6 + 1 pieces
ST-S900R-1	41(L) x 4(dia.) cm	R/G/B/Y	4 + 1 pieces
ST-900R-5	54(L) x 4(dia.) cm	R/G/B/Y	6 +5 pieces



TRAFFIC BATTON



ST-900RG ST-S900RG

Item NO.	Size	Function	LED Number
ST-900RB	54(L) x 4(dia.) cm	Red flash - Red Steady - Blue Steady - Close	6 + 6 pieces
ST-S900RB	41(L) x 4(dia.) cm		4 + 4 pieces
ST-900RG	54(L) x 4(dia.) cm	Red flash - Red Steady - Green Steady - Close	6 + 6 pieces
ST-S900RG	41(L) x 4(dia.) cm		4 + 4 pieces
ST-900RB2	54(L) x 4(dia.) cm	Red Flash - Blue Flash - Close	6 + 6 pieces
ST-S900RB2	41(L) x 4(dia.) cm		4 + 4 pieces
ST-900RG2	54(L) x 4(dia.) cm	Red Flash - Green Flash - Close	6 + 6 pieces
ST-S900RG2	41(L) x 4(dia.) cm		4 + 4 pieces



ST-9001R-AA ST-9001RG-AA ST-M9002R-AA ST-M9002RG-AA

- Function: multi-flashing
- Visible Distance: over 200 meters
- LED Color: can be choice
- Flash Frequency: 3.3 HZ
- Battery: D battery type and rechargeable type available
- Material: ABS(handle), PVC(tube)

Item NO.	Size	Function	LED Number	Battery Type
ST-9001R-AA	54(L) x 4(dia.) cm	Flash - Steady - Top Lighting - Close + Whistle	6 + 1 piece	Three D battery
ST-9001RG-AA	59(L) x 4(dia.) cm	Red Flash - Green Flash - Red & Green Flash in turn - Top Lighting - Red Laser Light - Close + Whistle	6 + 6 + 4 + 1 pieces	Three D battery
ST-M9002R-AA	54(L) x 4(dia.) cm	Flash - Steady - Top Lighting - Close + Whistle + Magnetic	6 + 1 pieces	Three D battery
ST-M9002RG-AA	54(L) x 4(dia.) cm	Red Flash - Green Flash - Red & Green Flash in turn + Top Lighting - Red Laser Light - Close + Whistle + Magnetic	6 + 6 + 4 + 1 pieces	Three D battery



TRAFFIC BATTON

ST-700 Series



Item NO.	Size	Color	LED Number
ST-700 Series	52(L) x 3(dia.) cm	R / G / B / Y	6 pieces
ST-S700 Series	40(L) x 3(dia.) cm	R / G / B / Y	4 pieces
ST-L700 series	87(L) x 3(dia.) cm	R / G / B / Y	12 pieces



Item NO.	Size	Color	LED Number
ST-700R-1	52(L) x 3(dia.) cm	R / G / B / Y	6 + 1 pieces
ST-S700R-1	40(L) x 3(dia.) cm	R / G / B / Y	4 + 1 pieces



TRAFFIC BATTON



ST-700RG2 ST-S700RG2

Item NO.	Size	Function	LED Number
ST-700RB	52(L) x 3(dia.) cm	Red flash - Red Steady - Blue Steady - Close	6 + 6 pieces
ST-S700RB	40(L) x 3(dia.) cm		4 + 4 pieces
ST-700RG	52(L) x 3(dia.) cm	Red flash - Red Steady - Green Steady - Close	6 + 6 pieces
ST-S700RG	40(L) x 3(dia.) cm		4 + 4 pieces
ST-700RB2	52(L) x 3(dia.) cm	Red Flash - Blue Flash - Close	6 + 6 pieces
ST-S700RB2	40(L) x 3(dia.) cm		4 + 4 pieces
ST-700RG2	52(L) x 3(dia.) cm	Red Flash - Green Flash - Close	6 + 6 pieces
ST-S700RG2	40(L) x 3(dia.) cm		4 + 4 pieces



ST-700RAA-2 ST-700RGAA-1 ST-S700RAA ST-700RAA



Light for ST-700RAA-1

Light for ST-700RAA-2

ST-700R-AA & 700R-AA with waist light
With stainless steel clip

Item NO.	Size	Function	LED Number	Battery Type
ST-700RAA	55.5(L) x 3(dia.) cm	Flash - Steady -Harsh Warning	6 pieces	Three C battery
ST-S700RAA	40(L) x 3(dia.) cm		4 pieces	Three C battery
ST-700RAA-1	55.5(L) x 3(dia.) cm	Flash - Steady - Lighting in middle - Close - Whistle	6 + 1 pieces	Three C battery
ST-700RAA-2			6 + 2 pieces	




TRAFFIC BATTON

260 Series

Short baton in small size, used not only for traffic control, but also for extensive practicability in our daily life.

- Function: Flash - Steady - Top Lighting - Close
- With magnetic on bottom and with a sling
- Battery Type: AA battery or rechargeable battery



Item NO.	Size	Color	Material	LED Number
260 Series	26(L) x 4(dia.) cm	R/G/B/Y/RB/RGW	ABS(handle) AS(tube)	18 + 1 pieces
S260 Series	26(L) x 4(dia.) cm	R / G / B / Y	ABS(handle) PC(tube)	18 + 1 pieces
L260 Series	36(L) x 4(dia.) cm	R / G / B / Y	ABS(handle) PC(tube)	18 + 1 pieces



Item NO.	Size	Color	Material
260R-AA	30(L) x 4(dia.) cm	R / G / B / Y	ABS(handle) AS(tube)
L260R-AA	36(L) x 4(dia.) cm	R / G / B / Y	ABS(handle) PC(tube)




TRAFFIC BATTON



- Function: Multi-flashing
- With magnetic on the bottom
- Three AA battery
- LED Number: 9 Red + 10 Green

Item NO.	Size	Function
L260RB6	36(L) x 4(dia.) cm	Red Flash - Blue Flash - Red/Blue Flash in turn - Red/Blue Flash together - Top Lighting - Close
L260RG6		Red Flash - Green Flash - Red/Green Flash in turn - Red/Green Flash together - Top Lighting - Close
L260RW6		Red Flash - White Flash - Red/White Flash in turn - Red/White Flash together - Top Lighting - Close
260RG	26(L) x 4(dia.) cm	Red Flash - Red Steady - Green Steady - Close
S260RG		Red Flash - Red Steady - Green Steady - Close
L260RG	36(L) x 4(dia.) cm	Red Flash - Red Steady - Green Steady - Close

250 Series



- Function: Flash - Steady - Top Lighting - Close
- Battery Type: AAA battery or rechargeable battery
- With magnetic on the bottom and stainless steel clip



Item NO.	Size	Color	Function
250 Series	28(L) x 3(dia.) cm	R/G/B/Y/ RB/RGW	Flash - Steady - Top Lighting - Close
L250 Series	36(L) x 3(dia.) cm	R/G/B/Y	Flash - Steady - Top Lighting - Close
250RG	28(L) x 3(dia.) cm	RG	Red Flash - Red Steady - Green Steady - Close
L250RG	36(L) x 3(dia.) cm	RG	



TRAFFIC BATTON

270/280 Series

- 270 & 280 series have harsh warning function,
- three AAA batteries,
- any color available



270R-AA

M270R-AA

M2701RG-AA

Item NO.	Size	Color	LED Number	Material	Function
270-AA Series	26.5(L) x 3.5(dia.) cm	R/G/B/Y	19 pieces	without	Flash - Steady - Close
M270-AA Series		R/G/B/Y		with	Flash - Steady - Close
M2701RG-AA		RG	4R + 4G + 4W + 1 Red Laser Light	with	Red/Green Flash in turn - Top Lighting - Red Laser Light - Close - Whistle



M280R-AA

M280Y-AA

M280B-AA

M280G-AA

280R-AA

M280RG-AA



Item NO.	Size	Color	LED Number	Material	Function
280-AA series	30(L) x 4(dia.) cm	R/G/B/Y	18 + 1 pieces	without	Flash - Steady - Top Lighting - Close
M280-AA Series		R/G/B/Y		with	
M280RG-AA		RG	9 Red + 10 Green	with	Red Flash - Red Steady - Green Steady - Close



TRAFFIC BATTON

273/293 Series



(Rechargeable is available)

273

- 273 Series
- 1. 10 pieces LEDs, flash - steady for SOS in the darkness
- 2. Silicone rubber button, not damage easily
- 3. Magnetic on the bottom, attached on iron strongly
- 4. Plug on handle can be folded and chargeable in convenient
- 5. Function: flash - Steady - White Light - Close



293

- 293 Series
- 1. 5 pieces LEDs, flash - steady for SOS in the darkness, top light
- 2. The top stud used to break window when be trapped in the car
- 3. Loudly whistle for SOS
- 4. Silicone rubber handle, buckle and safety ring, easily to take
- 5. Independent switches, whistle and flash/light are not affected by each other
- 6. Magnetic on bottom can be attached on the iron object
- 7. Rubber ring, waterproof
- 8. Function: Flash - Steady - Lighting - Close

Rechargeable Series



ST-900R



ST-900RG



ST-9001R-AA



ST-9001RG-AA



ST-M9002R-AA



ST-M9002RG-AA



ST-500aa



260R



Car charger Usual charger

Traffic Baton Accessory



233R



(Rechargeable is available)

273



ST-33-50A



TRAFFIC BARRIER

Water-Filled Barrier



SM-001

SM-002



SM-003A

SM-003B



SM-004

Item NO.	Material	Length (mm)	Top Width (mm)	Bottom Width (mm)	Height (mm)	Net Weight	Water Capacity
SM-001	HDPE	1300	180	370	650	8.5 kgs	200 kgs
SM-002	HDPE	1650	150	410	650	9 kgs	300 kgs
SM-003A	HDPE	1400	145	400	800	7.5 kgs	400 kgs
SM-003B	HDPE	1500	180	370	800	9.5 kgs	250 kgs
SM-004	HDPE	2000	145	400	800	19 kgs	400 kgs



SM-005

SM-006

Item NO.	Material	Length (mm)	Top Width (mm)	Bottom Width (mm)	Height (mm)	Net Weight	Water Capacity
SM-005	HDPE	1200	80	260	600	6 kgs	60 kgs
SM-006	HDPE	1500	150	430	1200	14 kgs	200 kgs



TRAFFIC BARRIER

273/293 Series



SM-014A



SM-014B

Item NO.	Material	Height	Diameter (drum)	Base Size	Weight
SM-014A	HDPE	100 cm	54 cm	/	4 kgs
SM-014B	HDPE(drum) Rubber(base)	110 cm	58/65 cm	85 x 7 cm	16 kgs (base 10 kgs, drum 6 kgs)

Plastic Road Barrier

This plastic road barrier JW-RB-001 & RB-002 are produced by blowing machine, the legs can be swiveled in 360 degree.



JW-RB-002A



JW-RB-001



JW-RB-002B

Item NO.	Material	Length	Height	Width	Weight
JW-RB-001	HDPE	2280 mm	1200 mm	65 mm	15 kgs
JW-RB-002A	HDPE	1950 mm	1000 mm	55 mm	11.5 kgs
JW-RB-002B	HDPE	2000 mm	1000 mm	400mm(foot)	12 kgs



TRAFFIC BARRIER

Barrier Gate



Item NO.	Material	Size	Weight
JW-RB-003	HDPE	1270x1060x30 mm	4.5 kgs

Plastic Road Barrier

This type of plastic road barrier can be interlocked one by one and the legs can be swiveled in 360 degree. In the center part, can be customs made customer's logo printed in the plate.



Item NO.	Material	Size	Weight
JW-RB-004	PVC	1500 x 1000 mm	9.5 kgs
JW-RB-005	PVC	2000 x 1000 mm	10.5 kgs



TRAFFIC BARRIER

Plastic Road Barrier


This plastic barrier are produced by injection mold in one piece production,inside is solid and have a strong structure, the barriers(three models) can be connected one by one via interlock system. Center part can be customs printed clients' logo.



JW-RB-006



JW-RB-007



JW-RB-008

Item NO.	Description	Size	Weight
JW-RB-006	Movit Barrier	2000 x 1000 mm	12 kgs
JW-RB-007	Minit Barrier	1250 x 1000 mm	7 kgs
JW-RB-008	Xtendit Barrier	1550 x 265 mm	3.5 kgs





TRAFFIC BARRIER

Pedestrian Bridge Trench Cover

This type of trench cover can resistant heavy duty weight, backside has iron bar for enforcement and the galvanized rail for safety protection for worker in sites.



Item NO.	Size	Weight	Rail
JW-RB-009	1400 x 800 mm	20 kgs	with / without

Safety Fence

This safety fence barrier is produced by galvanized tube, the finishing can be galvanized or powder coating, all sizes can be customs designed .



Item NO.	Material	Size	Processing
JW-RB-011	iron tube	1x1.2, 1x1.5, 1x1.8, 1x2 meters	galvanized or powder coating



Expandable Plastic Barrier



PIC	Item NO.	Material	Processing	Size	Max Length	Weight
1	JW-RB-010A	HDPE	Blowing	940 x 340 mm	2500 mm	2.2 kgs
2	JW-RB-010B	HDPE	Blowing	1080(H) x 470(W) x 150(D)mm close	2200 mm	6.8 kgs
3	JW-RB-010C	PVC	Injection	1000(H) x 300(W) mm	3900 mm	15 kgs
4	JW-RB-010D	PVC	Injection	950(H) x 420(W) x 420(D) mm	3500 mm	7 kgs
5	JW-RB-010E	Aluminum alloy	Welding and powder coating	960(H) x 390(W) close	Extend from 390 to 3300 mm	17.5 kgs

Barrier Bollard



Item NO.	Bollard Size	Bollard Material	Leg Type
JW-RB-012	2500x190x25mm	ABS	Fixed / Foldable



DELINEATOR BOLLARD

T-Top Temporary Bollard

This type bollards is mainly designed and suitable for Australia, New Zealand, America market for traffic control usage, the post matched a heavy duty rubber base increase the weight, the base weight have 6 kg and 8 kg for option.

1



T-Top Channelizer Cone

*This Stacker Cone & Delineator Cone Characteristic:
Flexible polyethylene post with reflective striping.
Sturdy 8 kg recycled rubber base .
Two-piece design for ease in storage & handling .
Highly visible day or night .
Use for temporary signage, traffic delineation, crowd control & more .*

2



PIC	Item No	Height	Base Diameter	Base Weight	Hi-Vis Tape Width
1	JW-DB-001	1150 mm	400 mm	6 kg / 8 kg	250 mm
2	JW-DB-002	1150 mm	400 mm	8 kg	250 mm

Portable Delineator Bollard



This delineator bollard is made of PVC for board, base in rubber, with a interlocked system for connection that the board can be fold together with the base. Hi-Vis reflective tape printed in strips or arrow can give warning signal / direction for passengers and vehicles. Height 72 cm

Item No	Material	Base Size	Board Size
JW-DB-002	PVC board, rubber base	45 x 22 cm	22 x 62
Weight		Interlock	Hi-Vis Tape
6.5 kg (base 4.8kg, board 1.7 kg)		collapsible	Engineering /High Intensity Grade Tape



DELINEATOR BOLLARD

Delineator Bollard

Item No	Height	Board Size
JW-DB-004	1100 mm	1100 x 310 mm
Base Size		Weight
500 x 500 x 45 mm		13 kg(board 2 kg,base 11 kg)



Delineator Bollard

This delineator bollard was mainly designed for Europe market, the rubber base can also suitable for other delineator post due to optional holes. The delineator bollard top can be attached to warning light that make a traffic control warning system.

Item No	Size	Panel Weight
JW-DB-005	290 x 1300 x 60 mm	3 kg
Base Size		Base Weight
800 x 400 x 120 mm		13kg / 15 kg / 17 kg



Delineator Bollard



PIC	Item No	Height	Base Size	Board Size	Weight
①	JW-DB-006	1100 mm	700 x 400 x 80 mm	1100 x 240 mm	18 kg(board 2 kg,base 15 kg)
②	JW-DB-007	1100 mm	670 x 400 x 80 mm	1000 x 220 mm	16 kg(board 1 kg,base 15 kg)



DELINEATOR BOLLARD

Chevron Bollard



PIC	Item No	Height	Base Size	Board Size	Weight
1	JW-DB-008	800 mm	370 x 320 x 100 mm	725 x 200 mm	8 kg(board 1kg,base 7kg)
2	JW-DB-009	1160 mm	1160 x 250 mm	1270x1060 mm	12.4 kg(base 10 kg)
3	JW-DB-010	/	350x320x100 mm	750x150 mm	5.8 kg
4	JW-DB-011	/	600x320x100 mm	910x250 mm	13 kg

Rubber Lane Divider



PIC	Item No	Height	Base Size	Weight	Material
5	JW-LD-01	300 mm	220 x 150 mm	1.5 kg	PU
6	JW-LD-02	330 mm	210 x 150 mm	1.5 kg	rubber

Retractable Belt Stanchion



PIC	Item No	Height	Belt Width
7	JW-DB-010	910 mm	50 mm
Base Diameter		Weight	Material
320 mm		6 kg	Stainless Steel

Parking Lock JW-BW-M

1



Parking Lock JW-BW-M2

2



PIC	Item No	Size	Lock up height	N. W	Technological
1	JW-BW-M	700×500×460mm	500mm	4.2kg	1.5mm steel rolling, powder coating
2	JW-BW-M2	600×500×360mm	500mm	4.86kg	2mm steel rolling, powder coating

Parking Lock FP610Y

3



Parking Lock FP710Y

4



PIC	Item No	Height	Product size	Post dimensions	Frame size	Technological	Lock
3	FP610Y	610 mm	/	60x3mm	/	Powder coating	with lock
4	FP710Y	710mm	700x100x710mm	60x3mm	32x1.2mm	Powder coating	with lock

Remote Control Parking Lock

1

- 2.00mm steel rolling powder coating
- Remote distance≤50m
- Lead Acid Battery
- One full charging last 6 months



2

- 2.00mm steel rolling powder coating
- Remote distance≤50m
- Lead Acid Battery
- One full charging last 6 months



PIC	Item No	Size	Up height	Down height	N.W.	Up and down	Environment Temperature
1	JW- BW-1	645*160*300mm	320mm	85mm	11.5 kgs	5s -6s	-40~+70°C
2	JW- BW-3	640*200*320mm	530mm	90mm	12.5 Kg	5s -6s	-40~+70°C

Remote Control Parking Lock

3

- 2.00mm steel rolling powder coating
- Remote distance≤50m
- Lead Acid Battery
- One full charging last 6 months



4

- 2.00mm steel rolling powder coating
- Remote distance≤50m
- Lead Acid Battery
- One full charging last 6 months



PIC	Item No	Size	Up height	Down height	N.W.	Up and down	Environment Temperature
3	JW- BW-5	520*480*530mm	530mm	90mm	12.5 kgs	5s -6s	-40~+70°C
4	JW- BW-8	460*495*390mm	390mm	60mm	8.5 kgs	5s -6s	-40~+70°C

Remote Control Parking Lock



- 2mm steel rolling powder coating
- Collision, waterproof
- Remote distance≤50m
- Lead Acid Battery
- One full charging last 6 months

PIC	Item No	Size	Up height	Down height	N.W.	Up and down	Environment Temperature
5	JW- BW-9	500*470*470mm	470mm	60mm	8.2 kgs	5s -6s	-30~+65°C
6	JW- BW-10	460*490*430mm	430mm	60mm	8.4 kgs	5s -6s	-30~+65°C

Remote Control Parking Lock



- 2mm steel rolling powder coating
- Collision, waterproof
- Remote distance≤50m
- Lead Acid Battery
- One full charging last 6 months

PIC	Item No	Size	Up height	Down height	N.W.	Up and down	Environment Temperature
7	JW- BW-11	460*460*430mm	430mm	60mm	8.8 kgs	5s -6s	-30~+65°C
8	JW- BW-12	460*540*430mm	430mm	60mm	9 kgs	5s -6s	-30~+65°C



PARKING LOCK


Parking Lock JW-BW-A1



Parking Lock JW-BW-MO




Parking Lock JW-BW-K



PIC	Item No	Size	Locking Heigh	N.W.	Technology
1	JW-BW-A1	600*200*400mm	600mm	4,5 kgs	2mm steel rolling powder coating
2	JW-BW-K	1140*204*320mm	320mm	8,5kgs	
3	JW-BW-MO	600*500*50mm	380mm	5,2kgs	

Traffic Sign

Traffic signs are made of aluminum board with reflective tape sheeting, thickness of sign is optional and printing is customs made.



PIC	Model NO	Size	Material	Reflective Sheet	Thickness	Printing
1	JW-TR-01A	60/70/90 cm	aluminum board	EGP/HIP/DG3	1 to 3 mm	customs made
2	JW-TR-01B	60/70/90 cm	aluminum board	EGP/HIP/DG3	1 to 3 mm	customs made
3	JW-TR-01C	50/70/90 cm	aluminum board	EGP/HIP/DG3	1 to 3 mm	customs made
4	JW-TR-01D	50/60/70 cm	aluminum board	EGP/HIP/DG3	1 to 3 mm	customs made
5	JW-TR-01E	40*80/60*100 cm	aluminum board	EGP/HIP/DG3	1 to 3 mm	customs made



TRAFFIC SIGN

Site Safety Signs JW-SS-01

Site Safety Signs are customs made in varies sizes, material, printing used for construction sites, danger places and etc.

The material can be aluminum board thickness range from 1 mm to 3 mm, and also can use economic saving PVC plastic board range from 0.8 mm to 4 mm.

Reflective sheet & none reflective sheet also can be choice.

SITE SAFETY

- Heavy plant and machinery operate on this site.
- Vehicles must not enter the site without the authority of the site supervisor. Unsupervised reversing in and out of site is strictly forbidden.
- Speed and parking restrictions must be observed.

SITE SAFETY

- Unauthorized entry to this site is strictly prohibited.
- Construction work in progress. Parents are advised to warn children of the danger of entering this site.
- Hard hats must be worn.
- High visibility vest must be worn.
- Protective footwear must be worn.

SITE SAFETY NOTICE

- Unauthorized entry to this site is strictly prohibited.
- High visibility clothing must be worn in this area.
- Children must not play on this site.
- Rubbish chute to be used at all times.
- Caution Men at work.
- All drivers and visitors must report to the site office.
- Warning Falling objects.
- Permission must be obtained before entering this site.
- Safety helmets must be worn.
- Personal protection and safety equipment must be used at all times.
- Protective footwear must be worn.
- All persons must comply with the Health & Safety at Work Act 1974.

personalised logo here

SITE SAFETY STARTS HERE

- Site speed limit
- No admittance for unauthorised personnel
- All Staff must report to site office
- Heavy plant machinery operates on this site
- Full body high visibility clothing must be worn
- Protective boots must be worn
- Safety helmets must be worn
- Safety glasses must be worn
- Protective gloves must be worn

YOUR COMPANY DETAILS HERE

- Danger Deep excavations
- ALL DRIVERS AND VISITORS MUST REPORT TO RECEPTION
- Construction site KEEP OUT
- CAUTION SITE TRAFFIC
- WARNING TO PUBLIC This building site is private property. No admittance to the site without the authority of the site office. Parents are advised to warn children of the danger of trespassing on the site.
- No Reversing without permit
- NOTICE TO PARENTS Parents are requested to warn children of the danger of trespassing on the site.
- Wear your safety equipment

THINK SAFETY

- No unauthorised entry
- All visitors and delivery drivers must report to the site office
- Safety helmets, safety footwear and high visibility clothing must be worn at all times on this site
- Danger of underground services
- You must be safety inducted to start work on this site
- Wear eye, ear, hand and respiratory protection where appropriate
- Check before you dig

SITE SAFETY

- Danger Construction work in progress
- Unauthorised entry prohibited
- Personal protective equipment must be worn at all times. Failure to do so may result in disciplinary action



Tripod Warning Sign JW-WS-01



This tripod warning signs are designed for Europe market, the stand can be foldable and galvanized or powder coating finishing. The sign symbol printed can be customs made and material can be reflective or none reflective. Size can be customs

Wet Floor Warning Sign



Item NO.	Height	Material	Printing
JW-WS-02	630 mm	PP	customs made

Tripod Traffic Sign with stand



Tripod traffic sign is designed in US standard for US market, the stand can be foldable and powder coating finishing.

Slow Stop Signs



This slow stop bat can be for 1.5 meters timber handle and 1.8 meters extensible aluminum handle. The sign board is made of aluminum, thickness range 1.5 to 3 mm.



Item No	Bat Diameter	Board Thickness	Handle Inner Diameter	Reflective Sheet	Handle
JW- WS-03A	450 mm	1.5 to 3 mm	32 mm	HIP / DG3	Timber /
JW- WS-03B	600 mm	1.5 to 3 mm	35 mm	HIP / DG3	Extensible Aluminum

Swing Signs



Item NO.	Sign Size	Stand
JW-WS-04A	600x600 mm	galvanized/ powder coating
JW-WS-04B	600x800 mm	
JW-WS-04C	600x900 mm	
JW-WS-04D	900x1200 mm	

Coreflute Signs Box Edged Signs




Item No	Sign Size
JW-WS-05A	600x600 mm
JW-WS-05B	1200x300 mm

Box Edged Signs



Item NO.	Sign Size
JW-WS-06A	1200x300 mm
JW-WS-06B	1200x450 mm
JW-WS-06C	1200x900 mm
JW-WS-06D	600x600 mm
JW-WS-06E	1500x600 mm

Road Stud



PIC	Model NO	Size	Material	Weight Capacity	Lens Size	Net Weight
1	JW-RS-001A	101x89x16 mm	ABS / PMMA	20 T	23,5x69 mm	70 gram
2	JW-RS-001B	105x81x16 mm	ABS / PMMA	20 T	22x79 mm	80 gram
3	JW-RS-002	100x100x20 mm	ABS / PMMA / Fluorescent powder	20 T	93x28 mm	90 gram
4	JW-RS-003	100x100x20 mm	ABS / PMMA	20 T	93x28 mm	90 gram
5	JW-RS-004	100x100x22 mm	Aluminum / PMMA	20 T	80x22 mm	335 gram

Solar Road Stud



PIC	Model NO	Material	Power Supply	Weight Capacity	Water Proof Level
1	JW-SRS-001	Plastic	solar	20 T	IP68
2	JW-SRS-002	Plastic	solar	15 T	IP68
3	JW-SRS-003	Aluminum	solar	25 T	IP68
4	JW-RS-005	Aluminum	DC 12V	25 T	IP68
5	JW-SRS-004	Aluminum	solar	25 T	IP68

Rubber Speed Bump



PIC	Model NO	Material	Middle Section Size / Weight	End Cap Size / Weight
1	JW-JSD-001	100 % new rubber	1000x380x50 mm / 15.5 kg	190x380x50 mm / 2 kg
2	JW-JSD-002		500x300x50 mm / 6 kg	250x300x50 mm / 2 kg
3	JW-JSD-003		500x350x50/45 mm, 7/6 kg	175x350x50 mm / 1.8 kg
4	JW-JSD-004		1000x350x50/45 mm, 14/12 kg	175x350x50/45 mm, 1.8 kg
5	JW-JSD-005		250x350x50 mm / 3.75 kg	175x350x50 mm / 1.8 kg

Rubber Speed Bump



PIC	Model NO	Material	Middle Section Size / Weight	End Cap Size / Weight
6	JW-JSD-006	100 % new rubber	600x500x32 mm / 9 kg	600x250x32 mm / 3 kg
7	JW-JSD-007		900x500x50 mm / 19 kg	900x250x50 mm / 7.5 kg

Rubber Speed Bump



PIC	Model NO	Material	Middle Section Size / Weight	End Cap Size / Weight
8	JW-JSD-008	100 % new rubber	500x500x75 mm / 17 kg	250x500x75 mm / 5 kg
9	JW-JSD-009		500x350x50 mm / 7 kg	175x350x50 mm / 3.2 kg
10	JW-JSD-010		500x480x50 mm / 9.5 kg	170x400x50 mm / 2.8 kg
11	JW-JSD-011		1000x300x50 mm / 13 kg	150x300x50 mm / 1.3 kg
12	JW-JSD-012		500x430x50 mm / 11 kg	250x430x50 mm / 4 kg
13	JW-JSD-013		500x350x50/45 mm, 9/6 kg	250/175x350x50/45 mm, 2/1.5 kg
14	JW-JSD-014		500x500x55 mm / 14 kg	270x500x55 mm / 4 kg



SPEED BUMP

Rubber Speed Cushion




Item NO.	Standard	Total Length	Total Width	Height	Total Weight	Part	Dimension	Weight
JW-SC-01A	France	300 mm	180 mm	65 mm	300 kg	Left End	1000x900x65 mm	50 kg
JW-SC-01B	Belgium					Middle	1000x900x65 mm	50 kg
JW-SC-01C	UK					Right End	1000x900x65 mm	50 kg

Portable Speed Bump

Anti-slip Mat in the back

The highly visible system is designed for temporary speed control applications, where it is desired to slow down the traffic speed to 40 km/h. The secret behind the success of the system is its unique waffle-style rubber underlay, which enable adhesion to the road surface as vehicles traverse. It has been designed for use for the entrance of the highway work zones to assist to reducing speed and therefore creating a safer work environment for road workers.




Item NO.	Max Length	Fold Length	Width	Height	Weight	Material	Bag Size	Weight Capacity
JW-JSD-015	3 meter	540 mm	250 mm	50 mm	13 kg	PP	Ø540x250 mm	10 T



RUBBER BASE

Rubber Base

The rubber bases are produced by 100% new rubber material that can resistant heavy duty weight and durable and use for delineator, sign plate, stand for base weight purpose.



PIC	Item No	Material	Size	Weight
1	JW-RB-01	rubber	80x40x12 cm	15kg /17kg
2	JW-RB-02		57(L)x29(top width)x46(bottom) cm	12 kg
3	JW-RB-03		45.72x45.72x5.1 cm	20lbs / 30 lbs
4	JW-RB-04		42.5x32.5x8.5 cm	10 kg



RUBBER WHEEL STOPPER

Rubber Speed Cushion

This wheel stopper is made of new rubber material that can resistant heavy duty and an-ti UV and with yellow reflective band.

1



2



3



4



PIC	Item No	Material	Size	Weight
1	JW-RB-01	rubber	900x150x100 mm	6.5 kg
2	JW-RB-02		1650x150x100 mm	15 kg
3	JW-RB-03		1830x150x100 mm	15 kg
4	JW-RB-04		42.5x32.5x8.5 cm	17 kg

Convex Mirror

1



2



PIC	Model NO	Description	Diameter	Material
1	JW-CV-01-30	Outdoor Convex Mirror	30 cm	PC0.5mm / PP back / no edge
	JW-CV-01-45		45 cm	PC0.5mm / PP back / no edge
	JW-CV-01-60		60 cm	PC0.5mm / PP back / no edge
	JW-CV-01-80		80 cm	PC0.7mm / PP back / no edge
	JW-CV-01-100		100 cm	PC0.7mm / PP back / no edge
2	JW-CV-02-30	Indoor Convex Mirror	30 cm	PC0.5mm / PP back / no edge
	JW-CV-02-45		45 cm	PC0.5mm / PP back / no edge
	JW-CV-02-60		60 cm	PC0.5mm / PP back / no edge
	JW-CV-02-80		80 cm	PC0.7mm / PP back / no edge



SITE SAFETY MATERIAL

Safety Fence JW-SSM-001



Weight			Roll size	Mesh size	Color	Material	Quantity / Rolls	
grams/m ²	KGS/ROLL	TOLERANCE	M * M	mm*mm			20ft	
110	5.5	±3%	1*50	100*40	Orange	100% Virgin HDPE with UV	1350	
150	7.5		1*50	80*40			1070	
160	8		1*50	6535			1000	
366	10.98		1*30	55*55			910	
270	9.72		1.2*30				360	
80	4	±3%	1*50	120*40	Orange	HDPE with UV	1850	
	3.6		1*45				2050	
	4.8		1.2*50				1560	
60	2.7		1*45	120*20			100% Virgin HDPE with UV	3050
100	5		±3%	1*50			100*40	HDPE with UV
	5	65*35			HDPE with UV	2000		

Bunting Flag



Item NO.	Length / Roll	Flag Size	Flag Qty
JW-SSM-002	30 meters	18x18x19 cm	45 pieces



SITE SAFETY MATERIAL

Safety Flag



Item Noz	Flag Size	Pole Material
JW-SSM-003	45x30 cm / 45x45 cm	Timber
Pole Size		Sticker
Ø12 mm * 60cm		Bar code sticker

Warning Tape



Item NO.	Size	Material	Print	Remarks
JW-SSM-004	7,5cm x 100 meter/roll	HDPE	custom made	all sizes available

Plastic Chain



Item NO.	Diameter	Length / Roll	Material	Package
JW-SSM-005A	6 mm	25 meters	PE	Roll / polybag
JW-SSM-005B	8 mm	25 meters	PE	Roll / polybag



SAFETY VEST

Safety Vest JW-SV-01

100% polyester knit material, velcro or zipper closure, horizontal and vertical reflective strips on front and back enhanced night visibility.



Children Safety Vest JW-SV-01

100% polyester knit material, velcro or zipper closure, horizontal and vertical reflective strips on front and back enhanced night visibility.

CHILDREN SAFETY VEST





WARNING TRIANGLE

Warning Triangle

1



2



3




4



PIC	Item No	Size
1	JW-WT-01	17"x17"x17"
2	JW-WT-02	17"x17"x17"
3	JW-WT-03	17"x17"x17"
4	JW-WT-04	17"x17"x17"

car safety kit including 1 warning triangle and 1 safety vest



Certificate of Registration

Registration No. : 4/2015/00006155
Date of Registration : 31 March 2016
Term : 10 years (until 31 March 2026)

DOORMAX
A U T O M A T I C

DOORMAX AUTOMATIC

Filing Date : 5 June 2015
Registrant : CARGEM MANAGEMENT CORPORATION [PH]
Address : P&E Bldg. No. 12 United cor. First St., Bo. Kapitolyo,
Pasig City, Metro Manila, Philippines
Class(es) - Goods/Services : 7 and 37 : See Attachment
Claim of Color(s) : Red and black
Disclaimer : "Door" and "Automatic"
Transliteration / Translation : None
Three-dimensional : No
Claim of Priority : None
Published for Opposition : IPO e-Gazette, published on 29/02/2016


LENY B. RAZ
Director
Bureau of Trademarks



INTELLECTUAL PROPERTY
OFFICE OF THE PHILIPPINES

Certificate of Registration

Registration No. : 4/2018/00000175
Date of Registration : 14 February 2019
Term : 10 years (until 14 February 2029)



CNIVRA

Filing Date : 4 January 2018
Registrant : CMC NIVRA INDUSTRIES CORPORATION [PH]
Address : P & E Building No.12 United corner First Sts., Bo.
Kapitolyo, Pasig City, Metro Manila, Philippines
Class(es) - Goods/Services : Class 7: Construction and mining equipment, namely,
mobile cranes, tower cranes, wheel loaders, motor
graders, self-loading mixers
Class 12: Material handling equipment, specifically
forklifts and tires
Claim of Color(s) : Yellow, dark blue
Disclaimer : None
Transliteration / Translation : None
Three-dimensional : No
Claim of Priority : None
Published for Opposition : IPO e-Gazette, published on 14/01/2019


LENY B. RAZ
Director
Bureau of Trademarks

Digitally Signed by IPOPhil
05/03/2019
Melba Fronda Decena



A. ENTRANCE TECHNOLOGY GROUP

Automatic Manual Revolving Doors, Turnstiles, and Security Passages.
ATM Security Doors, Automatic Swing Doors.

Automatic Sliding Door Operators, Hermetic Automatic Door Operators
Circular/ Semi – Circular Automatic Doors.

Automatic Sliding/ Swing Gates, Road Barriers, Garage Automatic Door Operators.

Total Solutions for Access Control: Time & Attendance/ Personal Lift Parking Access
Control/ RFID Modules/ Biometric Readers/ Electric Lock Series Security/
Long Range RFID Systems.

Intensive Care Unit (ICU) Doors and other Special Types of Automatic Door
Operators for Hospitals and Clinics.

Electromechanical Rising Bollards for the Management of urban spaces assigned for parking and mobility.

B. CONSTRUCTION AND MINING EQUIPMENT GROUP

4x4 Self Loading Concrete Mixers. Available capacities in cubic meters (m³) per hour:
5, 7.2, 8, 11.2, 13, and 24 Weighing scale located in bucket, cabin rotates with drum,
drum tilts 16 degrees, Model Option: Operator's Cabin with aircon, etc.

Skid steer Wheel Loaders. Bucket capacity from 0.47 cubic meters up to 0.60 cubic
Meters. Attachments: 4 in 1 bucket, Angle Broom, Backhoe, Cement Mixer, Hydraulic
Hammer, Auger, Post Hole Digger, Forklift, Lifting Hook, Trenchers etc.

Reinforcing Steel Bar Cutters and Bar Benders up to 51mm dia. (Standard Type and
Upgraded Type with Tensile of SD390/560N/mm²)

Rock Crushing Equipment, vibrating grizzly feeders, crushers, cone crushers, impact crushers, vibrating
screens, etc.

Hydraulic Excavators with Engine Power from 7.5 kw up to 522kw
Rotary Drilling Rigs with Engine power from 122 kw up to 246 kw
Engine Selections: Cummins, Perkins, Kubota and Yanmar engines
Made in China are also available.



C. MATERIAL HANDLING EQUIPMENT GROUP

Forklifts: Capacity from 1.5 to 10 tons Diesel Driven, LPG or Electric Driven, Rough Terrain Lift Truck rated capacity 3000 kg. Power 45 kw. Attachments: Bale Roll Clamp, Rock Clamp, Bucket Carton Clamp, Drum Clamp, Fork Clamp, Telescopic Crane, Paper Roll Clamp and Reach Fork.

Container Crane: Rated Capacity 40 tons, Overall Length 4900mm, Overall Width 2550mm, Overall Height 6500mm, Power 40kw, Maximum Speed 0.03 meter per second, Total Weight 9300kg.

D. ENVIRONMENTAL AND AGRICULTURAL EQUIPMENT GROUP

Wood Chippers Engine and or PTO Driven with capacity up to 18" diameter wood, Shaving Processing Equipment (Shaving Mills) up to 15 cubic yards per hour, knife Grinder, Golf Course Rollers, Hay Silage Equipment, Paving and Curving Equipment Landscape and Ground Maintenance, Chipper Shredder Vacuums, Asphalt or Concrete Curbing Machine, Mini Asphalt Tract Pavers.

Professional Lawn Equipment, SOD Cutters, Aerators, Power Rakes and Over seeders, High-Weed and Brush Mowers, Force Blowers, Lawn and Litter Vacuums, Industrial Duty Vacuums, Debris Loaders and New Dual Shredding System.

Complete range of Waste Management, Machines and Systems such as: Bio-shredder Mixers, Screens, Self-propelled Tumblers. Applications: Home and Market Food Waste, Factory and Plant Waste, Wood Scraps, Straw Rice, Rice Hull etc.



PATROL

SATURN

MARS

VENUS

MOTORCYCLE SAFETY HELMETS



MODEL N3-168

WITH ICC STICKERS



MODEL N3-105



MODEL N3-107



DOORMAXTM
A U T O M A T I C
The brand name you can trust

MAIN OFFICE

P & E Building #12 United cor. 1st Sts.
Suite 1201, Bo. Kapitolyo, Pasig City
1603 Manila Philippines
Email: cmcnivra@gmail.com
Tel.: +63-2 8-631-9520
+63-2-8-634-4746
Telefax: +632 8635-4821

CEBU BRANCH:

SALUSTIANA Building,
Ground Floor Unit 3
M.L. Quezon Avenue, Casuntingan
Mandaue City, Cebu 6014 PH
Tel.: +032 8-511-9774
Telefax: +032 8-236-9907

DAVAO BRANCH:

USMAN Building, Ground Floor 1
Diversion Road, Buhangin
Davao City 8000 PH
Tel.: +082 8-224-3426

ILOILO BRANCH:

TYDYCO Commercial Bldg. Room 102,
Bypass Road, Kahilwayan Ave.,
Sta. Barbara, Iloilo City
Mobile No. 0945-723-8684

CAGAYAN DE ORO BRANCH:

KAUSWAGAN Arcade, Ground Floor
Kauswagan Highway, Cagayan de Oro City
Misamis Oriental 9000 PH
Tel.: +088 8-881-3947

LOCATIONS OF WAREHOUSES:

35th Earth Road
Barangay Ibayo Tipas
Taguig City, Metro Manila

JENNY'S Ave. Corner Moon St.
Barangay Maybunga
Pasig City, Metro Manila