

NEW&HOT

Home Kitchen Appliances



Grill plate for steak

Wok and Pancake maker

Raclette grill

Food warming tray



KB-8001: Grill plate

Brand New!!!



3 minitues reaching 250 $^{\circ}\text{C}$!

Electronic temperature controlling with 7 level adjusting!



PP base with SUS decoration



Grill plate: SUS304 with Snow dot Enamel Glaze

Power	Grill plate	Base	Controlling		Power cord	Light	Feet mat
220-240V 2000W	SUS304 with Snowflake Enamel Glaze	PP with SUS430 decoration	Degital Version wit 7-level	h adjusting	3G*0.75mm2, 1M with VDE plug	One red indicating light	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	L	oading data	G.W./ctn	N.W./ctn
55X29.5X8.5cm	35.0x13.5x60.0cm	61.5*36.5*29.0cm	2pc		20GP,1796/40GP, 2104/40HQ	11.2kg	10kg

Brand New!!!

KB-8018: Round Wok&Pancake maker (6pcs of wok)

Detachable grill plate options: with crepe design or flat











Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 850W	T=1.2 aliuminum nonsticking coating	PP with SUS430 decoration	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Red+Green indicating light	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
38.5x37.0x 9.0cm	44.5x42.5x27.5cm	55x46.5x44cm	1pc	500/20GP,1050/40GP, 1260/40HQ	10.2kg	9kg

KB-8016: Wok&Pancake maker (8pcs wok) Brand New!!!











Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 1200W- 1400W	T=1.2 aliuminum nonsticking coating	PP (with handles)	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Red indicating light	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
58.4x28.5x9.2cm	62x13.2x32.5cm	63.5x33.5x28cm	1pc	20GP/956,40GP/1954,40 2300	DHQ/ 10.2kg	9kg

KB-8002/8003: Wok&Pancake maker (6pcs wok) Hot in 2021 !!! (Best selling)





KB-8002 without woks



47.5x30.0x

9.2cm

34.0x18.0x51.0cm



KB-8003 without woks

52.5x35.5x38.0c

m



8.65kg

7.4g

Grill plate Light Power **Controlling Power cord Feet mat** 220-240V T=1.2 aliuminum PP ON/OFF Switch Detachable 3G*0.75mm2, Integrated red Anti-slip feet mat 1000W nonsticking coating 1M+VDE plug light switch **GB** size **Carton size** Qty/ctn **Loading data** G.W./ctn N.W./ctn

20GP/804, 40GP/ 1652,

40HQ/ 1935

2pcs

KB-8014: Wok&Raclette (3pcs wok) Brand New!!!



Power	Grill plate	Junction Box	Controlling	Power cord	Light	Feet mat
220-240V 500W	Die cast aliuminum nonsticking coating	Nylon+GB	Thermostat controller	Detachable 3G*0.75mm2, 1M+VDE plug	Red indicating light	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
31X12.5X12cn (with woks)	m 39×22×13.5	40.5×45.5×28. 5	4pcs	2172/20GP, 4,416/40GP 5,180/40HQ	7.82/pc	6.12/pc

KB-8015: 10-person raclette grill Brand New!!!





Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 850W	T=1.2 aliuminum nonsticking coating	PP with SUS430 decoration	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Red+Green indicating light	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
54.5x26.3x 13.0cm	55.5x28.1x16.0Cm	57.0x30.0x33.5cm	2pcs	1050/20GP,1070/40GP,2480 /40HQ	8.2kg	7g

KB-88Q8: New raclette with SUS decoration Hot in 2021 !!!









Stone+Steel with nonstick coating







die cast AL with nonstick coating

Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 850W	More options as picuture	PP with SUS430 decoration	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Indicating light ring	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
45.5x22.6x14. 5cm	51.1×18.6×28.6Cm	52.5×39.0×30.5cm	2pcs	898/20GP,1826/40GP, 2220/40HQ	10.2kg	8.8g

KB-88Q8: New raclette with extra pan parking layer

Stone+die cast AL with nonstick coating

Brand new !!!











Stone plate

Die cast AL with nonstick coating

Stone+stell grill plate

Steel with nonstick coatioing

Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 850W	More options as picuture	PP with SUS430 decoration	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Indicating light ring	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
47.5x23x16.8 cm	49.6×21.8×28.6Cm	51×45×30.5cm	2pcs	814/20GP,1670/40GP, 1956/40HQ	10.5kg	9g

KB-88Q13: New raclette with Bamboo base

Brand new bamboo style!!!





Stone plate



Stone+Steel with nonstick coating




Die cast AL with nonstick coating

Stone+die cast AL with nonstick coating

Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 850W	More options as picuture	PP with SUS430 decoration	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Indicating light ring	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
45.5x22.6x14. 5cm	51.1×18.6×28.6Cm	52.5×39.0×30.5cm	2pcs	898/20GP,1826/40GP, 2220/40HQ	10.2kg	8.8g

Brand New!!! KB-88D6 8-person raclette with SUS decoration





Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 1200W-1400W	More options as picuture	Nylon with SUS430 decoration	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Indicating light ring	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
50X20X11cm	51.5×18.5×25cm	53×39×27cm	2pcs		5.68kg	4.98g

KB-84D6 4-person raclette with SUS decoration Brand New!!!













Golden decoration series

Die cast A	L with	nonstick	coating
------------	--------	----------	---------

Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 600W	More options as picuture	Nylon with SUS430 decoration	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Indicating light ring	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
31X20X12.3c m	To be confirmed	To be confirmed	4pcs	To be confirmed	To be confirmed	To be confirmed

KB-8010 New oval raclette grill Brand New!!!






KB-8010 with stonel grill plate

Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 1200-1400W	More options as picuture	PP with SUS430 decoration	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Indicating light ring	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
50X20X11cm	L51.5×W18.5×H25.0 mm	L53.0×W39.0×H27. 0mm	2pcs	898/20GP,1826/40GP, 2220/40HQ	5.68kg	4.98g

KB-8010 Raclette grill+fondue Brand New!!!









Thermostat controller with light

Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 1200W1400W	Steel with nonstick coating+fondue set	PP + SUS430 reflector	Thermostat controller	3G*0.75mm2, 1M with VDE plug	Indicating light	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
47.15x30.5x1 1.5cm	48.5×21.5×32cm	50×44.5×34cm	2pcs	790/20GP,1610/40GP, 1812/40HQ	6.1kg	5.2g

KB-82H4 Connecting Raclette Brand New!!!



Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 350W	Stone, Steel Die cast AL	Nylon+GB	ON/OFF switch	3G*0.75mm2, 1M with VDE plug	Indicating light ring	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
21.84X11X11. 24cm	22.5X16.2X12cm	51.6X24.5X27.2	6pcs	4968/20GP, 10206/40GP 11925/40HQ	6.32kgs	5.82kgs

KB-82M4/82G2 Connecting Raclette grill Hot in 2021!!!









Die cast AL plate



Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 350W	Stone, Steel Die cast AL	Nylon+GB	ON/OFF switch	3G*0.75mm2, 1M with VDE plug	Indicating light ring	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
29.5X10.1X 10.3cm	31.0X10.5X11.5cm	33.5X33X25cm	6pcs	6084/20GP 12606/40GP 14172/40HQ	6.32kg	5.82g

KW-2041/42/61/62/72 Cordless food warming tray Hot in 2021!!!





KW-2041 Small size (Working size 40X20CM)

KW-2063 Middle size (Working size 60X20CM)


KW-2073 Large size (Working size 60X30CM)

Power	Top cover	Base board	Controlling	Power cord	Light	Feet mat
220-240V 1100/1200/1300V	SUS430 N	Galvanized sheet	ON/OFF switch	Detachabel 3G*0.75mm2, 1M with VDE plug	Indicating light Red+Green	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
48.4 x 20 x 6.2cm(Small)	53.5X9.6X25cm	55X40X26.5cm	4pcs	20GP:1848, 40GP:3852 40HQ:4360	6.32kgs	5.82kgs
s68.4x20x6.2 (Middle)	73.5x25x9.6	75.5X26.2X21.4	2pcs	1460/20GP, 2950/40GP, 3320/40HQ	7.84kgs	7.34kgs
68.4x30x6.2 (Large)	73.5*9.6*35	75x20.7x36.5CM	2pcs	20GP:988, 40GP:2046 40HQ:2400	11.12kgs	11.82kgs

KW-2010/20105 Food warming tray Hot in 2021!!!







KW-2010 With Tempered Glass top And Thermostat controller



KW-2010S With SUS430 top cover No switch or controller

Power	Grill plate	Base	Controlling	Power cord	Light	Feet mat
220-240V 350W	Stone, Steel Die cast AL	Nylon+GB	ON/OFF switch	3G*0.75mm2, 1M with VDE plug	Indicating light ring	Anti-slip feet mat
Product size	GB size	Carton size	Qty/ctn	Loading data	G.W./ctn	N.W./ctn
60.0x41.0x5.7cm (KW-2010)	61.2x44.0x7.8cm	64.0x17.6x45.5cm	2pcs	1104/20GP 2336/40GP 2664/40HQ	9.0kg	7.8g
60.0x41.0x5.7cm (KW-2010S)	61.2x44.0x7.8cm	64.0x17.6x45.5cm	2pcs	1104/20GP 2336/40GP 2664/40HQ	9.2kg	8.0g

The exterior looking







Punching workshop







Moulding & hardware workshop







Production lines









Warehouse







QC inspection sites and room







For more interesting items