



ZigBee Gateway

Product instruction manual



Product Specifications


Product name	ZigBee Gateway
Adapter output	5V $\overline{=}$ 1A
Working temperature	-10°C~55°C
Working humidity	10%~90% RH (no condensation)
Wireless technology	2.4G Wi-Fi
	ZigBee
Dimensions	60X60X15mm
Net weight	33g

Packing List

- ZigBee Gateway x 1
- Data cable x 1
- Adapter x 1
- User Manual x 1

Product Description

it is a mini Zigbee Gateway . It consists of a highly integrated Wi-Fi module, low power-consuming ZigBee module, and PCBA. It can be connected to the My SmartH app for device adding, reset, third-party control, and ZigBee group control, meeting smart home requirements



Preparation For Use

- 1 In the App Store or Google Play, search for “ My SmarH ”
- 2 Open the Wi-Fi of your phone, click on the “+” in the upper right corner, and select “ Gateway”;
- 3 The gateway to be added will automatically appear, and please follow the instructions in the App.



【 My SmarH 】 App

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Attention that changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This product has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This product generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this product does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment should be installed and operated with a minimum distance 20cm between the radiator and your body