

WSM8 MINE AND SAFETY MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION

1.1 Product identifier

Trade nameWSM8 MINING AND SAFETYChemical nameWater-based elastomeric coating

1.2 Recommended use of the product and restrictions on use

Recommended use Non- recommended use(s)

Industrial Use None known

613-996-6666

1.3 Details of the supplier on the safety data sheet

| Company | Weatherskin Corporation. Bay B 1120 44th Avenue SE Calgary, Alberta. Canada T2G 4W6 |
|-----------|---|
| Telephone | 403 656 9244 |
| Toll Free | 1 877 693 9224 |
| Website | www.weatherskin.com |

1.4 Emergency telephone number

Emergency In case of emergency call CANUTEC

Weatherskin Corporation®, 1120 44th Ave SE, Calgary, AB T2G 4W6 Email: team@weatherskin.com



2. HAZARD IDENTIFICATION

2.1 Classification of the mixture

Very thick opaque liquid, paint odor.

| 2.1.1 Health Hazards | Skin Corrosion / irritation Category 3. • Causes Mild Skin Irritation |
|---|---|
| | Serious Eye Damage / Eye Irritation Category 2B. • Causes Eye Irritation |
| 2.1.2 Environmental Hazards | Harmful to aquatic life |
| 2.1.3 Other Hazards Caution | Spillages may be slippery |
| 2.1.4 Hazards summary Irritating to eyes and skin | May cause irritation to the respiratory system. Harmful to aquatic life |

2.2 Label Elements

| Signal word | Warning |
|--------------------------|---|
| Hazard statement | H316: Causes mild skin irritation H320: Causes eye irritation H402: Harmful to aquatic life |
| Precautionary Statements | Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. |
| IF ON SKIN (or hair) | Remove/Take off immediately all contaminated clothing Rinse skin with water/shower. |
| IF IN EYES | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |



3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

WSM8 MINING AND SAFETY HAZARDOUS INGREDIENTS C.A.S.# WEIGHT % Titanium Dioxide 13463-67-7 5 - 10 C.I. Pigment Black 7 1333-86-4 5 - 10

4 FIRST AID MEASURES

4.1 Description of first aid measures

| EYE CONTACT | Rinse cautiously with eyewash solution or clean water, holding the eyelids apart for several minutes. Remove contact lenses if present and easy to do. If eye irritation persists: Get medical attention. Continue rinsing eyes during transport to hospital |
|--------------|--|
| SKIN CONTACT | If on skin or hair, take off immediately all contaminated clothing and shoes. Rinse skin, washing thoroughly with water. Get medical attention if irritation persists. |
| INHALATION | Remove patient from exposure, keep warm and at rest. Get medical attention |
| INGESTION | Clean mouth with water and drink afterwards a glass of water. Keep respiratory tract clear. Do not induce vomiting. Immediately call a POISON CENTER / Doctor |

4.2 Indication of any immediate medical attention or special treatment needed

Note to Physicians Treat Symptomatically



5 FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam. Compatible with all standard fire fighting techniques. None known

Unsuitable extinguishing media

5.2 Hazards

Not applicable. Aqueous solution. Non-combustible

5.3 Fire-fighting instructions

None.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures.

Use personal protective equipment. Wear chemical safety glasses, rubber boots and heavy rubber gloves. Prevent further leakage or spillage if safe to do so.

6.2 Environmental precautions

Do not allow to enter drains, waterways, sewers, basements or confined areas. Do not discharge into the subsoil / soil. Absorb spills with inert material and place in a chemical waste container. If the product contaminates rivers and lakes or drains inform the respective authorities.

6.3 Methods and materials for containment and cleaning up

Provide adequate ventilation. Caution: Spillages may be slippery. Ventilate the area. Soak up with inert absorbent material (e.g. sand, silica gel, universal binder, sawdust) Keep in suitable, closed containers for disposal.



7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Use only in well ventilated area. Avoid breathing vapor or mist. Avoid all personal contact. Use personal protective equipment. Avoid generation of mist. Emergency shower and eye wash facilities should be readily available. Do not eat, drink or smoke at the work place.

7.2 Hygiene considerations.

Wash hands before breaks and after work. Remove soiled or soaked clothing immediately. Wash contaminated clothes before reuse. Do not eat, drink or smoke when handling this product. Remove contaminated clothing and protective equipment before entering eating areas.

7.3 Safe storage procedures

Keep at a temperature not exceeding 50 °C. Do not allow material to freeze. Keep container tightly closed. Store in cool/well ventilated place.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 EXPOSURE LIMITS

Hazardous Components (Chemical Name) Occupational Exposure Limits

Titanium Dioxide 15 mg/m3. TWA (dust total)* C.I. Pigment Black 7 3.5 mg/m3. ACGIH TLV TWA. * Both pigments are dispersed in a liquid phase. They are not present in solid state as dust or loose particles.



8.2 EXPOSURE CONTROLS

ENGINEERING CONTROLS

Use local exhaust ventilation to maintain airborne concentrations at safe levels. Ensure adequate ventilation, especially in confined areas. Suitable respiratory equipment should be used in cases of insufficient ventilation or where demand it.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Equipment : Respiratory protection not normally required. If exposure cannot be controlled below applicable limits, use the the appropriate NIOSH approved respirator such as an air purifying respirator with organic vapor cartridge and dust /mist filter. Consult the respirator manufacturer's literature to ensure that the respirator will provide adequate protection. Read and follow the manufacturer's instructions.

| Eye Protection | Use tightly fitting chemical splash goggles. Wear face shield if splashing hazard exists. Contact lenses should not be worn when working with chemicals because they contribute to the severity of an eye injury in case of exposure. |
|-------------------------------|---|
| Hand Protection | Use impermeable gloves. Neoprene or butyl-rubber gloves |
| Body Protection | Use impervious clothing and chemical resistant boots. Consider using resistant coveralls and aprons, if extensive exposure is possible. |
| Other Protective Equipment | Ensure that eyewash stations and safety showers are close to the workstation location. |
| General Hygiene Consideration | Do not breathe mist or vapor. Avoid all contact. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Do not take contaminated clothes home. |



9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance

| Physical State | Thick Liquid. | |
|---------------------------|--------------------------------|--|
| Color | Black, white, green, blue etc. | |
| Odor | Slight Solvent odor. | |
| Properties | | |
| Boiling Point | Not available | |
| Freezing Point | Not available | |
| Flash Point | Not available | |
| РН | 8 - 9 | |
| Specific Gravity | 1.35 – 1.45 g/ cm³ | |
| Viscosity | 20.000 CPR | |
| VOC content | Less than 30 g/L | |
| Evaporation rate | Not applicable | |
| Solubility in water | Soluble | |
| Vapour pressure | Not applicable | |
| Vapour density | No data | |
| Auto ignition Point | Not applicable | |
| Decomposition Temperature | Not applicable | |
| Explosive properties | Not applicable | |
| Oxidising Properties | No data | |



10 STABILITY AND REACTIVITY

- Reactivity Chemical Stability Possibility of hazardous reactions Conditions to avoid Incompatible Materials Hazardous decomposition products
- No data available. Stable under normal conditions None under normal processing. Excessive heat, freezing. None known. None known.

11 TOXICOLOGICAL INFORMATION

| Ingestion | Aspiration hazard. Do not ingest |
|-------------------------------|--|
| Inhalation | May cause irritation of nose, throat or respiratory tract. Avoid inhalation. |
| Skin Contact | May cause skin irritation. Avoid skin contact. |
| Eye Contact | Material will cause irritation. Avoid eye contact |
| Skin corrosion/irritation | Irritating to skin |
| Serious eye damage/irritation | Irritating to eyes. |
| Sensitization | Not sensitizing |
| Carcinogens | Possible cancer hazard. Contains materials which may cause cancer based on animal data. |
| | Contains TiO2 which is listed by IARC as a possible carcinogen (Group 2B) based on animal data. Neither long Term animal studies, nor human epidemiology studies of workers exposed to TiO2 provide an adequa basis to Conclude TiO2 is carcinogenic. TiO2 is not classified as a carcinogen by NTP, U.S. OSHA or the U.S. EPA IARC has also classified Carbon Black as a possibly carcinogenic to humans (Group 2B). ACGIH-A4 Not classifiable as a Human Carcinogen. |



Teratogenicity Reproductive toxicity Aspiration Hazard No evidence of teratogen effects. No evidence of reproductive effects. No aspiration hazard expected.

12 ECOLOGICAL INFORMATION

12.1 Toxicity :Harmful to aquatic life. Carbon Black

96 hr LC50 freshwater fish> 1000 mg/L; 24 hr EC freshwater invertebrates> 5600 mg/L

12.2 Persistence and Degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in Soil

No information available.

13 DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose of this material and its container to hazardous or special waste collection point. Do not discharge substance/product into sewage system. Do not contaminate pond, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.



14 TRANSPORTATION INFORMATION

14.1 Identification, UN number

Water based Paint. Not Regulated

14.2 Shipping Name

14.3 Packing Group

15 OTHER INFORMATION

Waste Disposal Method

Preparation Date SDS prepared by April 19, 2018 Weatherskin Corp. 403 656 9244

The information is furnished without warranty, representation, inducement, license of any kind, except that it is accurate to the best of Weatherskin Corporation's knowledge or obtained from sources believed by to be accurate Weatherskin Corporation does not assume any legal responsibility for use or reliance on same. Customers are encouraged to do their own tests.