



CATALOGUE

Small Plastination lab
2023

1. Plastination Chamber unit- 10L(PC-10) / 25L (PC-25)

- Specification
- : -750mm Hg Vacuum
 - : Made of 304 stainless-steel
 - : 2 stage oil sealed High Vacuum Pump
 - : Vacuum adjustment system (304 SS needle valve)
 - : Fully transparent chemical resistant top lid for easy viewing
 - : Analogue vacuum gauge



Plastination Chamber unit(Semi automatic) 10L(PC-10A) / 25L (PC-25A)

- Specification
- : -750mm Hg Vacuum
 - : Made of 304 stainless-steel
 - : 2 stage oil sealed High Vacuum Pump
 - : Semi-automatic Vacuum adjustment system
 - : Automatic vacuum hold(Ideal for beginners)
 - : Automatic switch OFF and ON to maintain specific vacuum
 - : 24 hours running possible with semi-automatic mode
 - : Fully transparent chemical resistant top lid for easy viewing
 - : Analogue vacuum gauge
 - : Digital vacuum gauge(Optional)

Dehydration Unit -110L/220L (Model- DC110-DF/ DC-220-DF)



2. Dehydration units (Acetone Bath with Deep Freezing)

- Specification : Compatible with PLC-10/PLC-25)
: Can be used for cold temperature plastination with compatible plastination chambers
: 304 stainless-steel tank
: With deep freezing up to -18°C
: Digital Temperature Monitoring system
: Acetone pressure release system (for safety)
: Drain valve for easy change of dehydrating agent
: Internal pressure monitoring gauge

Free Training & Support

One-day Hands on Training on Plastination Technology during installation

One year Online & Telephonic support for Plastination Projects

Warranty:

All part or components of the complete unit is covered with warranty against any manufacturing defect for one year. Any replacement or service during warranty period is done without any additional charges.

Extended warranty and annual maintenance service can be added on with additional charges.

****NOTE:** Pictures are only for illustration purpose. Original product may vary according to model and specification

Plastodur S-18 (Plastination silicone) Part-A +Part-B

GSTIN : 32AATFP9864E1ZP

For quotation:

- E-mail : harikrishnan@plastodur.com
Phone : +91-9496737220, 9497338105
Website : www.plastodur.com

Bank Details

- Name : PLASTODUR ENTERPRISES
Name of Bank : THE FEDERAL BANK LIMITED
Account No. : 11480200005099
Branch : AMBALAPUZHA
IFSC : FDRL0001148