



COMMERCIAL MATTING & ENTRANCE SOLUTIONS

Complete Product Catalogue • 150 Products • 6 Solution Categories



A COMPLETE FLOOR-PROTECTION PROGRAM

Site assessment • Product selection • Custom sizing • Supply coordination • Professional installation

Commercial-grade solutions for condominiums, apartment buildings, retail, institutional and industrial facilities.

REQUEST A SITE ASSESSMENT & QUOTE

www.ontariobuildingexperts.ca

One source. Every matting environment.

Browse by application, then let OBE confirm fit, dimensions, site conditions and installation requirements.

Entrance Systems

14 PRODUCTS

Integrated recessed and surface-mounted systems for high-traffic building entrances, vestibules and lobbies.

PAGES 3-5

Entrance Matting

43 PRODUCTS

Exterior-to-interior matting designed to capture tracked-in soil and moisture throughout the entrance path.

PAGES 6-13

Anti-Fatigue Matting

41 PRODUCTS

Comfort and traction solutions for standing work areas, with options for dry, wet and specialized environments.

PAGES 14-20

Industrial Matting

17 PRODUCTS

Durable traction and surface-protection products for workshops, garages, production and demanding work areas.

PAGES 21-23

Specialty Matting

20 PRODUCTS

Purpose-built solutions for electrical safety, contamination control, wet areas, branding and unique applications.

PAGES 24-27

Accessories

15 PRODUCTS

Installation, stabilization, edging, grounding, cleaning and temporary floor-protection products.

PAGES 28-30

HOW ONTARIO BUILDING EXPERTS HELPS

1 SITE ASSESSMENT

2 PRODUCT MATCHING

3 SIZING & QUOTING

4 SUPPLY & INSTALLATION

Solutions are selected to suit traffic, moisture, rolling loads, floor conditions, maintenance needs and budget.

Integrated recessed and surface-mounted systems for high-traffic building entrances, vestibules and lobbies.



HEAVY TRAFFIC

3M™ Nomad Extreme Traffic Z-Web Unbacked Scraper Matting 9100

BEST FOR
Indoors, Vestibules

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Vinyl Z-Web

DETAILS

Thickness: 11 mm (7/16 in) • Warranty: 3 Year



INDOOR/OUTDOOR

BaseGrid GB-700

BEST FOR
Outdoors, Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT


Indoor/Outdoor

CONSTRUCTION

Aluminum Grid

DETAILS

Thickness: 44.5 mm (1-3/4 in) • Warranty: 2 Year



INDOOR/OUTDOOR

BaseGrille SS-800

BEST FOR
Outdoors, Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Stainless Steel Grid

DETAILS

Thickness: 3/8", 5/8", 1-1/8" • Warranty: 5 Year



INDOOR/OUTDOOR

BaseMat MB-300

BEST FOR
Outdoors, Vestibules, Lobbies, Light to Medium Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Aluminum Mat

DETAILS

Thickness: 9.5 mm (3/8 in) • Warranty: 2 Year



INDOOR/OUTDOOR

BaseMat MB-400

BEST FOR
Outdoors, Vestibules, Lobbies, Light to Medium Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Aluminum Mat

DETAILS

Thickness: 9.5 mm (3/8 in) • Warranty: 2 Year

**NEED HELP
SELECTING?**

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT


Integrated recessed and surface-mounted systems for high-traffic building entrances, vestibules and lobbies.

INDOOR/OUTDOOR

BaseTread GB-200

BEST FOR

Outdoors, Vestibules, Lobbies, Medium to Heavy Traffic Entrances



ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Aluminum Tread

DETAILS

Thickness: 12.5 mm (1/2 in) • Warranty: 2 Year

INDOOR/OUTDOOR

BaseTread GB-500

BEST FOR

Outdoors, Vestibules, Lobbies, Heavy Traffic Entrances



ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Aluminum Tread

DETAILS

Thickness: 19 mm (3/4 in) • Warranty: 2 Year

HEAVY TRAFFIC

Debris Trap™ Brush

BEST FOR

Vestibules, Recessed Wells, Heavy Traffic Entrances



ENVIRONMENT

Indoor

CONSTRUCTION

Vinyl Grid Tile with Brush Inserts

DETAILS

Thickness: For 1/2" Recess, 19 mm (3/4 in) • Warranty: 2 Y...

HEAVY TRAFFIC

Debris Trap™ Everest

BEST FOR

Vestibules, Recessed Wells, Heavy Traffic Entrances



ENVIRONMENT

Indoor

CONSTRUCTION

Vinyl Grid Tile with Everest Inserts

DETAILS

Thickness: For 1/2" Recess, 17.5 mm (11/16 in) • Warranty...

HEAVY TRAFFIC

Debris Trap™ Extreme

BEST FOR

Vestibules, Recessed Wells, Heavy Traffic Entrances



ENVIRONMENT

Indoor

CONSTRUCTION

Vinyl Grid Tile with 3M-8850 Inserts

DETAILS


Thickness: For 1/2" Recess, 17.5 mm (11/16 in) • Warranty...

**NEED HELP
SELECTING?**

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Integrated recessed and surface-mounted systems for high-traffic building entrances, vestibules and lobbies.



HEAVY TRAFFIC

Debris Trap™ Roll

BEST FOR

Vestibules, Recessed Wells, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Vinyl Grid

DETAILS

Thickness: 12.5 mm (1/2 in) • Warranty: 3 Year



HEAVY TRAFFIC

Debris Trap™ Supreme

BEST FOR

Vestibules, Recessed Wells, Heavy Traffic Entrances

ENVIRONMENT

Indoor

CONSTRUCTION

Vinyl Grid Tile with Supreme Knob Inserts

DETAILS

Thickness: For 1/2" Recess, 17.5 mm (11/16 in) • Warranty...



HEAVY TRAFFIC

Debris Trap™ Tile

BEST FOR

Vestibules, Recessed Wells, Heavy Traffic Entrances

ENVIRONMENT

Indoor

CONSTRUCTION

Vinyl Grid

DETAILS

Thickness: 12.5 mm (1/2 in) • Warranty: 3 Year



HEAVY TRAFFIC

Debris Trap™ Tundra

BEST FOR

Vestibules, Recessed Wells, Heavy Traffic Entrances

ENVIRONMENT

Indoor

CONSTRUCTION

Vinyl Grid Tile with Tundra Inserts

DETAILS

Thickness: For 1/2" Recess, 17.5 mm (11/16 in) • Warranty...

NEED HELP SELECTING?

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

[REQUEST A SITE ASSESSMENT](#)

SELECTION CHECK

Confirm these site conditions before ordering:

- Recess depth and drainage
- Rolling-load traffic
- Insert and finish selection

OBE can verify requirements during a site walkthrough.

Exterior-to-interior matting designed to capture tracked-in soil and moisture throughout the entrance path.



HEAVY TRAFFIC

3M™ Nomad Heavy Traffic Carpet Matting 8850

BEST FOR
Vestibules, Lobbies, Reception Desks, Hallways

ENVIRONMENT	Indoor
CONSTRUCTION	Wiper/Scraper
DETAILS	Thickness: 8 mm (5/16 in) • Warranty: 4 Year



MEDIUM TRAFFIC

3M™ Nomad Medium Traffic Backed Z-Web Scraper Matting 6250

BEST FOR
Vestibules, Hallways, Spill zones

ENVIRONMENT	Indoor
CONSTRUCTION	Vinyl Z-Web
DETAILS	Thickness: 5 mm (3/16 in) • Warranty: 1 Year



HEAVY TRAFFIC

Astro-Turf

BEST FOR
Outdoors, Vestibules, Heavy Soil Areas

ENVIRONMENT	Indoor/Outdoor
CONSTRUCTION	Scraper
DETAILS	Thickness: 19 mm (3/4 in) • Warranty: 1 Year



MEDIUM TRAFFIC

Chaparral™ Tile

BEST FOR
Vestibules, Lobbies, Hallways, Medium Traffic Entrances

ENVIRONMENT	Indoor
CONSTRUCTION	Wiper/Scraper
DETAILS	Thickness: 8.0 mm (5/16 in) • Warranty: 1 Year



LIGHT DUTY

Classic Solutions™ & Classic Solutions™ Plus

BEST FOR
hallways, reception desks, light traffic entrances, final mat in entrance system

ENVIRONMENT	Indoor
CONSTRUCTION	Wiper
DETAILS	Thickness: 3/8"



LIGHT DUTY

Coastal Knob

BEST FOR
home entrances, decks, garages

ENVIRONMENT	Indoor/Outdoor
CONSTRUCTION	Berber (Hobnail)
DETAILS	Thickness: 8.5 mm (5/16 in) • Warranty: 1 year

Exterior-to-interior matting designed to capture tracked-in soil and moisture throughout the entrance path.



MEDIUM DUTY

ColorStar® Mats

BEST FOR

hallways, reception desks, light traffic entrances, final mat in entrance system

ENVIRONMENT


Indoor

CONSTRUCTION

Wiper

DETAILS

Thickness: 3/8 in



HEAVY TRAFFIC

Debris Trap™ Mesh

BEST FOR

Outdoors, Vestibules, High Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Vinyl loop

DETAILS

Thickness: 9/16" +/- 1/16" (14 +/- 2 mm)



MEDIUM TRAFFIC

Dirt Guard

BEST FOR

Lobbies, Hallways and Medium Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 6.5 mm (1/4 in) • Warranty: 1 Year



MEDIUM TRAFFIC

Dirt Guard Eco

BEST FOR

Lobbies, Hallways and Medium Traffic Entrances

ENVIRONMENT

Indoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 6.5 mm (1/4 in) • Warranty: 1 Year



HEAVY TRAFFIC

Everest™

BEST FOR

High-Traffic Entryways, Lobbies, Hallways, Show-Casing Your Logo

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 10.2 mm (0.4 in) • Warranty: 3 year



HEAVY TRAFFIC

Everest™ Tile

BEST FOR

High-Traffic Entryways, Lobbies, Hallways

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: 3 year

Exterior-to-interior matting designed to capture tracked-in soil and moisture throughout the entrance path.



HEAVY TRAFFIC

Gritstop Fingermat™

BEST FOR
Outdoors, Vestibules

ENVIRONMENT	Outdoor
CONSTRUCTION	Rubber
DETAILS	Thickness: 14.5 mm (9/16 in) • Warranty: 5 Year



LIGHT DUTY

Harbour Point

BEST FOR
Lobbies, secondary entrances, hallways, residences

ENVIRONMENT	Indoor/Outdoor
CONSTRUCTION	Wiper/Scraper
DETAILS	Thickness: 3/8" (9.2 mm) • Warranty: 1 Year



MEDIUM TRAFFIC

Herringbone

BEST FOR
Vestibules, Lobbies, Hallways, Medium Traffic Entrances

ENVIRONMENT	Indoor
CONSTRUCTION	Wiper/Scraper
DETAILS	Thickness: 6.5 mm (1/4 in) • Warranty: 1 year



MEDIUM TRAFFIC

Palliser

BEST FOR
Lobbies, Hallways, Elevators, Medium Traffic Entrances

ENVIRONMENT	Indoor
CONSTRUCTION	Wiper/Scraper
DETAILS	Thickness: 8.0 mm (5/16 in) • Warranty: 1 Year



LIGHT TRAFFIC

Poly-Tuft™

BEST FOR
Hallways, Reception Desks, Light Traffic Entrances, Final Mat in Entrance System

ENVIRONMENT	Indoor
CONSTRUCTION	Wiper
DETAILS	Thickness: 8 mm (5/16 in) • Warranty: 1 Year



MEDIUM TRAFFIC

Premium Knob™

BEST FOR
Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT	Indoor/Outdoor
CONSTRUCTION	Wiper/Scraper
DETAILS	Thickness: 9.2 mm (0.36 in) • Warranty: 3 Year

Exterior-to-interior matting designed to capture tracked-in soil and moisture throughout the entrance path.



MEDIUM TRAFFIC

Premium Knob™ HD

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 9.5 mm (3/8 in) • Warranty: 3 Year



MEDIUM TRAFFIC

Premium Rib

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 11 mm (7/16 in) • Warranty: 3 Year



HEAVY TRAFFIC

Purcell™

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor

CONSTRUCTION

Tufted loop pile

DETAILS

Thickness: 5/16" (7.2 mm) • Warranty: 4 year



MEDIUM TRAFFIC

Rainier™

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 8.6 mm (0.34 in) • Warranty: 3 Year



LIGHT TRAFFIC

Renegade

BEST FOR

Residences, Secondary Entrances

ENVIRONMENT

Indoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 5 mm (3/16 in) • Warranty: 1 Year

**NEED HELP
SELECTING?**

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Exterior-to-interior matting designed to capture tracked-in soil and moisture throughout the entrance path.



HEAVY DUTY

REPP-Tile™

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 1/2 in (12.7 mm)



HEAVY TRAFFIC

Scraper Mat

BEST FOR

Outdoors, Vestibules

ENVIRONMENT

Outdoor

CONSTRUCTION

Rubber (natural) or nitrile

DETAILS

Thickness: 6.5 mm (1/4 in) • Warranty: 3 Year



LIGHT DUTY

SeaScape

BEST FOR

Secondary entrances, residences, hallways, lobbies

ENVIRONMENT


Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 3/8" (9.2 mm) • Warranty: 1 Year



HEAVY TRAFFIC

Sluicing Moss

BEST FOR

Mining

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Vinyl loop

DETAILS

Thickness: 9/16" +/- 1/16" (14 +/- 2 mm)



MEDIUM TRAFFIC

Style-Point™

BEST FOR

Lobbies, Medium Traffic Entrances, Hallways

ENVIRONMENT

Indoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 6.5 mm (1/4 in) • Warranty: 1 Year

**NEED HELP
SELECTING?**

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Exterior-to-interior matting designed to capture tracked-in soil and moisture throughout the entrance path.



HEAVY DUTY

SuperScape Plus®

BEST FOR

Outdoors, wet areas

ENVIRONMENT

Outdoor

CONSTRUCTION

Nitrile rubber

DETAILS

Thickness: 3/16 inch



HEAVY DUTY

SuperScape™

BEST FOR

Outdoors, Vestibules, wet areas

ENVIRONMENT

Outdoor

CONSTRUCTION

Nitrile rubber

DETAILS

Thickness: 2.5' x 3'



HEAVY TRAFFIC

Supreme Knob™

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 11 mm (7/16 in) • Warranty: 3 Year



HEAVY TRAFFIC

Supreme Knob™ Tile

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: 3 Year



LIGHT DUTY

Tidal Rib

BEST FOR

home entrances, decks, garages

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Linear Rib

DETAILS

Thickness: 6.5 mm (1/4 in) • Warranty: 1 year

**NEED HELP
SELECTING?**

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Exterior-to-interior matting designed to capture tracked-in soil and moisture throughout the entrance path.



HEAVY TRAFFIC

Tundra™

BEST FOR
Commercial, Industrial, Institutional Buildings

ENVIRONMENT	Indoor/Outdoor
CONSTRUCTION	Scraper
DETAILS	Thickness: 12.5 mm (1/2 in) • Warranty: 3 years



HEAVY TRAFFIC

Tundra™ Plus

BEST FOR
Commercial, Industrial, Institutional Buildings

ENVIRONMENT	Indoor
CONSTRUCTION	Scraper
DETAILS	Thickness: 12.5 mm (1/2 in) • Warranty: 3 years



LIGHT TRAFFIC

Twin Rib

BEST FOR
Secondary entrances, Low Traffic Hallways and Lobbies

ENVIRONMENT	Indoor
CONSTRUCTION	Wiper/Scraper
DETAILS	Thickness: 6.5 mm (1/4 in) • Warranty: 1 Year



HEAVY DUTY

WaterHog®

BEST FOR
Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT	Indoor/Outdoor
CONSTRUCTION	Rubber reinforced textile with rubber border
DETAILS	Thickness: 3/8 in



HEAVY DUTY

WaterHog® Diamond

BEST FOR
Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT	Indoor/Outdoor
CONSTRUCTION	Rubber reinforced textile with rubber border
DETAILS	Thickness: 3/8 inch

NEED HELP SELECTING?

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Exterior-to-interior matting designed to capture tracked-in soil and moisture throughout the entrance path.



HEAVY DUTY

WaterHog® Max Diamond

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 3/8"



HEAVY DUTY

WaterHog® Max Herringbone

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 3/8"



HEAVY DUTY

WaterHog® Max Roll Goods

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 3/8"



HEAVY DUTY

WaterHog® Max Tiles

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Needle-punched

DETAILS

Thickness: 1/4"



HEAVY DUTY

WaterHog® Plus

BEST FOR

Vestibules, Lobbies, Heavy Traffic Entrances

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Rubber reinforced textile with rubber border

DETAILS

Thickness: 3/8"

NEED HELP SELECTING?

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Comfort and traction solutions for standing work areas, with options for dry, wet and specialized environments.



LIGHT DUTY

3M™ Safety-Walk Cushion Matting 3270

BEST FOR
Work Stations, Walkways, Assembly Lines

ENVIRONMENT	Dry
CONSTRUCTION	Solid Top
DETAILS	Thickness: 14.5 mm (9/16 in) • Warranty: 1 Year



HEAVY DUTY

3M™ Safety-Walk Cushion Matting 5100

BEST FOR
Work Stations, Wet areas, Kitchens, Bars

ENVIRONMENT	Wet
CONSTRUCTION	Vinyl Z-Web
DETAILS	Thickness: 11 mm (7/16 in) • Warranty: 1 Year



MEDIUM DUTY

3M™ Safety-Walk Cushion Matting 5270

BEST FOR
Work Stations, Walkways, Assembly Lines

ENVIRONMENT	Dry
CONSTRUCTION	Solid Top
DETAILS	Thickness: 16 mm (5/8 in) • Warranty: 1 Year



LIGHT DUTY

Airsoft™ Anti-Stat

BEST FOR
In front of computer stations, printers, and in static prone office spaces

ENVIRONMENT	Dry
CONSTRUCTION	Vinyl (PVC) Foam
DETAILS	Thickness: 9.5 mm (3/8 in) • Warranty: 1 Year



LIGHT DUTY

Airsoft™ Pebbled

BEST FOR
Cashiers, Offices, Work stations

ENVIRONMENT	Dry
CONSTRUCTION	Vinyl (PVC) Foam
DETAILS	Thickness: 9.5 mm (3/8 in) • Warranty: 1 Year



LIGHT DUTY

Airsoft™ Plus Pebbled

BEST FOR
Cashiers, Offices, Work stations

ENVIRONMENT	Dry
CONSTRUCTION	Vinyl (PVC) Foam
DETAILS	Thickness: 16 mm (5/8 in) • Warranty: 1 Year

Comfort and traction solutions for standing work areas, with options for dry, wet and specialized environments.



LIGHT DUTY

Airsoft™ Ribbed

BEST FOR

Cashiers, Offices, Work stations

ENVIRONMENT

Dry

CONSTRUCTION

Vinyl (PVC) Foam

DETAILS

Thickness: 9.5 mm (3/8 in) • Warranty: 1 Year



LIGHT DUTY

Bubble Mat

BEST FOR

Machine Operating, Assembly Lines, Work Benches, Warehouses

ENVIRONMENT

Dry

CONSTRUCTION

Rubber

DETAILS

Thickness: 16 mm (5/8 in) • Warranty: 1 Year



HEAVY DUTY

Comfort Flow™

BEST FOR

kitchens, mechanic shops, manufacturing, hospitals

ENVIRONMENT

Wet

CONSTRUCTION

Nitrile rubber

DETAILS

Thickness: 3/8 in



HEAVY DUTY

Comfort Line

BEST FOR

Cashiers, Offices, Work Stations

ENVIRONMENT

Dry

CONSTRUCTION

Vinyl/nitrile foam

DETAILS

Thickness: 7/8" (22 mm) • Warranty: 1 Year



HEAVY DUTY

Comfort Premier

BEST FOR

Healthcare, Foodservice, Workstations

ENVIRONMENT

Wet

CONSTRUCTION

Nitrile foam

DETAILS

Thickness: 1/2 in (12.5 mm)



HEAVY DUTY

Competitor Series

BEST FOR

Kitchens, Mechanic Shops, Manufacturing, Oil and Gas Industry

ENVIRONMENT

Wet

CONSTRUCTION

Rubber (Natural/Nitrile)

DETAILS

Thickness: 22 mm (7/8 in) • Warranty: Standard - 3 Year, G...

Comfort and traction solutions for standing work areas, with options for dry, wet and specialized environments.



MEDIUM DUTY

Competitor Series Light

BEST FOR

Kitchens, Mechanic Shops, Manufacturing, Oil and Gas Industry

ENVIRONMENT

Wet

CONSTRUCTION

Rubber (Natural/Nitrile)

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: Standard - 3 Yea...



MEDIUM DUTY

Cushion Select

BEST FOR

Workstations, kitchens, cashiers, offices

ENVIRONMENT


Indoor

CONSTRUCTION

Nitrile-blended foam

DETAILS

Thickness: 5/8"



HEAVY DUTY

DuraComfort Mats

BEST FOR

Workstations, Kitchens, Manufacturing, Welders

ENVIRONMENT

Wet

CONSTRUCTION

Foam cushion encapsulated in nitrile rubber

DETAILS

Thickness: 1/2 in (12.7 mm)



MEDIUM DUTY

Flex Comfort Drain

BEST FOR

Kitchens, Mechanic Shops, Manufacturing, Oil and Gas Industry

ENVIRONMENT


Wet

CONSTRUCTION

Rubber (Nitrile)

DETAILS

Thickness: 9.5 mm (3/8 in) • Warranty: 3 Year



MEDIUM DUTY

Foam Fusion™

BEST FOR

Machine Operating, Assembly Lines, Work Benches, Warehouses

ENVIRONMENT


Dry

CONSTRUCTION

Solid Top

DETAILS

Thickness: 16 mm (5/8 in) • Warranty: 1 Year



HEAVY DUTY

Hog Heaven®

BEST FOR

Welders, Forges, Workstations, Machinists

ENVIRONMENT

Dry


CONSTRUCTION

Solid Top

DETAILS

Thickness: 5/8", 7/8" (Hog Heaven® Max)

Comfort and traction solutions for standing work areas, with options for dry, wet and specialized environments.



MEDIUM DUTY

Journeyman

BEST FOR

Labs, Food Areas, Work Benches

ENVIRONMENT


Dry

CONSTRUCTION

Polyurethane Foam

DETAILS

Thickness: 14 mm (9/16 in) • Warranty: 1 Year



MEDIUM DUTY

Kineta-Flex™

BEST FOR

Work Stations, Mechanic Shops, Manufacturing, Oil and Gas Industry

ENVIRONMENT

Dry

CONSTRUCTION

Rubber (Natural/Nitrile)

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: Standard - 3 Yea...



MEDIUM DUTY

Kneezeez

BEST FOR

Mechanics, Flooring Installers, Plumbers

ENVIRONMENT

Dry

CONSTRUCTION

Nitrile Foam

DETAILS

Thickness: 25.5 mm (1 in) • Warranty: 1 Year



MEDIUM DUTY

Office Mat Extreme

BEST FOR

Cashiers, Offices, Work stations

ENVIRONMENT


Dry

CONSTRUCTION

PVC foam

DETAILS

Thickness: 20mm • Warranty: 1 year



HEAVY DUTY

Personal Comfort Station

BEST FOR

Wet areas, Machining, Manufacturing

ENVIRONMENT


Wet

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: 1 Year



MEDIUM DUTY

Plasti-Grip

BEST FOR

Work stations, Machining, Spill zones

ENVIRONMENT

Wet

CONSTRUCTION

Vinyl Grid

DETAILS

Thickness: 12.5 mm (1/2 in) • Warranty: 1 Year

Comfort and traction solutions for standing work areas, with options for dry, wet and specialized environments.



HEAVY DUTY

Stand Easy Open Top

BEST FOR

Work Stations, Machine Operating, Assembly Lines

ENVIRONMENT

Wet

CONSTRUCTION

Rubber (Natural/Recycled)

DETAILS

Thickness: 16 mm (5/8 in) • Warranty: 3 Year



HEAVY DUTY

Stand Easy Premier Open Top

BEST FOR

Kitchens, Mechanic Shops, Manufacturing, Oil and Gas Industry

ENVIRONMENT

Wet

CONSTRUCTION

Rubber (Nitrile)

DETAILS

Thickness: 16 mm (5/8 in) • Warranty: 5 Year



HEAVY DUTY

Stand Easy Premier Solid Top

BEST FOR

Kitchens, Mechanic Shops, Manufacturing, Oil and Gas Industry

ENVIRONMENT

Dry

CONSTRUCTION

Rubber (Nitrile)

DETAILS

Thickness: 16 mm (5/8 in) • Warranty: 5 Year



HEAVY DUTY

Stand Easy Solid Top

BEST FOR

Work Stations, Machine Operating, Assembly Lines

ENVIRONMENT

Dry

CONSTRUCTION

Rubber (Natural/Recycled)

DETAILS

Thickness: 16 mm (5/8 in) • Warranty: 3 Year



MEDIUM DUTY

TuffComfort Impressions

BEST FOR

Counters, Kiosks

ENVIRONMENT

Indoor

CONSTRUCTION

Polyurethane foam cushion

DETAILS

Thickness: 5/8"



LIGHT DUTY

TuffComfort™ Standing Desk Mat

BEST FOR

Standing Desks, pharmacies

ENVIRONMENT

Indoor

CONSTRUCTION

Polyurethane cushion with PET fabric surface

DETAILS

Thickness: 3/4"

Comfort and traction solutions for standing work areas, with options for dry, wet and specialized environments.



LIGHT DUTY

Value Flex Open Top

BEST FOR

Warehouses, Work Benches, Machine Operating

ENVIRONMENT

Wet

CONSTRUCTION

Rubber

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: 1 year



LIGHT DUTY

Value Flex Plus

BEST FOR

Warehouses, Work Benches, Machine Operating

ENVIRONMENT

Wet

CONSTRUCTION

Rubber

DETAILS

Thickness: 12.5 mm (1/2 in) • Warranty: 1 year



LIGHT DUTY

Value Flex Solid Top

BEST FOR

Warehouses, Work Benches, Machine Operating

ENVIRONMENT

Dry

CONSTRUCTION

Rubber

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: 1 year



HEAVY DUTY

Weldeez™

BEST FOR

Welders, Forges, Machinists, Oil and Gas Industry

ENVIRONMENT

Dry

CONSTRUCTION

Rubber (Specially compounded Nitrile)

DETAILS

Thickness: 12.5 mm (1/2 in) • Warranty: 5 Year



HEAVY DUTY

Weldeez™ Modular

BEST FOR

Welders, Forges, Machinists, Oil and Gas Industry

ENVIRONMENT


Dry

CONSTRUCTION

Rubber (Specially compounded Nitrile)

DETAILS

Thickness: 16 mm (5/8 in) • Warranty: 5 Year



HEAVY DUTY

Work Matta™ Comfort Open Top

BEST FOR

Industrial Facilities, Manufacturing, Heavy loads

ENVIRONMENT

Wet

CONSTRUCTION

Recycled PVC

DETAILS

Thickness: 1" • Warranty: 10 Years

Comfort and traction solutions for standing work areas, with options for dry, wet and specialized environments.



HEAVY DUTY

Work Matta™ Comfort Solid Top

BEST FOR

Industrial Facilities, Manufacturing, Heavy loads

ENVIRONMENT


Dry

CONSTRUCTION

Recycled PVC

DETAILS

Thickness: 1" • Warranty: 10 Years



MEDIUM DUTY

Work Matta™ Ergo Open Top

BEST FOR

high traffic workstations, manufacturing, wet areas

ENVIRONMENT


Wet

CONSTRUCTION

Recycled PVC

DETAILS

Thickness: 9/16" • Warranty: 10 Years



MEDIUM DUTY

Work Matta™ Ergo Solid Top

BEST FOR

high traffic workstations, manufacturing, heavy loads

ENVIRONMENT

Dry

CONSTRUCTION

Recycled PVC

DETAILS

Thickness: 9/16" • Warranty: 10 Years



MEDIUM DUTY

Work Matta™ Excel Open Top

BEST FOR

Assembly lines, Busy work benches, Industrial Facilities

ENVIRONMENT

Wet

CONSTRUCTION

Recycled PVC

DETAILS

Thickness: 1" • Warranty: 10 Years



MEDIUM DUTY

Work Matta™ Excel Solid Top

BEST FOR

Assembly lines, Busy work benches, Industrial Facilities

ENVIRONMENT

Dry

CONSTRUCTION

Recycled PVC

DETAILS

Thickness: 1" • Warranty: 10 Years

NEED HELP SELECTING?

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Durable traction and surface-protection products for workshops, garages, production and demanding work areas.



MEDIUM TRAFFIC

Coco Mat

BEST FOR

Shops, Secondary Entrances, Environmentally Sensitive Areas

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Wiper/Scraper

DETAILS

Thickness: 35 mm (1-3/8 in)



MEDIUM DUTY

Coir Matting

BEST FOR

Shops, Secondary Entrances, Environmentally Sensitive Areas

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Coco fiber weave

DETAILS

Thickness: 8 mm (5/16 in.)



MEDIUM DUTY

Diamond Plate Runner

BEST FOR

Work Surfaces, Increasing traction, Protecting Floor Surfaces

ENVIRONMENT


Dry

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 3 mm (1/8 in) • Warranty: 1 Year



HEAVY DUTY

Diamond Rubber

BEST FOR

Work Surfaces, Increasing traction, Protecting Floor Surfaces

ENVIRONMENT

Dry

CONSTRUCTION

Rubber (Natural/Recycled)

DETAILS

Thickness: 3 mm (1/8 in), 6.5 mm (1/4 in) • Warranty: 1 Year



HEAVY DUTY

Fine Rib Rubber

BEST FOR

Work Surfaces, Increasing traction, Protecting Floor Surfaces

ENVIRONMENT

Dry

CONSTRUCTION

Rubber (Natural/Recycled)

DETAILS

Thickness: 3 mm (1/8 in) • Warranty: 1 Year



MEDIUM DUTY

Fine Rib Vinyl

BEST FOR

Work Surfaces, Walking surfaces that need protection

ENVIRONMENT

Dry

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 3 mm (1/8 in) • Warranty: 1 Year

Durable traction and surface-protection products for workshops, garages, production and demanding work areas.



MEDIUM DUTY

Grit Tape

BEST FOR

Ramps, Steps, Smooth Steel

ENVIRONMENT


Indoor/Outdoor

CONSTRUCTION

High Traction

DETAILS

Thickness: 1.40 mm (0.055 in) • Warranty: N/A



HEAVY DUTY

Plasti-Grip Industrial

BEST FOR

Work stations, Machining, Spill zones

ENVIRONMENT

Wet

CONSTRUCTION

Vinyl Grid

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: 1 Year



MEDIUM DUTY

Rubber Boot Scraper

BEST FOR

Construction Offices, Oil and Gas Facilities, Garages

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Rubber (Natural)

DETAILS

Sizes: 12.6" x 15.4" • Warranty: 1 Year



HEAVY DUTY

Rubber Boot Tray

BEST FOR

Residences, Secondary Entrances, Construction Offices

ENVIRONMENT

Wet

CONSTRUCTION

Rubber

DETAILS

Thickness: 25.5 mm (1 in) • Warranty: 1 Year



HEAVY DUTY

Smooth Rubber

BEST FOR

Work Surfaces, Protecting Floor Surfaces

ENVIRONMENT

Dry

CONSTRUCTION

Rubber (Natural/Recycled)

DETAILS

Thickness: 3 mm (1/8 in), 6.5 mm (1/4") • Warranty: 1 Year



HEAVY DUTY

Traction Tread Grit Mat

BEST FOR

Kitchens, Manufacturing, Mechanics

ENVIRONMENT

Indoor/Outdoor


CONSTRUCTION

Slip Resistant

DETAILS

Thickness: 7/32"

Durable traction and surface-protection products for workshops, garages, production and demanding work areas.



MEDIUM DUTY

V-Dek

BEST FOR

Work Benches, Wet areas, Pools

ENVIRONMENT

Wet

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: 1 year



HEAVY DUTY

Weldeez™ Roll

BEST FOR

Welders, Forges, Machinists, Oil and Gas Industry

ENVIRONMENT

Dry

CONSTRUCTION

Rubber (Specially compounded Nitrile)

DETAILS

Thickness: 3 mm (1/8 in) • Warranty: 5 Year



HEAVY DUTY

Wide Rib Nitrile

BEST FOR

Grease/Oil Work Zones, Work Surfaces, Increasing traction, Protecting Floor Surfaces

ENVIRONMENT

Dry

CONSTRUCTION

Rubber (Nitrile)

DETAILS

Thickness: 6.5 mm (1/4 in) • Warranty: 1 Year



HEAVY DUTY

Wide Rib Rubber

BEST FOR

Work Surfaces, Increasing traction, Protecting Floor Surfaces

ENVIRONMENT


Dry

CONSTRUCTION

Rubber (Natural/Recycled)

DETAILS

Thickness: 3 mm (1/8 in), 6.5 mm (1/4") • Warranty: 1 Year



MEDIUM DUTY

Wide Rib Vinyl

BEST FOR

Work Surfaces, Walking surfaces that need protection

ENVIRONMENT

Dry

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 3 mm (1/8 in) • Warranty: 1 Year

NEED HELP SELECTING?

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Purpose-built solutions for electrical safety, contamination control, wet areas, branding and unique applications.



LIGHT DUTY

Anti-Stat

BEST FOR

Computer Stations, Printers, Electrically Sensitive Devices

ENVIRONMENT

Dry

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 3 mm (1/8 in) • Warranty: 1 Year



INDOOR/OUTDOOR

Barbecue Mat

BEST FOR

Barbecues, Patios, Decks

ENVIRONMENT


Indoor/Outdoor

CONSTRUCTION

PVC

DETAILS

Thickness: 1/8" (3.18 mm) • Warranty: 1 Year



DRY

Chair Mat Smooth Back

BEST FOR

desks, work stations, service counters

ENVIRONMENT

Dry

CONSTRUCTION

PVC

DETAILS

Thickness: 2.79mm (.110 in) • Warranty: 1 year



DRY

Chair Mat Standard Gripper Back

BEST FOR

desks, work stations, service counters

ENVIRONMENT

Dry

CONSTRUCTION

PVC

DETAILS

Thickness: 3.17mm (.125 in) • Warranty: 1 year



LIGHT DUTY

Clean Room Mat

BEST FOR

Medical Facilities, Labs, Dust Sensitive Environments

ENVIRONMENT

Dry

CONSTRUCTION

Polyethylene Film with Adhesive

DETAILS

Thickness: 3 mm (1/8 in)

**NEED HELP
SELECTING?**

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Purpose-built solutions for electrical safety, contamination control, wet areas, branding and unique applications.

LIGHT TRAFFIC

CleanShield Roll Goods

BEST FOR
restrooms, grocery stores, convenience stores,
healthcare facilities



ENVIRONMENT	Indoor
CONSTRUCTION	Solution-dyed polypropylene with polyester film moisture...
DETAILS	Thickness: 3/32" in

MEDIUM DUTY

CleanShield® Urinal Mat

BEST FOR
casinos, restaurants, convention centers



ENVIRONMENT	Indoor
DETAILS	Thickness: 0.1875"
COLOUR	Charcoal

MEDIUM TRAFFIC

Disinfectant Mat

BEST FOR
Clean Rooms, Labs, Food processing, Farms



ENVIRONMENT	Indoor
CONSTRUCTION	Rubber
DETAILS	Thickness: 64 mm (2-1/2 in) • Warranty: 1 Year

HEAVY DUTY

Easy-Lay Board

BEST FOR
Floor Protection, Installations, Renovations



ENVIRONMENT	Dry
CONSTRUCTION	Single layer
DETAILS	Thickness: 0.012 in. (0.31 mm)

MEDIUM DUTY

Eco Urinal Mats

BEST FOR
Casinos, Restaurants, Convention Centers



ENVIRONMENT	Indoor
DETAILS	Thickness: 1/8 in. (3.18 mm.)
COLOUR	Black

NEED HELP SELECTING?

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

[REQUEST A SITE ASSESSMENT](#)

Purpose-built solutions for electrical safety, contamination control, wet areas, branding and unique applications.



INDOOR/OUTDOOR

EverHue Grass

BEST FOR

Landscaping, Playgrounds, Pets

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Turf with texturized thatch underlayer

DETAILS

Thickness: T75 - 1.5 in, P60 - 1.6 in, P70 - 1.7 in, C73 - 1.75 i...



INDOOR/OUTDOOR

EverHue Light

BEST FOR

Landscaping, Playgrounds, Pets, Golf

ENVIRONMENT


Indoor/Outdoor

CONSTRUCTION

Turf with texturized thatch underlayer

DETAILS

Thickness: 1.375 in (34.9 mm) • Warranty: 10 Year



INDOOR/OUTDOOR

EverHue Pet

BEST FOR

Landscaping, Yards, Balconies, Kennels

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Turf with texturized thatch underlayer

DETAILS

Thickness: 1.25 in (31.8 mm) • Warranty: 10 Year



INDOOR/OUTDOOR

EverHue Putt

BEST FOR

Golf, Putting Green

ENVIRONMENT

Indoor/Outdoor

CONSTRUCTION

Turf

DETAILS

Thickness: 0.375 in (9.5 mm) • Warranty: 10 Year



HEAVY DUTY

Grip Weave

BEST FOR

Around pools, Saunas, Locker room

ENVIRONMENT

Wet

CONSTRUCTION

Vinyl weave

DETAILS

Thickness: 0.22" (5.5 mm) • Warranty: 1 Year

NEED HELP SELECTING?

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Purpose-built solutions for electrical safety, contamination control, wet areas, branding and unique applications.



HEAVY DUTY

Plasti-Grip 4D

BEST FOR

Wet areas, Shower/Locker Rooms, Spill Zones

ENVIRONMENT

Wet

CONSTRUCTION

Vinyl Grid

DETAILS

Thickness: 12.5 mm (1/2 in) • Warranty: 1 Year



MEDIUM TRAFFIC

Premier Print Logo Mat

BEST FOR

Entranceways, Hallways, Lobbies, Service Counters

ENVIRONMENT


Indoor/Outdoor

CONSTRUCTION

Chromojet Printed

DETAILS

Sizes: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 3' x 8', 3' x 20', 4' x 5' ...



HEAVY DUTY

Shower & Eyewash Station Mats

BEST FOR

Eyewash and shower stations, Wet safety areas

ENVIRONMENT

Wet

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 14.5 mm (9/16 in) • Warranty: 1 Year



HEAVY DUTY

Switchboard Class 2

BEST FOR

Switchboards, Transformers, Generators, High Voltage equipment

ENVIRONMENT

Dry

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 6.5 mm (1/4 in) • Warranty: 1 year



HEAVY DUTY

Switchboard Class 3

BEST FOR

Switchboards, Transformers, Generators, High Voltage equipment

ENVIRONMENT

Dry

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 9.5 mm (3/8 in) • Warranty: 1 year

NEED HELP SELECTING?

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Installation, stabilization, edging, grounding, cleaning and temporary floor-protection products.



ACCESSORIES

Accelerator

BEST FOR

Mat installation, stabilization, maintenance and floor protection.

DETAILS

Sizes: 2oz , 8oz • Warranty: N/A



ACCESSORIES

Cable Cord Protector

BEST FOR

Offices, Walkways, Staging areas

CONSTRUCTION

Vinyl (PVC)

DETAILS

Thickness: 9.5 mm (3/8 in) • Warranty: N/A

COLOUR

Black



ACCESSORIES

Carpet Mask

BEST FOR

Show Homes, RV Dealerships, Renovations

CONSTRUCTION

Polyethylene Film with Adhesive

DETAILS

Thickness: 3 mil • Warranty: N/A

COLOUR

Clear



ACCESSORIES

Common Point Ground Cord

BEST FOR

Electronic Assembly, Computer Stations

DETAILS

Sizes: 15' • Warranty: N/A



ACCESSORIES

Double Sided Installation Tape

BEST FOR

Mat installation, stabilization, maintenance and floor protection.

DETAILS

Rolls: 2" x 108' • Warranty: N/A

COLOUR

White

EDGING

N/A

**NEED HELP
SELECTING?**

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.


REQUEST A SITE ASSESSMENT

Installation, stabilization, edging, grounding, cleaning and temporary floor-protection products.

ACCESSORIES

Edging

BEST FOR
Permanent Matting, Roll Out Matting



CONSTRUCTION	PVC (Edging), Aluminum (Ramp)
DETAILS	Thickness: 1/8", 1/4", 5/16", 3/8", 1/2"
COLOUR	Black (Special Order Colour)

ACCESSORIES

Floor Mask

BEST FOR
Construction, Renovations



CONSTRUCTION	Polyethylene Film with Adhesive
DETAILS	Thickness: 3 mil • Warranty: N/A
FACE STYLE	Smooth

ACCESSORIES

Heel Grounder

BEST FOR
Computer Stations, Printers, Electrically Sensitive Equipment



DETAILS	Warranty: N/A
----------------	---------------

ACCESSORIES

Hold-a-Rug

BEST FOR
entrance matting, soft seating areas and rugs



CONSTRUCTION	polyester fibers
DETAILS	Thickness: 3 mm (1/8 in) • Warranty: N/A
COLOUR	White

ACCESSORIES

Insta-Bond Adhesive

BEST FOR
Mat installation, stabilization, maintenance and floor protection.



DETAILS	Sizes: 2oz , 16oz • Warranty: N/A
----------------	-----------------------------------

**NEED HELP
SELECTING?**

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

Installation, stabilization, edging, grounding, cleaning and temporary floor-protection products.



ACCESSORIES

Matgrip II

BEST FOR


Mat installation, stabilization, maintenance and floor protection.

DETAILS

Thickness: 1.5 mm (1/16 in) • Warranty: N/A

COLOUR

Black or White



ACCESSORIES

Rapid-Tak

BEST FOR

Mat installation, stabilization, maintenance and floor protection.

DETAILS

Rolls: 40" x 150' • Warranty: N/A



ACCESSORIES

Slip-Chek

BEST FOR

Mat installation, stabilization, maintenance and floor protection.

DETAILS

Sizes: 1L, 15L • Warranty: N/A



ACCESSORIES

Tee Baud

BEST FOR

entrance matting, soft seating areas and rugs

CONSTRUCTION

polyester fibers

DETAILS

Thickness: 6 mm (1/4 in) • Warranty: N/A

COLOUR

Grey



ACCESSORIES

Wrist Band Ground Cord

BEST FOR

Mat installation, stabilization, maintenance and floor protection.

DETAILS

Sizes: 6' • Warranty: N/A

**NEED HELP
SELECTING?**

OBE can assess traffic, moisture, rolling loads, floor conditions and maintenance requirements before recommending a system.

REQUEST A SITE ASSESSMENT

LET'S BUILD THE RIGHT MATTING PROGRAM

150 product options. One practical site-specific recommendation.

- Entrance and vestibule walk-off planning
- Traffic, moisture and rolling-load assessment
- Custom sizing, edging and installation coordination
- Permanent purchase and scheduled service options

REQUEST A SITE ASSESSMENT & CUSTOM QUOTE

www.ontariobuildingexperts.ca

Ontario Building Experts Corporation provides consultation, product sourcing coordination and installation. Product names, trademarks and imagery remain the property of their respective owners. Product specifications, colours, sizes and availability are subject to manufacturer confirmation. Catalogue product content is based on Edgewood Matting Ltd. information accessed September 2026.