

# PRODUCTS

Smart Choice, Sweet Life

SRW-36DR SERIES


ITALIA  
**COTTURA**  
REFRIGERATION LINE



## SRW-36DR BEVERAGE COOLER PARAMETERS

Loading	20' container	54
	40' container	108
	40'HC container	162
Dimension	Product(W*D*H)mm	595*575*820
	With packaging	660*650*880
Weight	Net Weight(Kgs)	49
	Gross Weight(Kgs)	52

## SRW-36DR BEVERAGE COOLER Product(W\*D\*H)mm



## SRW-36DR PARAMETERS

Loading	20' container	54
	40' container	108
	40'HC container	162
Dimension	Product(W*D*H)mm	595*575*820
	With packaging	660*650*880
Weight	Net Weight(Kgs)	49
	Gross Weight(Kgs)	52



SRW-36DR SERIES

<b>Model :</b>	SRW-36DR
<b>Capacity (liters) / Bottles :</b>	40 bottles
<b>Door features :</b>	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
<b>Temperature zone :</b>	Dual-zone
<b>Control panel :</b>	Touch button
<b>Shelf :</b>	10 wooden shelves ( non ball bearing)
<b>Color of interior light :</b>	Blue
<b>Front vent :</b>	Stainless steel
<b>Operation :</b>	Compressor
<b>Cooling system :</b>	Fan cooling
<b>Adjustable temperature :</b>	5-22 C
<b>Reted Voltage/Frequency :</b>	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
<b>Input power :</b>	105 W
<b>Refrigerant :</b>	R600a

<b>Model :</b>	SRW-36DR Beverage Cooler
<b>Capacity (liters) / Bottles :</b>	120L / 20 bottles + 53 can
<b>Door features :</b>	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
<b>Temperature zone :</b>	Dual-zone
<b>Control panel :</b>	Touch button
<b>Shelf :</b>	5 wooden shelves (non ball bearing) + 3 wire + 1 drawer
<b>Color of interior light :</b>	Blue
<b>Front vent :</b>	Stainless steel
<b>Operation :</b>	Compressor
<b>Cooling system :</b>	Fan cooling
<b>Adjustable temperature :</b>	5-22°C / 1-10°C
<b>Reted Voltage/Frequency :</b>	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
<b>Input power :</b>	105 W
<b>Refrigerant :</b>	R600a

## SRW-36DR Product(W\*D\*H)mm



## OPTIONAL

- Shelf stainless steel trim
- Built-in or free standing
- With ball bearing shelf
- Handles with different shapes
- Body dimension: W595\*D575\*H870 mm



# PRODUCTS

Smart Choice, Sweet Life

SRW-54 SERIES

ITALIA  
**COTTURA**  
REFRIGERATION LINE

## SRW-54S BEVERAGE COOLER PARAMETERS

Loading	20' container	54
	40' container	108
	40'HC container	162
Dimension	Product(W*D*H)mm	595*575*820
	With packaging	660*650*880
Weight	Net Weight(Kgs)	43
	Gross Weight(Kgs)	46



<b>Model :</b>	SRW-54S Beverage Cooler
<b>Capacity (liters) / Bottles :</b>	150L / 126 can
<b>Door features :</b>	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
<b>Temperature zone :</b>	Single zone
<b>Control panel :</b>	Touch button
<b>Shelf :</b>	2 wire sheves + 2 drawer
<b>Color of interior light :</b>	Blue
<b>Front vent :</b>	Stainless steel
<b>Operation :</b>	Compressor
<b>Cooling system :</b>	Fan cooling
<b>Adjustable temperature :</b>	1-10°C
<b>Reted Voltage/Frequency :</b>	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
<b>Input power :</b>	70 W
<b>Refrigerant :</b>	R600a



SRW-54S BEVERAGE COOLER Product(W\*D\*H)mm




<b>Model :</b>	SRW-54S
<b>Capacity (liters) / Bottles :</b>	150L / 52 bottles
<b>Door features :</b>	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
<b>Temperature zone :</b>	Single zone
<b>Control panel :</b>	Touch button
<b>Shelf :</b>	6 wooden shelves (non ball bearing)
<b>Color of interior light :</b>	Blue
<b>Front vent :</b>	Stainless steel
<b>Operation :</b>	Compressor
<b>Cooling system :</b>	Fan cooling
<b>Adjustable temperature :</b>	5 - 22°C
<b>Reted Voltage/Frequency :</b>	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
<b>Input power :</b>	70 W
<b>Refrigerant :</b>	R600a

## SRW-54S PARAMETERS

Loading	20' container	54
	40' container	108
	40'HC container	162
Dimension	Product(W*D*H)mm	595*575*820
	With packaging	660*650*880
Weight	Net Weight(Kgs)	43
	Gross Weight(Kgs)	46



SRW-54S Product(W\*D\*H)mm



## OPTIONAL

- Shelf stainless steel trim
- Built-in or free standing
- With ball bearing shelf
- Handles with different shapes
- Body dimension: W595\*D575\*H870 mm



# PRODUCTS

Smart Choice. Sweet Life

SRW-54 SERIES

ITALIA  
**COTTURA**  
REFRIGERATION LINE



## OPTIONAL

- Shelf stainless steel trim
- Built-in or free standing
- With ball bearing shelf
- Handles with different shapes
- Body dimension: W595\*D575\*H870 mm



FAN COOLING



BOTTLES



CARBON FILTER



DOUBLE-PANE  
ANTI-UV TINTED  
GLASS DOOR



HIGH QUALITY  
COMPRESSOR



CONSTANT  
TEMPERATURE



DECIBELS  
40dB




POWER CONSUMPTION  
ENERGUIDE

Model :	SRW-54D
Capacity (liters) / Bottles :	150L / 46 bottles
Door features :	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
Temperature zone :	Dual-zone
Control panel :	Touch button
Shelf :	6 wooden shelves (non ball bearing)
Color of interior light :	Blue
Front vent :	Stainless steel
Operation :	Compressor
Cooling system :	Fan cooling
Adjustable temperature :	5 - 12°C / 12 - 22°C
Rated Voltage/Frequency :	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
Input power :	70 W
Refrigerant :	R600a

## SRW-54D PARAMETERS

Loading	20'container	54
	40'container	108
	40'HC container	162
Dimension	Product(W*D*H)mm	595*575*820
	With packaging	660*650*880
Weight	Net Weight(Kgs)	43
	Gross Weight(Kgs)	46

## SRW-54D Product(W\*D\*H)mm



- SAIXIN wine coolers are designed with Single zone & Dual-zone, Free standing & Built-in system. Full capacities from 18-220 bottles.
- SAIXIN wine coolers can be kept almost anywhere in the house, kitchen, as long as the place you choose is weatherproof with a normal electrical supply.

# PRODUCTS


Smart Choice, Sweet Life

SRW-76 SERIES

## SRW-76S PARAMETERS

Loading	20'container	27
	40'container	54
	40'HC container	108
Dimension	Product(W*D*H)mm	595*575*1206
	With packaging	660*650*1265
Weight	Net Weight(Kgs)	64
	Gross Weight(Kgs)	69

## SRW-76S Product(W\*D\*H)mm



Model :	SRW-76S
Capacity (liters) / Bottles :	225L / 81 bottles
Door features :	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
Temperature zone :	Single zone
Control panel :	Touch button
Shelf :	9 wooden shelves (non ball bearing)
Color of interior light :	Blue
Front vent :	Stainless steel
Operation :	Compressor
Cooling system :	Fan cooling
Adjustable temperature :	5 - 22°C
Rated Voltage/Frequency :	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
Input power :	80 W
Refrigerant :	R600a

## OPTIONAL

- Shelf stainless steel trim
- Built-in or free standing
- With ball bearing shelf
- Handles with different shapes



FAN COOLING



BOTTLES



CARBON FILTER



DOUBLE-PANE  
ANTI-UV TINTED  
GLASS DOOR



HIGH QUALITY  
COMPRESSOR



CONSTANT  
TEMPERATURE




DECIBELS  
40dB



POWER  
CONSUMPTION  
ENERGYGUIDE

## SRW-76D Product(W\*D\*H)mm



Model :	SRW-76D
Capacity (liters) / Bottles :	225L / 75 bottles
Door features :	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
Temperature zone :	Dual-zone
Control panel :	Touch button
Shelf :	9 wooden shelves (non ball bearing)
Color of interior light :	Blue
Front vent :	Stainless steel
Operation :	Compressor
Cooling system :	Fan cooling
Adjustable temperature :	5 - 12°C / 12 - 22°C
Rated Voltage/Frequency :	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
Input power :	80 W
Refrigerant :	R600a

## SRW-76D PARAMETERS

Loading	20'container	27
	40'container	54
	40'HC container	108
Dimension	Product(W*D*H)mm	595*575*1206
	With packaging	660*650*1265
Weight	Net Weight(Kgs)	64
	Gross Weight(Kgs)	69




# PRODUCTS

Smart Choice, Sweet Life

SRW-128 SERIES

ITALIA  
**COTTURA**  
REFRIGERATION LINE

SRW-128S Product(W\*D\*H)mm



SRW-128S PARAMETERS

Loading	20' container	27
	40' container	54
	40'HC container	54
Dimension	Product(W*D*H)mm	595*680*1417
	With packaging	660*760*1490
Weight	Net Weight(Kgs)	82
	Gross Weight(Kgs)	88

Model :	SRW-128S
Capacity (liters) / Bottles :	325L / 130 bottles
Door features :	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
Temperature zone :	Single zone
Control panel :	Touch button
Shelf :	11 wooden shelves (non ball bearing)
Color of interior light :	Blue
Front vent :	Stainless steel
Operation :	Compressor
Cooling system :	Fan cooling
Adjustable temperature :	5 - 22°C
Reted Voltage/Frequency :	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
Input power :	120 W
Refrigerant :	R600a



FAN COOLING



BOTTLES



CARBON FILTER



DOUBLE-PANE  
ANTI-UV TINTED  
GLASS DOOR



HIGH QUALITY  
COMPRESSOR



CONSTANT  
TEMPERATURE



DECIBELS  
45dB



POWER CONSUMPTION  
ENERGUIDE




## OPTIONAL

- Shelf stainless steel trim
- Built-in or free standing
- With ball bearing shelf
- Handles with different shapes

SRW-128D PARAMETERS

Loading	20' container	27
	40' container	54
	40'HC container	54
Dimension	Product(W*D*H)mm	595*680*1417
	With packaging	660*760*1490
Weight	Net Weight(Kgs)	82
	Gross Weight(Kgs)	88

SRW-128D Product(W\*D\*H)mm



Model :	SRW-128D
Capacity (liters) / Bottles :	325L / 121 bottles
Door features :	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
Temperature zone :	Dual-zone
Control panel :	Touch button
Shelf :	11 wooden shelves (non ball bearing)
Color of interior light :	Blue
Front vent :	Stainless steel
Operation :	Compressor
Cooling system :	Fan cooling
Adjustable temperature :	5 - 12°C / 12 - 22°C
Reted Voltage/Frequency :	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
Input power :	120 W
Refrigerant :	R600a

# PRODUCTS

Smart Choice, Sweet Life

SRW-168 SERIES


ITALIA  
**COTTURA**  
REFRIGERATION LINE



## SRW-168S PARAMETERS

Loading	20' container	27
	40' container	54
	40'HC container	54
Dimension	Product(W*D*H)mm	595*680*1795
	With packaging	660*760*1850
Weight	Net Weight(Kgs)	92
	Gross Weight(Kgs)	98

## SRW-168S Product(W\*D\*H)mm



FAN COOLING



BOTTLES



CARBON FILTER



DOUBLE-PANE  
ANTI-UV TINTED  
GLASS DOOR



HIGH QUALITY  
COMPRESSOR



CONSTANT  
TEMPERATURE



DECIBELS  
40dB



POWER  
CONSUMPTION  
ENERGY GUIDE

Model :	SRW-168S
Capacity (liters) / Bottles :	450L / 174 bottles
Door features :	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
Temperature zone :	Single zone
Control panel :	Touch button
Shelf :	15 wooden shelves (non ball bearing)
Color of interior light :	Blue
Front vent :	Stainless steel
Operation :	Compressor
Cooling system :	Fan cooling
Adjustable temperature :	5 - 22°C
Rated Voltage/Frequency :	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
Input power :	135 W
Refrigerant :	R600a



## OPTIONAL


- Shelf stainless steel trim
- Built-in or free standing
- With ball bearing shelf
- Handles with different shapes

SRW-168 SERIES

## SRW-168D PARAMETERS

Loading	20' container	27
	40' container	54
	40'HC container	54
Dimension	Product(W*D*H)mm	595*680*1795
	With packaging	660*760*1850
Weight	Net Weight(Kgs)	92
	Gross Weight(Kgs)	98

## SRW-168D Product(W\*D\*H)mm



Model :	SRW-168D
Capacity (liters) / Bottles :	450L / 165 bottles
Door features :	Seamless S.S. door frame & handle ; two layers glass - UV Protection ; with lock.
Temperature zone :	Dual-zone
Control panel :	Touch button
Shelf :	15 wooden shelves (non ball bearing)
Color of interior light :	Blue
Front vent :	Stainless steel
Operation :	Compressor
Cooling system :	Fan cooling
Adjustable temperature :	5 - 12°C / 12 - 22°C
Rated Voltage/Frequency :	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
Input power :	135 W
Refrigerant :	R600a



# PRODUCTS

Smart Choice, Sweet Life

SRW-230 SERIES

## OPTIONAL

- \* Shelf stainless steel trim
- \* Handles with different shapes

ITALIA  
**COTTURA**  
REFRIGERATION LINE

### SRW-230S PARAMETERS

Loading	20'container	21
	40'container	45
Dimension	40'HC container	45
	Product(W*D*H)mm	695*690*1890
	With packaging	770*770*1972
Weight	Net Weight(Kgs)	123
	Gross(Weight Kgs)	132



FAN COOLING



BOTTLES



CARBON FILTER



DOUBLE-PANE  
ANTI-UV TINTED  
GLASS DOOR



HIGH QUALITY  
COMPRESSOR



CONSTANT  
TEMPERATURE



DECIBELS  
40dB




POWER  
CONSUMPTION  
ENERGUIDE


### SRW-230D PARAMETERS

Loading	20'container	21
	40'container	45
Dimension	40'HC container	45
	Product(W*D*H)mm	695*690*1890
	With packaging	770*770*1972
Weight	Net Weight(Kgs)	123
	Gross Weight(Kgs)	132

SRW-230S Product(W\*D\*H)mm



SRW-230D Product(W\*D\*H)mm



<b>Model :</b>	SRW-230S
<b>Capacity (liters) / Bottles :</b>	600L / 219 bottles
<b>Door features :</b>	Seamless steel door frame & handle ; two layers glass - UV Protection ; with lock.
<b>Temperature zone :</b>	Single zone
<b>Control panel :</b>	Touch button
<b>Shelf :</b>	16 ball bearing wooden shelves
<b>Color of interior light :</b>	Blue
<b>Front vent :</b>	Stainless steel
<b>Operation :</b>	Compressor
<b>Cooling system :</b>	Fan cooling ; free standing
<b>Adjustable temperature :</b>	5 - 22°C
<b>Rated Voltage/Frequency :</b>	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
<b>Input power :</b>	155 W
<b>Refrigerant :</b>	R600a

<b>Model :</b>	SRW-230D
<b>Capacity (liters) / Bottles :</b>	600L / 219 bottles
<b>Door features :</b>	Seamless steel door frame & handle ; two layers glass - UV Protection ; with lock.
<b>Temperature zone :</b>	Dual-zone
<b>Control panel :</b>	Touch button
<b>Shelf :</b>	16 ball bearing wooden shelves
<b>Color of interior light :</b>	Blue
<b>Front vent :</b>	Stainless steel
<b>Operation :</b>	Compressor
<b>Cooling system :</b>	Fan cooling ; free standing
<b>Adjustable temperature :</b>	5 - 12°C / 12 - 22°C
<b>Rated Voltage/Frequency :</b>	100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz
<b>Input power :</b>	155 W
<b>Refrigerant :</b>	R600a



### PROFESSION CREATES WONDERFUL LIFE

Professional technology,  
Fashionable design and attentive service make SAIXIN wine coolers.  
Your smart choice to store wine well,  
manage its maturity and character - enjoying sweet life.

# PRODUCTS

Smart Choice, Sweet Life

SRT SERIES




SRT SERIES

#### SRT-54 PARAMETERS

Loading	20'container	48
	40'container	108
	40'HC container	108
Dimension	Product(W*D*H)mm	595*530*828
	With packaging	660*620*880
Weight	Net Weight(Kgs)	43
	Gross Weight(Kgs)	48

#### Product(W\*D\*H)mm



Capacity (liters) / Bottles : 150L / 48 bottles

Operation : Compressor

Temperature zone : Single zone

Cooling system : Direct cooling

Door features : Full glass door&recessed handle,  
two layers glass - UV Protection ,with lock.

Reted Voltage/Frequency : 100V 50/60 Hz or 115V 60Hz or  
220-240V 50/60Hz

Control panel : Touch button & LCD display

Adjustable temperature : 5 - 22°C

Shelf : 4 ball bearing wooden shelves

Input power : 60 W

Color of interior light : Blue


Refrigerant : R600a

Front vent : Black

#### SRT-68 PARAMETERS

Loading	20'container	27
	40'container	54
	40'HC container	104
Dimension	Product(W*D*H)mm	595*530*1215
	With packaging	660*630*1290
Weight	Net Weight(Kgs)	62
	Gross(Weight Kgs)	67

#### Product(W\*D\*H)mm



Capacity (liters) / Bottles : 188L / 70 bottles

Operation : Compressor

Temperature zone : Single zone

Cooling system : Direct cooling

Door features : Full glass door&recessed handle,  
two layers glass - UV Protection ,with lock.

Reted Voltage/Frequency : 100V 50/60 Hz or 115V 60Hz or  
220-240V 50/60Hz

Control panel : Touch button & LCD display

Adjustable temperature : 5 - 22°C

Shelf : 6 ball bearing wooden shelves

Input power : 75W

Color of interior light : Blue

Refrigerant : R600a

Front vent : Black





# PRODUCTS

Smart Choice, Sweet Life


SRT SERIES



## SRT-230S PARAMETERS

Loading	20'container	21
	40'container	45
	40'HC container	45
Dimension	Product(W*D*H)mm	695*690*1890
	With packaging	770*770*1972
Weight	Net Weight(Kgs)	123
	Gross Weight(Kgs)	132

## Product(W\*D\*H)mm



Capacity (liters) / Bottles : 600L / 219 bottles

Door features : Seamless steel door frame & handle ; two layers glass - UV Protection ; with lock.

Temperature zone : Single zone

Control panel : Touch button & LCD display

Shelf : 16 ball bearing wooden shelves

Color of interior light : Blue

Front vent : Black

Operation : Compressor

Cooling system : Direct cooling

Adjustable temperature : 5 ~ 22°C

Reted Voltage/Frequency : 100V 50/60 Hz or 115V 60Hz or 220-240V 50/60Hz

Input power : 155 W

Refrigerant : R600a



FAN COOLING



BOTTLES



CARBON FILTER



DOUBLE-PANE  
ANTI-UV TINTED  
GLASS DOOR



HIGH QUALITY  
COMPRESSOR



CONSTANT  
TEMPERATURE




DECIBELS  
40dB



POWER  
CONSUMPTION  
ENERGYGUIDE



## Product(W\*D\*H)mm



## SRT-128 PARAMETERS

Loading	20'container	27
	40'container	54
	40'HC container	54
Dimension	Product(W*D*H)mm	595*530*1615
	With packaging	660*630*1690
Weight	Net Weight(Kgs)	80
	Gross Weight(Kgs)	86

Capacity (liters) / Bottles : 270L / 103 bottles

Temperature zone : Single zone

Door features : Full glass door&recessed handle,  
two layers glass - UV Protection ,with lock.

Control panel : Touch button & LCD display

Shelf : 9 ball bearing wooden shelves

Color of interior light : Blue

Front vent : Black

Operation : Compressor

Cooling system : Direct cooling

Reted Voltage/Frequency : 100V 50/60 Hz or 115V 60Hz or  
220-240V 50/60Hz

Adjustable temperature : 5 ~ 22°C


Input power : 110W

Refrigerant : R600a

## SRT-168 PARAMETERS

Loading	20'container	27
	40'container	54
	40'HC container	54
Dimension	Product(W*D*H)mm	595*690*1795
	With packaging	660*760*1850
Weight	Net Weight(Kgs)	90
	Gross Weight(Kgs)	96

## Product(W\*D\*H)mm



Capacity (liters) / Bottles : 450L / 191 bottles

Temperature zone : Single zone

Door features : Full glass door&recessed handle,  
two layers glass - UV Protection ,with lock.

Control panel : Touch button & LCD display

Shelf : 10 ball bearing wooden shelves

Color of interior light : Blue

Front vent : Black

Operation : Compressor

Cooling system : Direct cooling

Reted Voltage/Frequency : 100V 50/60 Hz or 115V 60Hz or  
220-240V 50/60Hz

Adjustable temperature : 5 ~ 22°C

Input power : 120W

Refrigerant : R600a



ITALIA  
**COTTURA**  
REFRIGERATION LINE

SRT SERIES