



SEWER LINE SMOKE TEST TO BE CONDUCTED IN YOUR AREA

Contracted by your utility provider

**Weekdays 8 a.m. to 5 p.m.
Weather permitting**

You do not need to be home during the testing, which will take about 15 minutes.

Why This Test is Commonly Used

This routine, preventative maintenance test will help identify leaks, defects and stormwater inflows in the sewer system, thereby improving wastewater treatment operations and efficiency.

What to Expect

If you just received this door hanger you should expect to see a smoke test crew in your area in the next few days. While smoke can be expected to be visible coming out of manhole covers and vent stacks in roofs, **it should not enter homes. To reduce the likelihood of smoke entering a building, it is recommended that you pour 2-3 gallons of water into seldom-used sinks and floor drains**, where the smoke could arise due to lack of water pressure. This may be done at any time prior to the test.

How the Test Works

The test consist of forcing safe smoke oil into the sewer lines and observing where it escapes in order to determine the location of leaks and defects. Odorless and safe, the smoke leaves no residuals or stains and has no adverse effect on people, plants or animals. The test generally last about 15 minutes from start to finish.

If Problems are Found

You may be notified upon completion of the project if there are any problems found on your property.

Special Requests

While smoke testing is safe, residents with heart or respiratory conditions may contact USSI at 1-888-645-9570 or 941-926-2646 between the hours of 9am to 4pm to inquire about testing schedules and have a call ahead placed, only if needed.

Contractors

Work is being performed by USSI LLC crews in easily recognizable uniforms.

For ESL and more information and videos that pertain to smoke testing please visit www.ussiusa.com.



Select "I just received a Door Hanger notice about smoke testing-Click Here" OR use your smart phone and scan the QR code for additional information.





**Wastewater Inflow Abatement
Technologies & Services**



FAQ Sheet

The smoke is odorless, creates no fire hazard, and should not enter your home or business unless you have defective plumbing or dried-up drain traps.

This test, which involves forcing smoke into the sanitary sewer lines, will check for leaks, breaks and defects in the system.

This smoke testing is part of our continuing effort to provide a safe, economical, efficient and environmentally sound sewer system survey. The smoke used for this test is manufactured for this purpose and leaves no residuals or stains and has no effect on plants and animals.



Health Concerns that you may be asked about are:

- What if I have COPD (emphysema)?
- What If I am on an oxygen concentrator?
- What if I use oxygen tanks?
- What if I have heart problems?
- What if I (child) have asthma?
- Any other health concerns that might be asked about.

What if I have health concerns?

Give us your name, address, and phone number and the crews in the field will be happy to let you know when they will be in your neighborhood. This will give you time to leave the house if you so choose while they are smoke testing.

Q & A



Pets:

Q: Will the smoke hurt my pet(s)?

A: No harm will come to your pets.

Q: If my pet(s) breathe in the smoke will they be hurt?

A: No they will not be harmed.

Q: Do I have to bathe my pet(s) if they come in contact with the smoke?

A: The smoke is designed to not be harmful to your pets or their skin.

Other:

Q: Do I need to be home when the testing happens?

A: No, you do not need to be home at the time of testing. The crews do not need to enter your house unless there is a problem that you want documented. They will not fix a problem on private property. This is the responsibility of the home owner.

Q: What happens if the smoke enters my home or business?

A: Contact one of the uniformed crew members who will be inspecting outside for leaks and they will be happy to help you figure out where the smoke is coming from, but we will not make repairs. This is the responsibility of the home owner. If smoke enters your home/business, open your doors and windows so it can be aired out.

Q: How long will the smoke testing take?

A: The smoke testing will take about 10 - 20 minutes to complete.

Q: Vacant units/houses -- what if they can't or don't have a way to add water to their dry drains, etc?

A: Most homes will not be affected. A few may have small amounts of smoke/vapor enter the home that will dissipate in 5 -10 minutes.

Q: If people are not home and they have issues (smoke in the house) how will they know?

A: They will not. Let them know we are looking for defects in sewer lines outside the home, not inside.

Q: If they have home sitters, etc. should they have them in the house to see if there is a leak?

A: Not necessary. Let them know we are not looking to find defects inside homes.

Q: What is the advantage to staying home and finding out if there is a leak in their homes/units?

A: No advantage. This test is for breaks in the sewer system outside the home.

Q: Condo Management – what is best for them to prepare with a large number of vacant units?

A: No preparation is necessary. If smoke/vapor enters the units, it will dissipate in 5-10 minutes.