Safety Data Sheet



Revision 1 Date: 8-3-2021

1. IDENTIFICATION

Product Identifier:

Product Name: Pro Line Watershed Drying Agent

Recommended use of the chemical and restrictions on use: Car Wash Application/ Drying Agent / No Restrictions

Safety Data Sheet Supplier Details:

Manufacturer Address:

Top Line Chemical Solutions, LLC 1923 John Crosland Jr. Drive Charlotte, NC 28208

Company Phone Number: 1-980-980-0569

Emergency Telephone Number (24 hour) INFOTRAC: (800) 535-5053 (North America)

INFOTRAC: 1-352-323-3500 (International)

2. HAZARDS IDENTIFICATION

Appearance: Amber Liquid Physical State: Liquid Odor: Sweet Ether Mild

GHS Classification:

Acute Toxicity: Harmful or fatal if swallowed Eye Damage May Cause eye damage/irritation

Skin Irritant May irritate skin

Aspiration Hazard May be fatal if swallowed

Hazard Statements:

- May be fatal if swallowed, aspiration hazard
- Causes eye irritation
- Harmful if inhaled
- Causes skin irritation

GHS Label Element:

Hazard Pictograms





<u>Precautionary Statements – Prevention</u>

Wash face, hands and any exposed skin thoroughly after handling

Avoid release into environment

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing mist/spray

Contaminated clothing should be removed immediately and washed prior to reuse

<u>Precautionary Statements – Response</u>

<u>IF IN EYES:</u> Rinse cautiously with water for several minutes. Remove contact lenses, if present and continue rinsing for a minimum of 15 minutes. If irritation persists, get medical attention.

<u>IF ON SKIN</u>: Remove any contaminated clothing touching skin and wash before reuse. Wash skin with plenty of soap and water. If skin irritation persists, get medical attention.

3. COMPOSITION

Chemical Name	CAS No	Weight-%
2-butoxy ethanol	111-76-2	6-18
Fatty Quat Ammonium Compd	Proprietary	20-35
Distillates (Petroleum) hydrotreated middle	64742-46-7	6-18

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight % is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

First Aid Measures:

• **General Advice** Provide SDS to medical personnel for treatment

• **Eye Contact:** IF IN EYES: Small amounts can cause tissue damage. Immediately rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and continue rinsing. If eye irritation persists: Get medical attention.

• **Skin Contact:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice. Take off contaminated clothing and wash before reuse.

 Inhalation: Remove to fresh air. Keep at rest in a position comfortable for breathing. If breathing is irregular or if respiratory arrest occurs get medical attention immediately.

• **Ingestion:** Clean mouth with water. Do not induce vomiting. Call a poison control center immediately.

Most Important symptoms and effects

Symptoms: None applicable

Indication of any immediate medical attention and special treatment needed

• Note to physician: Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Alcohol Resistant foam, Carbon Dioxide (CO2), Dry Chemical, Water.

UNSUITABLE EXTINGUISHING MEDIA: NOT DETERMINED.

Specific Hazards Arising from the Chemical

Hazardous Combustion Products: None Known

<u>Protective equipment and precautions for firefighters</u>

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Use personal protective equipment as required.
 Environmental Precautions: See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

• Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up: Absorb liquid with vermiculite or other absorbent materials.

Dike to prevent material from reaching streams or other water sources. If runoff occurs notify proper authorities as required. Dispose of waste in accordance with local, state and federal

laws.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling: Handle in accordance with good industrial hygiene and safety practices. Wear protective gloves/protective clothing and eye/face protection. Wash face, hands, and any exposed skin thoroughly after handling. Eating, drinking and smoking should be prohibited.

Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep container tightly closed and store in a cool, dry and well-ventilated place. Performs best when stored at temperatures above 55 degrees F. Protect from freezing. Keep out of the reach of children. Do not re-use container.

Incompatible materials: Strong Oxidizing Agents and Acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH	NIOSH REL	OSHA Z-1	OSHA PO
2-butoxy ethanol	TWA 20ppm	TWA 5ppm / 24 mg/m3	TWA 50ppm 240 mg/m3	25ppm 120 mg/m3
111-76-2				

Appropriate engineering controls

Engineering Controls: Apply technical measures to comply with the occupational exposure limits. Mechanical ventilation, eye-wash stations, showers where necessary.

<u>Individual protection measures such as personal protective equipment</u>

Eye/Face Protection: Safety Glasses, Goggles

Skin and Body Protection: Wear protective gloves and protective clothing

Respiratory Protection: Ensure adequate ventilation, especially in confined areas. **General Hygiene:** Handle in accordance with good industrial hygiene and safety

practices

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State: Liquid Odor: Sweet Sour Mild

Color: Amber Odor Threshold: Not Determined

Property Values Remarks 8.5-9

рΗ

Melting Point/Freezing Point 32 degrees Fahrenheit

Boiling Point/Boiling Range 212 degrees Fahrenheit

Flash Point N/A

Evaporation Rate Not Determined

Flammability (Solid, Liquid, Gas) Not Flammable

Upper Flammability Limit Not Determined

Lower Flammability Limit Not Determined

Vapor Pressure Not Determined

Vapor Density Not Determined

Specific Gravity Not Determined

Water Solubility Yes, Not Determined

Solubility in other solvents Not Determined

Partition Coefficient Not Determined

Auto – Ignition Temperature Not Determined

Decomposition Temperature Not Determined

Kinematic Viscosity Not Determined

Dynamic Viscosity Not Determined

Explosive Properties Not Determined

Oxidizing Properties Not Determined

VOC Content Not Determined

Density Not Determined

10. STABILITY AND REACTIVITY

Reactivity

Not Reactive under normal conditions

Chemical stability

Stable under recommended storage conditions

Possibility of hazardous reactions

None under normal processing

**Hazardous Polymerization does not occur

Conditions to avoid

Keep out of reach of children

Incompatible materials

Strong Alkaline, Acids, Oxidizers

Hazardous decomposition products

Carbon Dioxide, Carbon Monoxide

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

• Eye Contact: Avoid contact with eyes. Causes irritation/burns.

Skin Contact: May cause mild irritation.Inhalation: Avoid breathing mists.

• Ingestion: May be harmful or fatal if swallowed.

<u>Component Information:</u> Delayed and immediate effects, chronic effects from short and long term exposure.

Chemical Name	Oral LD50	Dermal LD0	Inhalation LC50
2-butoxy Ethanol 111-76-2	Rat 1300mg/kg	Guinea Pig (male and female) >2000mg/kg	Rat(male) 2.56mg/kg Exposure 4h Test atmosphere vapor

Information on physical, chemical, and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxy Ethanol	XX			
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Large or frequent spills can have a harmful or damaging effect on the environment.

Components for Ecological Information

Chemical Name	Algae/aquatic	Fish	Toxicity to	Crustacea
	plants		microorganisms	
Ethylene Glycol Monobutyl		1490: 96 h Lepomis		1000: 48 h Daphnia magna
Ether		macrochirus mg/L LC50		mg/L EC50 1698 - 1940: 24 h
111-76-2		static 2950: 96 h		Daphnia magna mg/L EC50
		Lepomis macrochirus		
		mg/L LC50		
		, and the second		

Persistence/Degradablility:Not DeterminedBioaccumulation:Not DeterminedMobility in Soil:Not DeterminedOther Adverse Effects:Not Determined

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes: Disposal should be in accordance with local, state, and federal

laws and regulations.

Contaminated Packaging: Disposal should be in accordance with local, state, and federal

laws and regulations.

California Hazardous Waste Status:

Chemical Name	California Hazardous Waste Status		
N/A			

14. TRANSPORTATION INFORMATION

Note: Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT:Not RegulatedIATA:Not RegulatedIMDG:Not Regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
2-Butoxy Ethanol 111-76-2	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations:

<u>CERCLA:</u> This material, as supplied, contains one or more substances regulated as a hazardous substance under the comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substance RQ	CERCLA/SARA RQ	Reportable Quantity
N/A			

<u>SARA 313:</u> Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirement of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS No	Weight %	Sara 313-Threshold Values %
2-Butoxy Ethanol	111-76-2	6-18	1%

<u>CWA (Clean Water Act)</u>: This product contains the following stubstances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA – Reportable	CWA – Toxic Pollutants	CWA- Priority Pollutants	CWA- Hazardous
	Quantities			Substances
N/A				

California Proposition 65

This product does not contain any Proposition 65 chemicals.

US State Right-To-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether			
111-76-2	XXX	XXX	XXX

16.OTHER INFORMATION

NFPA

Health Hazard: 1
Flammability: 0
Instability: 0

Special Hazards:

HMIS

Health Hazard: 1
Flammability: 0
Physical Hazards: 0
Personal Protection: B

Safety Data Sheet Revision Data

Original Issue Date: 1 February 2017 Revision 1 Date: 3 August 2021

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet