# **Safety Data Sheet**



Issue Date: 3-5-2020

1. IDENTIFICATION

**Product Identifier:** Product Name:

# **Foaming Bug Blast**

Recommended use of the chemical and restrictions on use:Bug Remover / Cleaning Agent

# Safety Data Sheet Supplier Details:

Manufacturer Address:

Top Line Chemical Solutions, LLC 1923 John Crosland Jr. Drive Charlotte, NC 28208

Company Phone Number:	1-980-309-0569
Emergency Telephone Number (24 hour)	INFOTRAC: 1-352-323-3500 (International)
	INFOTRAC: 1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

# **Classification:**

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Irritation	Category 2
Skin Sensitization	Category 1
Carcinogenicity	Category 1B

Signal Word: Danger

Causes Skin Irritation Causes Serious Eye Irritation May Cause Allergic Skin Reaction May Cause Cancer



# **Precautionary Statements – Prevention:**

Obtain Special Instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing fumes/mist/fumes/spray Contaminated work clothing should be removed immediately and washed prior to reuse Wear protective gloves

# **Precautionary Statements – Response:**

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do and continue rinsing for 15 plus minutes. If eye irritation persists see physician IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs, get medical attention.

# **Precautionary Statements – Storage:**

Store according to local, state and federal laws.

# **Precautionary Statements – Disposal:**

Dispose of as recommended by local, state and federal authorities.

# Hazards Not Otherwise Classified (HNOC):

May be harmful if swallowed. GET IMMEDIATE MEDICAL ATTENTION.

### **Other Hazards:**

Toxic to aquatic life with long lasting effects Toxic to aquatic life

Chemical Name	CAS No.	Weight %
Ethylene Glycol Monobutyl Ether	111-76-2	1-9.9
Sodium Xylene Sulfonate	1300-72-7	1-5
Ethyamine	75-04-7	1-5

3. COMPOSITION/INFORMATION ON INGREDIENTS

D-Limonene	5989-27-5	1-5
------------	-----------	-----

First Aid Measures General Advice: Eye Contact: Skin Contact:	s: If exposed or concerned: Get medical advice/ attention Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and continue rinsing. If eye irritation persists, get medical attention. Wash with soap and water. Remove contaminated clothing. Wash contaminated
Skin Contact:	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and continue rinsing. If eye irritation persists, get medical attention.
Skin Contact:	continue rinsing. If eye irritation persists, get medical attention.
	Wash with soap and water. Remove contaminated clothing. Wash contaminated
	Wash with soap and water. Remove contaminated clothing. Wash contaminated
	clothing before reuse. If skin irritation continues or rash occurs, get medical attention
nhalation:	Remove to fresh air.
ngestion:	Clean mouth with water and drink plenty of water Get immediate medical attention!
Most important sympto	oms and effects:
Symptoms:	May cause skin and eye irritation. May cause gastrointestinal disturbance.
ndication of any immed	diate medical attention and special treatment needed: Notes
<b>to physician</b> : Treat S	Symptomatically.
	5. Fire Fighting Measures
uitable Extinguishing M	
	res that are appropriate to local circumstances and the surrounding environment. g Media: Not determined.
pecific Hazards Arising f	from the Chemical:

# Protective equipment and precautions for firefighters:

As in any fire, wear self-contained breathing apparatus pressure –demand, MSHA/NIOSH (approved or equvilent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

# Personal Precautions: Use personal protective equipment as required

# Methods and material for containment and cleaning up:

Methods for Containment:	Prevent further leakage or spillage if save to do so. Keep in suitable, closed containers for proper disposal.	
Methods for Clean-Up:		
	7. HANDLING AND STORAGE	
Precations for safe handling:		
Advice on safe handling:	Wash hands thoroughly after handling. Use personal protective equipment as recommended in Section 8. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapors or mists. Contaminated work clothing should be removed immediately and washed before reuse.	

# Conditions for safe storage, including any incompatibilities:

Storage Conditions:	Keep containers tightly closed and store in a well ventilated, place.
Storage Conditions:	Keep containers tightly closed and store in a well ventilated, place.

Incompatible Materials:

Strong Acids

8. EXPOSURE CONTROL/PERSONA	_ PROTECTON
-----------------------------	-------------

Exposure	Guidelines:
Exposule.	Garacinicoi

CHEMICAL NAME	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20ppm	TWA: 50ppm TWA: 240mg/m3 (vacated) TWA: 25PPM (vacated) TWA: 120mg/m3 (vacated) S*S*	IDLH: 700ppm TWA: 5ppm TWA: 24ppm
Ethylamine 75-04- 7	STEL: 15ppm TWA: 5ppm S*	TWA: 10ppm TWA: 18mg/m3 (vacated) TWA: 10ppm (vacated)TWA: 18mg/m3	IDLH: 600ppm TWA: 10pm TWA: 18mg/m3

# Appropriate Engineering Controls:

Engineering Controls:

Skin and Body Protection:

Apply technical measures to comply with the occupational exposure limits

# Individual Protection Measures, Such as Personal Protective Equipment:

- **Eye/Face Protection:** Splash Goggles or safety glasses
  - Wear suitable protective clothing

**Respiratory Protection:** Ensure adequate ventilation, especially in confined areas **General Hygiene Considerations:** Handle in accordance with good industrial hygiene and safety.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties: Physical State: Liquid Color: Clear/Slightly Cloudy

Odor: Sweet Citrus Fragrance Odor Threshold: Not Determined

Property Values Remarks-Method pH	13	
Melting Point/Freezing Point	Not Determined	
Boiling Point/Boiling Range	Not Determined	
Flash Point	Not Determined	
Evaporation Rate	Not Determined	
Flammability (Solid/Gas)	N/A Liquid	
Upper Flammability Limit	Not Determined	
Lower Flammability Limit	Not Determined Vapor	
Pressure Not Determined		
Vapor Density	Not Determined	
Specific Gravity	>1	
Water Solubility	Completely Soluble	
Solubility in other solvents	Not Determined	
Partition Coefficient	Not Determined	
Auto-ignition Temperature	Not Determined	
Decomposition Temperature	Not Determined	
Kinematic Viscosity	Not Determined	
Dynamic Viscosity	Not Determined	
Explosive Properties	Not Determined	
Oxidizing Properties	Not Determined	
Oxidizing Froperties		

# **10. STABILITY AND REACTIVITY**

**Reactivity:** Not reactive under normal conditions

**Chemical Stability:** 

Stable under recommended storage conditioners

**Possibility of Hazardous Reactions:** None under normal processing

**Conditions to Avoid:** Keep out of reach of children

Incompatible Materials Strong Acids

Hazardous Decomposition Products

Sulfur Dioxide, Hydrogen Sulfide, Carbon Dioxide, Carbon Monoxide

### 11. Toxicological Information

# Information on Likely routes of exposure:

Product Information:

Eye Contact:	Causes eye irritation.
Skin Contact:	Causes skin irritation.
Inhalation:	Avoid breathing vapor or mists
Ingestion:	Harmful if swallowed

### **Component Information:**

Chemical	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-75-2	= 470 mg/kg (Rat)	=2270mg/kg (Rat) =220 mg/kg (Rabbit)	=2.21mg/L (Rat) 4h =450ppm (Rat) 4h
Sodium Xylene Sulfonate 1300- 75-7	=7200 mg/kg (Rat)		
D-Limonene 5989-27-5	=4400 mg/kg (Rat)	➢ 2000 mg/kg (Rabbit)	
Ethylamine 75-04-7	=530 mg/kg (Rat)		=12.6 mg/L (Rat)4h
Tetrasodium EDTA 64-02-8	=10g/kg (Rat)		

# Information on physical, chemical and toxicological effects:

**Symptoms:** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Sensitization:May cause an allergic skin reaction.Carcinogenicity:The table below indicates whether each agency has listed any ingredient as a<br/>carcinogen. However, the product as a whole has not been tested.

CHEMICAL NAME	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl Ether 111-75-2	A3	Group 3		
D-Limonene 5989-27-5		Group 3		х

Legend

### ACGIH = American Conference of Governmental Industrial Hygienists

A3 – Animal Carcinogen

# IARC = International Agency for Research on Cancer

Group 3 – IARC components are "not classifiable as human carcinogens"

# OSHA = Occupational Safety and Health Administration of the US Department of Labor

**X** – Present

# Numerical measures of toxicity:

Not determined

# **12. ECOLOGICAL INFORMATION**

# Ecotoxicity

Toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

Chemical	Algae/Aquatic Plants	Fish	Tocicity to Microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96h Lepomis macrochis		

# Persistence/Degradability:

Not Determined

# **Bioaccumulation:**

Not Determined

# Mobility:

CHEMICAL NAME	PARTITION COEFFICIENT
Ethylene Glycol Monobutyl Ether 111-76-2	0.81
Ethylamine 75-04-7	-0.27

# **Other Adverse Effects:**

Not Determined

13. DISPOSAL CONSIDERATIONS				
Waste Treatment Methods:				
Disposal of Waste:	Disposal should be in accordance with applicable regional, local and national laws and regulations			
Contaminated Packaging:	Disposal should be in accordance with applicable regional, local and national laws and regulations			

# California Hazardous Waste Status:

CHEMICAL NAME	CALIFORNIA HAZARDOUS WASTE STATUS
Ethylamine 75-04-7	Toxic, Ignitable
D-Limonene 5989-27-5	Тохіс

# **14. TRANSPORT INFORMATION**

**Note:** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT: Not Regulated

IATA: Not Regulated

**IMDG:** This material may meet the definition of a marine pollutant.

### **15. REGULATORY INFORMATION**

# International Inventories:

Not Determined

### Legend:

TSCA: United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL: Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS: European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS: Japan Existing and New Chemical Substances IECSC: China Inventory of Existing Chemical Substances KECL: Korean Existing and Evaluated Chemical Substances PICCS: Philippines Inventory of Chemicals and Chemical Substances

### **US Federal Regulations:**

### CERCLA

CHEMICAL NAME	HAZARDOUS SUBSTANCES RQ	CERCLA/SARA RQ	REPORTABLE QUANTITY
Ethylamine 75-04- 7	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

### SARA 313: N/A

CHEMICAL NAME	Weight %	SARA 313 – Threshold Value %
Ethylene Glycol Monobutyl Ether 111-76-2	1000 lb	1.0%

### CWA (Clean Water Act)

COMPONENET	CWA- Reportable	CWA – Toxic	CWA – Priority	CWA – Hazardous
	Quantities	Pollutants	Pollutants	Substances
Ethylamiine 75-047 (1-5)	100lb			Х

# **US State Regulations:**

### US State Right-to-Know Regulations:

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Ethylene Glycol Monobutyl Ether 111-76-2	x	X	x
Ethylamine 75-04- 7	x	Х	Х

# **16. OTHER INFORMATION**

REGULATORY AGENCY	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS/INSTABILITY	SPECIAL HAZARDS/PERSONAL PROTECTION
NFPA	Not Determined	Not Determined	Not Determined	Not Determined
HMIS	2	0	0	В

Proper Shipping Name: Compounds, Cleaning, Liquid

Issue Date: 3-5-2020 Revision Date: 3-5-2020 Revision Note: Version 1

# Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# **End of Safety Data Sheet**