

BRANDON DUBOIS
District 1, Montgomery, Louisiana

JOHNNY JAMISON
District 2, Colfax, Louisiana

CEPHAS BOWIE, JR.
District 3, Colfax, Louisiana

ARNOLD MURRELL
District 4, Colfax, Louisiana

Grant Parish Police Jury

200 Main Street - Courthouse Building
Colfax, Louisiana 71417
Telephone: 318-627-3157
Fax: 318-627-3527



MARK BALL
District 5, Bentley, Louisiana

WINSTON ROBERTS
District 6, Pollock, Louisiana

MIKE MERRELL
District 7, Dry Prong, Louisiana

ROY EDWARDS
District 8, Georgetown, Louisiana

NOTICE TO BIDDERS

Notice is hereby given that the Grant Parish Police Jury, 200 Main Street, Colfax, La. 71417 will receive sealed bids until Thursday, July 10th at 3:00 p.m. Bids will be opened publicly and read aloud; bids received after the specified closing time will not be accepted. All interested parties are welcome to attend the bid opening.

Specifications may be obtained from the Grant Parish Police Jury, 200 Main Street, Colfax, Louisiana, between the hours of 8 a.m. and 4:30 p.m. Monday – Friday, by calling 318-627-3157 or emailing sissy@gppj.org.

Bid Envelopes MUST be sealed and marked on outside with company name, item being bid, and time and date of bid opening. Dealer license MUST BE INCLUDED in bid package. Failure to seal and mark bid envelopes correctly will result in your bid being rejected. A deciding factor will be time of delivery. Must be able to deliver to the Grant Parish Police Jury within a reasonable time frame.

We reserve the right to reject any or all bids for any reason.

TRUCK SPECIFICATIONS

Type: General Service Chassis

GVWR: Minimum 33,000#

Engine, Diesel: Minimum 210 HP @ 2,300 RPM's

Transmission: (CUSTOMER'S CHOICE) Automatic Recommended

Front Axle and Suspension: 12,000# Capacity

Rear Axle, Single: 21,000 Capacity

Dimension: Wheelbase Minimum 186"

Cab to Axle — 126"

Minimum 16.5' Rails

Brakes: Air Brakes with all necessary components

Dual Air System

Chassis Equipment: (CUSTOMER'S CHOICE)

Frame Rails: Heat treated for strength

Fuel Tanks: Minimum Capacity 50 Gallons

Water Fuel Separator with indicator light

Wheels & Tires: 22.5" Steel wheels w/ 1 IR22.5 Radial tires — 14 ply minimum

2 — Front and 4 rear

Car Interior: STD Equipment Plus:

(CUSTOMER'S CHOICE)

Instrument Panel: Gauges to monitor all functions such as air, fuel, coolant temp,

Transmission temperature, engine oil, etc.

Switch for marker lights

(CUSTOMER'S CHOICE)

Paint: (CUSTOMER'S CHOICE)

Include all standard equipment in bid

		WEIGHT (LB)	
CUSTOMER/VEHICLE INFO	DESCRIPTION	FRONT	REAR
CHASSIS (BASE MODEL)	MEDIUM DUTY, CLASS 7 w/ 6.7L, (MAX 33,000lbs GVWR) 107" BBC	2,095	552
VEHICLE USE & BODY/TRAILER TYPE	FLATBED TRUCK	0	0
VEHICLE VOCATION	PICKUP & DELIVERY / SHORT HAUL SERVICE	0	0
CUSTOMER FLEET SIZE	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND	0	0
TYPE OF SERVICE	COMMERCIAL	0	0
Order Subject to Meeting All Mack Policies, Terms and Conditions,	Including but not Limited to Applicable CARB and/or Section 177 States' Regulation requirements	0	0
INTENDED REGISTRATION LOCATION	LOUISIANA	0	0
WARRANTY REGISTRATION LOCATION	USA - WARRANTY REGISTRATION LOCATION	0	0
EMISSION WARRANTY CERTIFICATION	EPA (only) Cummins Diesel 6.7L	0	0
INITIAL REGISTRATION LOCATION	USA REGISTRATION	0	0
LANGUAGE-PUBS/DECAL/SIGNS	ENGLISH	0	0
OPERATING TERRAIN GRADE CONDITIONS	CITY, STARTING GRADES<6%	0	0
LOADING SURFACE FACTOR	ASPHALT LOADING AND / OR UNLOADING SURFACE	0	0
OPERATING CLASS	OPERATING CLASS 7; 33000lb GVWR	0	0

		WEIGHT (LB)	
ENGINE & TRANSMISSION	DESCRIPTION	FRONT	REAR
EMISSION ON BOARD DIAG CONTROL	EMISSION OBD, DISPLAY ONLY, USA2016	0	0
ENGINE / MOTOR	ISB6.7-300 DIESEL CUMMINS 300HP @ 2600RPM (GOV) 660 LB-FT, US21	1,588	-30
TRANSMISSION	2500 RDS 6 SP-ALLISON RUGGED DUTY SERIES GEN 6 (WITH PTO PROVISIONS)	325	73
FUELSENSE CALIBRATION	ALLISON FUELSENSE, NEUTRAL AT STOP	0	0
TRANSM AUTO NEUTRAL ON PBRKE	AUTO NEUTRAL SINGLE INPUT WITH SHIFT SELECTOR OVERRIDE	0	0

		WEIGHT (LB)	
ENGINE & TRANSMISSION EQUIPMENT	DESCRIPTION	FRONT	REAR
ENGINE BRAKE TYPE	VGT TURBO EXHAUST BRAKE (DIESEL ONLY)	0	0
CRUISE CONTROL	CRUISE CONTROL	0	0
ALTERNATOR	DELCO 12V 160A (28SI) BRUSH-TYPE	0	0
STARTER MOTOR	12 VOLT MELCO STARTER (MITSUBISHI ELECTRIC)	0	0
ENGINE BLOCK HEATER	120 VOLT / 0.75 KW, ENGINE BLOCK HEATER	3	0
POWER TAKE OFF CONTROL	POWER TAKE OFF TRANSMISSION CONTROL, PREP KIT F/SINGLE PTO	0	0

		WEIGHT (LB)	
AXLE & SUSPENSION	DESCRIPTION	FRONT	REAR
FRONT AXLE	12,000LB MERITOR MFS+ 5400 KG	1,142	0
SPRINGS - FRONT	TAPERLEAF 12300# (5500 KG) GROUND LOAD RATING	0	0
FRONT AXLE BRAKES	MERITOR "S" CAM TYPE 16.5" x 5" Q+	0	0
PARKING BRAKE VALVE	PARKING BRAKE VALVE, 1 YELLOW KNOB, ALL PARKING	0	0

AXLE & SUSPENSION		DESCRIPTION	FRONT	REAR
	ANTILOCK BRAKE SYSTEM	BENDIX WITH TRACTION CONTROL 4S4M	9	5
	REAR AXLE - SINGLE	21000# (9525 kg) MERITOR MS-21-13X, (W/O DIFF LOCK) CASING 11.0mm	0	1,116
	REAR SUSPENSION - SINGLE	21000# (9525kg) MULTILEAF	0	481
	SUSPENSION LEVELLING DEVICE (CA in PC29 only)	WITHOUT SUSPENSION LEVELLING DEVICE	0	0
	BRAKES - REAR	MERITOR "S" CAM 16.5"x7" Q+	0	0
	REAR AXLE RATIO	RATIO 5.29, REAR AXLE	0	0
			WEIGHT (LB)	
CHASSIS EQUIPMENT		DESCRIPTION	FRONT	REAR
	DPF DIESEL PARTICULATE FILTER	CUMMINS SINGLE MODULE E.A.T.S. RH SIDE UNDER CAB US17 (7L over 271HP only!!)	82	78
	EXHAUST	UNDERFRAME RIGHT SIDE INBOARD MOUNTED (Diesel engines only)	0	0
	AUXILIARY SWITCH WIRING	AUXILIARY CIRCUIT SWITCHES	0	0
	BODY BUILDER MODULE	EL PREP KIT, TMC RP1404 EL. INTERFACE NO BODYBUILDER MODULE	0	0
			WEIGHT (LB)	
FRAME EQUIPMENT & FUEL TANKS		DESCRIPTION	FRONT	REAR
	WHEELBASE	126" cab to axle	510	457
	FRAME RAILS	STEEL - 260MM X 70MM X 8MM -- (10.24" X 2.75" X 0.31"); RBM 1,580,000 LB-IN	0	0
	PRIMARY FUEL FILTER	FUEL FILTER & WATER SEPARATOR (Diesel engines only)	12	0
	FUEL TANK - LH	50 GALLON (190 L) 22" ALUMINUM ROUND	124	45
			WEIGHT (LB)	
CAB INTERIOR		DESCRIPTION	FRONT	REAR
	KEY TYPES FOR DOORS	BASIC UNIQUE KEY	0	0
	SPEEDOMETER -&- GAUGES - UNIT(s) OF MEASURE	U.S. UNITS (PREDOMINANT)	0	0
	LANE SUPPORT SYSTEM (LSS)	WITHOUT LANE SUPPORT SYSTEM	0	0
	PARK BRAKE ALARM	PARK BRAKE ALARM, SOUNDS IF BRAKE OFF & DRIVER'S DOOR OPENED	0	0
	BACK-UP ALARM	BACK-UP ALARM	0	0
	AIR RESTRICTION INDICATOR	MECHANICAL, GRADUATED, ON FILTER	0	0
	DAYTIME RUNNING LIGHTS	DRL WHEN ENGINE RUNNING & PARK BRAKE OFF	0	0
	FIRE EXTINGUISHER	HAND FIRE EXTINGUISHER 2.2 KG (5LB) ENGLISH DECAL, ABC	0	0
	WARNING TRIANGLE	THREE WARNING TRIANGLES	0	0
	AUDIO SYSTEM	RADIO, AM/FM, MP3, WEATHER BAND, W/ MUTE IN REVERSE	0	0
	AUDIO INTEGRAT. PHONE HANDSFRE	AUDIO INTEGRATED HANDSFREE PHONE, BLUETOOTH	0	0
	AUDIO COMMUNICATION CONNECTOR	AUDIO COMMUNICATION CONNECTOR, USB AUDIO	0	0
	AUDIO SHUTOFF	AUTOMATIC AUDIO SHUTOFF, REVERSE ENGAGED	0	0
	COMMUNICATION EQUIPMENT	FACTORY INSTALLED GEOTAB FLEET MANAGEMENT SYSTEM	0	0
	INTERIOR TRIM	PREMIUM SATIN FINIFH INTERIOR TRIM, WITH OVERHEAD STORAGE CONSOLE	0	0
	SEAT - DRIVER'S	VINYL HIGH BACK, 1 CHAMBER AIR LUMBAR	82	0
	DRIVER SEAT	AIR SUSPENDED	0	0

			WEIGHT (LB)	
CAB INTERIOR	DESCRIPTION		FRONT	REAR
DRIVERS SEAT UPHOLSTERY	DRIVERS SEAT UPHOLSTERY, VINYL		0	0
SEAT - PASSENGER'S	VINYL BENCH SEAT, MID BACK, W/ STORAGE BOX		51	0
PASSENGER SEAT	FIXED BENCH SEAT SUPPORT, INTEGRATED STORAGE BOX		0	0
PASSENGERS SEAT UPHOLSTERY	PASSENGERS SEAT UPHOLSTERY, VINYL		0	0
SEAT BELT(S)	ALL SEAT BELTS - ADJUSTABLE D-RING, BLACK		0	0
STEERING WHEEL ADJUSTMENT	TILT / TELESCOPIC STEERING COLUMN		0	0
STEERING WHEEL SWITCHES	FLAT BOTTOM STEERING WHEEL, WITH BUTTON CONTROLS		0	0
BODY BUILDER INTERFACE	BODY BUILDER CONNECTIONS (on/in vehicle) Diesel Vehicles		0	0
			WEIGHT (LB)	
CAB EXTERIOR	DESCRIPTION		FRONT	REAR
CAB SUSPENSION TYPE	CAB SUSPENSION TYPE, AIR		0	0
HEADLAMPS	HEADLAMP TYPE, HALOGEN		0	0
HOOD RADIATOR GRILLE, FINISH	HOOD RADIATOR GRILLE FINISH, MATTE BLACK		0	0
FRONT BUMPER FINISH	STEEL FRONT BUMPER, PAINTED GLOSS BLACK		0	0
DOOR / WINDOW FEATURES	ELECTRIC WINDOWS AND DOOR LOCKS		0	0
DOOR WINDOW FRONT	PEEP WINDOW ON PASSENGER SIDE DOOR		0	0
MIRRORS - EXTERIOR	STANDARD MANUAL MIRROR BOTH SIDES, BLACK (Anthem mirror)		27	0
GRAB HANDLES	EXTERIOR GRAB & DOOR HANDLES		0	0
			WEIGHT (LB)	
WHEELS & TIRES	DESCRIPTION		FRONT	REAR
TIRES BRAND/TYPE - FRONT	11R22.5 G BRIDGESTONE R268 ECOPIA (12350 lbs) (Total for QTY = 2)		243	0
WHEELS - FRONT	22.5x8.25 ACCURIDE, 51487x POWDER COATED WHITE STEEL DISC (Total for QTY = 2)		128	0
FRONT AXLE TIRE & WHEEL	TWO FRONT TIRES & WHEELS		0	0
QUANTITY				
TIRES BRAND/TYPE - REAR	11R22.5 G BRIDGESTONE M760 ECOPIA (23360 lbs) (DRIVE ONLY) (Total for QTY = 4)		0	538
WHEELS - REAR	22.5x8.25 ACCURIDE, 51487x POWDER COATED WHITE STEEL DISC (Total for QTY = 4)		0	256
REAR AXLE TIRE & WHEEL	FOUR REAR AXLE TIRES & WHEELS		0	0
QUANTITY				
			WEIGHT (LB)	
PAINT	DESCRIPTION		FRONT	REAR
PAINT TYPE	SOLID PAINT		0	0
PAINT COLOR - FIRST COLOR	WHITE		0	0
			WEIGHT (LB)	
BASE WARRANTY & PURCHASED COVERAGES	DESCRIPTION		FRONT	REAR
ENGINE TOWING WARRANTY	CUMMINS ENGINES (Contact Cummins for Standard Warranty and Extended Coverage Details)		0	0
VEHICLE WARRANTY TYPE	NORMAL DUTY WARRANTY CLASSIFICATION		0	0
BASIC CHASSIS COVERAGE	CHASSIS PLAN 24 MO/UNLIMITED MI NORMAL DUTY PROTECTION PLAN		0	0
ENGINE WARRANTY	CUMMINS ENGINES B6.7 (Contact Cummins for Standard Warranty and Extended Coverage Details)		0	0

		WEIGHT (LB)	
BASE WARRANTY & PURCHASED COVERAGES	DESCRIPTION	FRONT	REAR
EMISSION COMPONENT COVERAGE	CUMMINS ENGINES (Contact Cummins for Standard Warranty and Extended Coverage Details)	0	0
TRANSMISSION WARRANTY	ALLISON TRANSMISSIONS (Contact Allison Transmission for standard warranty and extended coverage data)	0	0
AIR CONDITIONING WARRANTY	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only)	0	0
CHASSIS TOWING WARRANTY	24 MONTHS UNLIMITED MILEAGE	0	0
	STANDARD CHASSIS TOWING 90 DAYS OR 5,000 MILES	0	0
		WEIGHT (LB)	

FRONT / REAR AXLE WEIGHTS (LB)
TOTAL WEIGHT (LB)

6414 3565
9979

ADDENDUM NUMBER I**Date: June 19, 2025****CHASSIS BID**

A. This Addendum shall be considered part of the proposal documents for the above-mentioned bid as though it had been issued at the same time and shall be incorporated integrally therewith. Where provisions of the following supplementary data differ from those of the original proposal documents, this Addendum shall govern and take precedence. BIDDERS MUST SIGN THE ADDENDUM AND SUBMIT IT WITH THEIR PROPOSALS.

B. Prospective proposers are hereby notified that they shall make any necessary adjustments in their estimates as a result of this Addendum. It will be construed that each proposal is submitted with full knowledge of all modifications and supplemental data specified herein.

Except as described below, the original RFP document remains unchanged. The documents are modified and/or clarified as follows:

1. Page#5, Line #2, this will be replaced with:
Fixed bench seat support, integrated storage box
2. Page #3, Line # 16, this will be replaced with:
Must be a minimum of 210HP

Acknowledgement Required

**PROPOSER MUST ACKNOWLEDGE THIS AMENDMENT BY SIGNING BELOW AND
ATTACHING THE SIGNED ADDENDUM TO THE PROPOSAL:**

Company Name _____

Contact Person _____

Signature _____

Date _____

Sissy Pace
Parish Manager
Grant Parish Police Jury
sissy@gppj.org
(318) 627-3157