



Brant Byrd
Branch Manager
bbyrd@equipmentinc.com

O: 318-491-8414
F: 318-491-8415
C: 318-344-7421

www.equipmentinc.com



Product Quotation
 Quotation Number: **BB456977**
 Quote Sent Date: **Apr 10, 2024**
 Expiration Date: **May 10, 2024**

Prepared By
Brant Byrd
 Phone: +13183447421
 Email: bbyrd@equipmentinc.com

Customer
GRANT PARISH POLICE JURY
 200 MAIN ST
 COLFAX, LA, 71417-1859
 Phone: +13188995755

Contact

Dealer
Bobcat of Alexandria, Alexandria, LA

Item Name	Item Number	Quantity	Price Each	Total
E48 R2-Series Bobcat Compact Excavator <i>Serial Number: B6EC11337</i> Standard Equipment: Auto-Idle Auto-Shift, 2-Speed Travel Auxiliary Hydraulics with Selectable Flow W/ Arm Mounted Flush Face Quick Couplers Canopy Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat Roll Over Protective Structure (ROPS) - Meets Requirements of ISO 12117-2: 2008 Tip Over Protective Structure (TOPS) - Meets Requirements of ISO 12117: 2000 Falling Object Protective Structure (FOPS) - Meets Requirements of ISO 10262 Control Console Locks Control Pattern Selector Valve (ISO/STD) Display - Deluxe	M3417	1	57,634.43	57,634.43
Canopy Deluxe Package <i>Included: Canopy Deluxe Package:, Open Canopy, 3yr Machine IQ Health and Security Subscription , Keyless Start, Bobcat 7" Touch Display with Radio and Bluetooth, Vinyl Suspension Seat, Travel Motion Alarm</i>	M3417-P11-C11	1	2,294.87	2,294.87
Hydraulic Angle Blade	M3417-R12-C02	1	2,656.70	2,656.70
Long Arm	M3417-R03-C02	1	1,921.48	1,921.48
Bobcat Hydr. Clamp, Class IV; E42R2, E50R2 & E60R2	7419569	1	3,078.83	3,078.83
12" MX4 XCHG TEETH	7321974	1	1,172.22	1,172.22
24" MX4 XCHG TEETH	7311868	1	1,570.39	1,570.39
Sales Program Government Rebate: US Apr-Jun 2024		1	7,000.00	- 7,000.00

Dozer Blade with Float
 Engine/Hydraulic Monitor with Shutdown
 Fingertip Auxiliary Hydraulic Control
 Fingertip Boom Swing Control
 Horn
 Hydraulic Joystick Controls
 Keyless Start
 Lift Eye
 Rubber Tracks
 Spark Arrestor
 Standard Arm
 Turbocharged, Tier 4, Non DPF
 Vandalism Protection
 Work Lights - LED
 X-Change Attachment Mounting System
 Telematics - Machine IQ
 Warranty: 2 years, or 2000 hours whichever occurs first

Total for E48 R2-Series Bobcat Compact Excavator	63,328.91
Quote Total - USD	63,328.91
Dealer P.D.I.	250.00
Freight Charges	1,625.00
Destination Charges	344.00
Discount	
<i>CASE CX31 COMPACT EXCAVATOR</i>	-7,000.00
<i>TRADE S/N DFE0001676</i>	
Sales total before Taxes	58,547.91
Taxes	0.00
Quote Total - USD	58,547.91

Customer Acceptance:

Quotation Number: **BB456977**

Purchase Order: _____

Authorized Signature:

Print: _____ Sign: _____

Date: _____ Email: _____ Tax Exempt: Y / N

Equipment Inc
3016 Broadway Ave
Alexandria, LA 71302
318-491-8414

Brant Byrd
318-344-7421

RE: Grant Parish Police Jury Bid


To Whom it may concern:

The E42 was replaced by the E48 as of the end of 2023. It is the same specs as the E42 just a numerical change. I have included the spec sheet for you.

If you have any questions, Please give me a call.

Thanks,

Brant Byrd



Standard Equipment

- 3-yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
- Auto-Idle
- Auto-Shift, 3-Speed Travel
- Auxiliary Hydraulics with Selectable Flow
 - W- Arm Mounted Flush Face Quick Couplers
- Canopy
 - Includes: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
 - Roll Over Protective Structure (ROPS) - Meets Requirements of ISO 12117-2: 2008
 - Tip Over Protective Structure (TOPS) - Meets Requirements of ISO 12117: 2000
 - Falling Object Protective Structure (FOPS) - Meets Requirements of ISO 10362
- Control Console Locks
- Control Pattern Selector Valve (ISO STD)
- Dozer Blade with Float
- Engine Hydraulic Monitor with Shutdown
- Fingertup Auxiliary Hydraulic Control
- Fingertup Boom Swing Control
- Horn
- Hydraulic Joystick Controls
- Keyless Start
- LED Work Lights
- Lift Eye
- Rubber Tracks
- Standard Arm
- Spark Arrestor
- Standard Deluxe Display
- Turbocharged Diesel Engine, Tier 4, Non DPF
- Vandalism Protection
- X-Change™ Attachment Mounting System
- Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	E48 R2		
	Std Arm	Long Arm	Ext Arm
Engine Model (Tier 4).....	Bobcat 1.8L	Bobcat 1.8L	Bobcat 1.8L
Horsepower.....	42.6	42.6	42.6
Rated Speed-RPM.....	2200	2200	2200
Auxiliary Hydraulics Flow.....	20.0 GPM	20.0 GPM	20.0 GPM
Travel Speed (Maximum).....	3.3 MPH	3.3 MPH	3.3 MPH
Operating Weight*.....	9830 lbs.	10,423 lbs.	10,666 lbs.
Shipping Weight.....	9609 lbs.	10,204 lbs.	10,445 lbs.
Cab Height.....	99.1"	99.1"	99.1"
Width.....	72.8"	72.8"	72.8"
Length, Transport.....	201.7"	201.7"	201.7"
Dig Depth.....	124.3"	136.3"	148.4"
Reach at Ground Level.....	212.8"	223.8"	234.6"
Dump Height.....	148.1"	153.3"	161.2"
Arm Length.....	55.1"	66.9"	55.1" - 79.0"
Boom Swing (Left).....	75°	75°	75°
Boom Swing (Right).....	50°	50°	50°
Bucket Breakout Force.....	9601 lbf.	9601 lbf.	9601 lbf.
Arm Breakout Force.....	5820 lbf.	5083 lbf.	5832 lbf.
Tail Swing Overhang.....	12.0"	12.8"	12.8"



Standard Equipment

- 3yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
- Auto-Idle
- Auto-Shift, 2-Speed Travel
- Auxiliary Hydraulics with Selectable Flow
 - W. Arm Mounted Pusk Face Quick-Couplers
- Canopy
 - Locks: Cup Holder, Retractable Seat Belt, Vinyl Suspension Seat
 - Roll Over Protective Structure (ROPS) - Meets Requirements of ISO 12117-2: 2008
 - Tip Over Protective Structure (TOPS) - Meets Requirements of ISO 12117: 2000
 - Falling Object Protective Structure (FOPS) - Meets Requirements of ISO 10262
- Control Console Locks
- Control Pattern Selector Valve (ISO STD)
- Dozer Blade with Float
- Engine Hydraulic Monitor with Shutdown
- Fingertip Auxiliary Hydraulic Control
- Fingertip Boom Swing Control
- Horn
- Hydraulic Joystick Controls
- Keyless Start
- LED Work Lights
- Lift Eye
- Rubber Tracks
- Standard Arm
- Spark Arrestor
- Standard Deluxe Display
- Turbocharged Diesel Engine, Tier 4, Non DPF
- Vandalism Protection
- X-Change™ Attachment Mounting System
- Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	E48 R2		
	Std. Arm	Long Arm	Ext. Arm
	Bobcat 1.8L	Bobcat 1.8L	Bobcat 1.8L
Engine Model (Tier 4)	42.6	42.6	42.6
Horsepower	2200	2200	2200
Rated Speed-RPM	20.0 GPM	20.0 GPM	20.0 GPM
Auxiliary Hydraulics Flow	3.3 MPH	3.3 MPH	3.3 MPH
Travel Speed (Maximum)	9830 lbs.	10,425 lbs.	10,666 lbs.
Operating Weight*	9609 lbs.	10,204 lbs.	10,445 lbs.
Shipping Weight	99.1"	99.1"	99.1"
Cab Height	72.8"	72.8"	72.8"
Width	201.7"	201.7"	201.7"
Length, Transport	124.5"	136.3"	148.4"
Dig Depth	212.8"	223.8"	234.6"
Reach at Ground Level	148.1"	155.3"	161.2"
Dump Height	55.1"	66.9"	55.1" - 79.0"
Arm Length	75"	75"	75"
Boom Swing (Left)	50°	50°	50°
Boom Swing (Right)	9601 lbf.	9601 lbf.	9601 lbf.
Bucket Breakout Force	5820 lbf.	5083 lbf.	5852 lbf.
Arm Breakout Force	12.0"	12.8"	12.8"
Tail Swing Overhang			