COMMERCIALLY TREATED SOYBEAN SEED — F&I AZO Custom Blend

# TREATED SEED

**This seed has been treated with the following products at the rates shown:**

| Brand Name | Active Ingredient | EPA Reg. No. | Application Rate (fl oz/cwt) | lb AI / 100 lb Seed |
|---|---|---|---|---|
| Anchor™ 3L ST | Mefenoxam | 42750-390 | 0.32 | 0.0075 |
| Thiabendazole 4L ST | Thiabendazole | 42750-226 | 0.20 | 0.00625 |
| Azoxystrobin 100 ST | Azoxystrobin | 42750-284 | 0.30 | 0.00195 |
| T-Methyl 4.5L ST | Thiophanate-methyl | 42750-295 | 0.28 | 0.0098 |
| Legend™ 5L ST | Thiamethoxam | 45002-44 | 1.28 | 0.05 |

**Total application rate:** 3.70 fl oz/cwt (F&I AZO Custom Blend)
**Crop:** Soybeans

**CAUTION**
DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES.
DO NOT allow children, pets, or livestock to have access to treated seed.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**
Long-sleeved shirt, long pants, shoes, socks, protective eyewear, and chemical-resistant gloves (barrier laminate, butyl rubber ≥14 mils, natural rubber ≥14 mils, neoprene rubber ≥14 mils, nitrile rubber ≥14 mils, polyethylene, polyvinyl chloride (PVC) ≥14 mils, or Viton® ≥14 mils) when opening this bag, loading/pouring, or handling the treated seed.

**FIRST AID • ENVIRONMENTAL HAZARDS • RESTRICTIONS • STORAGE & DISPOSAL**
See full label requirements on component products (Anchor™ 3L ST, Thiabendazole 4L ST, Azoxystrobin 100 ST, T-Methyl 4.5L ST, Legend™ 5L ST). Treated seed must be planted >1 inch deep. 12-hour REI. DO NOT graze or feed livestock for 45 days after planting. Follow all plant-back intervals and maximum use rates.

---

**Treated by:** AgTech Advantage, LLC • 901 S Green St • Piper City, IL 60959

©2026 AgTech Advantage, LLC — For commercial seed treatment only