



Stockton 99 Speedway Trailer Race Guidelines

Section #1

Safety

For all safety equipment It will be the sole responsibility of the driver, not STOCKTON 99 Speedway, their agents/officials or corporate officers to ensure that his/her safety equipment is correctly installed, maintained, and properly used.

1. All vehicles are required to have at a minimum a working OEM three-point seat belt system. (five point restraint system recommended)
2. All competitors must wear a current SFI approved Helmet and Fire Suit.
3. Current test date and charged (2 pound minimum) quick release fire extinguisher to be installed in the vehicle within drivers reach while strapped in.
4. SFI Approved Gloves and Shoes recommended.
5. Head and Neck Restraint system is recommended.

Section #2

Eligible Tow Vehicles

ALL VEHICLES ARE SUBJECT TO THE APPROVAL OF STOCKTON 99 SPEEDWAY TECH OFFICIALS.

1. Any mid-size, full size sedan, or station wagon.
2. Any SUV or Truck. Maximum gross weight 3/4 ton
3. No compact cars allowed.
4. All vehicles required to have a stamped steel OEM type front bumper with a maximum thickness of .125", bolted or welded to the frame horns. Bumper may not extend more than 3" past fenders and must have rounded corners.
5. Stamped Steel Bumper may be reinforced with .125"x 1" round or square steel tubing welded or bolted behind bumper.
6. No heavy-duty push bumpers or fabricated off road bumpers allowed.
7. A radiator and fender protector bars may be added but may not extend forward of the front bumper or extend past the fender.
8. Only two vertical, and one horizontal radiator / fender protector bars allowed made of 250" x 3" maximum round or square steel tubing welded or bolted to frame horns and core support. NO EXTENDING OF FRAME HORNS ALLOWED.

9. Maximum height of radiator / fender protector bar is 36" measured from the ground.
10. All glass except for the OEM windshield must be removed.
11. In lieu of a windshield a maximum 1" opening 16-gauge welded steel mesh is allowed and must be accompanied by eight 125"Thick x 1"Wide evenly spaced window straps welded or bolted in the window frame. Steel mesh must cover entire windshield area.
12. Spreader Bar behind driver seat extending from driver's door to the passenger door is required. Minimum required: 2"x .125" round or square steel tubing.
13. Drivers door bar welded or bolted to the inside of driver's door below window opening required. Minimum required: 2"x .125" round or square steel tubing.
14. Drivers and Passenger doors must be welded, bolted or chained shut.
15. All Competitors must remove tow vehicles from STOCKTON 99 Speedway's facility at the conclusion of the event.

Section #3

Eligible Trailers

1. Travel trailer, trailer with a boat, single or dual axle.
2. NO FIFTH WHEEL TRAILER ALLOWED.
3. Trailers must have wheels and tires at the start of the race.
4. **All competing trailer and boats must have all glass, appliances, holding/gas tanks, generator, motors, cabinets, trash, and debris, removed before entering the STOCKTON 99 Speedway facility.**
5. Trailer must be attached to the tow vehicle, and a minimum of 7' of the trailer must be remaining to be eligible to win the race event.
6. **All Trailers MUST also be chained to vehicle.**

Section #4

Trailer Race Rules

1. Upon entering the pits, please check in with Stockton 99 Tech Officials.
2. Must attend drivers meeting. This is mandatory.
3. Drivers will draw chips for starting position.
4. 20 lap race (May change upon race officials' discretion)
5. Must have number(s) on doors for scoring. Do not enter the track with out numbers. Spray paint is okay and on both the driver's door and the passenger door, large enough and legible to read. Numbers MUST be single or double digits. NO LETTERS or three digit numbers.
6. ALL trailers must be safety chained to the tow vehicle.

7. You will be called to the track prior to race. Do not be late or you will go to the back row.
8. Your race is after the final event of the evening.
9. Enter on backstretch.
10. Keep hands and arms in the vehicle at all times.
11. DO NOT hit any opponent in the driver or passenger doors. If you violate this rule you are immediately disqualified from the race and you must leave the racetrack.
12. If you lose your boat or load, you continue in the race. If you lose your trailer with or without your boat or load, you are out of the race and need to safely exit the racetrack or pull into the infield. Safety Crew will advise you on what to do next, such as to leave your vehicle, where to stand and/or stay in your vehicle for safety reasons. It is at the discretion of the Safety Crew. MUST have trailer attached to be eligible to win the race.
13. Do not continue to wreck other vehicles if you are out of the race. You MUST exit the racetrack.
14. If you are Black Flagged, you are required to immediately exit the race safely off the backstretch exit or to the infield and your race is over.
15. STOP immediately if the red lights come on. Do NOT continue or pass any other opponents.