



LATEX DISPOSABLE GLOVES

POWDER FREE

Browse through our range of quality natural latex gloves. Our latex gloves are formulated to provide the comfort and barrier protection the user requires.

- DEPENDABLE BARRIER PROTECTION
- EASY DONNING & COMFORT FIT
- GREAT TACTILE SENSITIVITY
- RESILIENT TO STRETCHING
- EXCELLENT FLEXIBILITY
- POWDER FREE • NON STERILE
- GREAT GRIP • SINGLE USE



50LP24

SPECIFICATIONS	
Thickness FINGER	0.10 ± 0.02mm
Thickness PALM	0.08mm min.
Thickness CUFF	0.07 ± 0.02mm
Colour	Natural Colour
Length	240mm
Weight	5.0g
Fit Type	Ambidextrous
Cuff Type	Beaded
Watertight AQL	1.5

60LP24

SPECIFICATIONS	
Thickness FINGER	0.12 ± 0.02mm
Thickness PALM	0.10 ± 0.02mm
Thickness CUFF	0.08 ± 0.02mm
Colour	Natural Colour
Length	240mm
Weight	6.0g
Fit Type	Ambidextrous
Cuff Type	Beaded
Watertight AQL	1.5

80LP30

SPECIFICATIONS	
Thickness FINGER	0.18 ± 0.02mm
Thickness PALM	0.16 ± 0.02mm
Thickness CUFF	0.11 ± 0.02mm
Colour	Natural Colour
Length	295mm
Weight	8.0g
Fit Type	Ambidextrous
Cuff Type	Beaded
Watertight AQL	1.5

90LP30

SPECIFICATIONS	
Thickness FINGER	0.20 ± 0.02mm
Thickness PALM	0.18 ± 0.02mm
Thickness CUFF	0.13 ± 0.02mm
Colour	Natural Colour
Length	295mm
Weight	9.0g
Fit Type	Ambidextrous
Cuff Type	Beaded
Watertight AQL	1.5





KEY FEATURES

Compliant to US FDA CFR 177.2600

Manufactured in ISO 9001 & ISO 13485 certified facility meeting ASTM and EN harmonized standards



Applications

Industrial
Automotive
Assembly
Food Handling
Janitorial Maintenance
Inspection



CLEANROOM SPECIFICATION

Made available in C-10, C-100, C-1000, C-10,000 & CC for 80LF and 90LF

**please refer to cleanroom specification for further information*

Physical Properties

	Standard	Before Ageing	After Ageing
Force @ Break	EN455	min 6N	min 6N
Tensile Strength (Mpa)	ASTM D3578	min 18	min 14
Elongation	ASTM D3578	min 650	min 500

Other Parameters

Criteria	Inspection Level	Standard
Pinhole	G1/AQL1.5	
Major Visual	G1/AQL 2.5	
Powder Content	max.2mg/glove	ASTM D6124
Protein Content	max. 50µg/g	ASTM D5712

AVAILABLE SIZES

XS 5-6	S 6-7	M 7-8	L 8-9	XL 9-10
--------	-------	-------	-------	---------

PACKAGING

100 pieces of gloves in a dispenser box OR bags
10 dispensers / bags in a shipping case

STORAGE CONDITION

Recommended to store in a cool and dry place with temperature below 30°C

SHELF LIFE

5 years





ORDERING INFORMATION

Size	XS (5.5-6)	S (6.5-7)	M (7.5-8)	L (8.5-9)	XL (9.5-10)
50LP24 (5.0g)	50LP - XS	50LP - S	50LP - M	50LP - L	50LP - XL
60LP24 (6.0g)	60LP - XS	60LP - S	60LP - M	60LP - L	60LP - XL
80LP30 (8.0g)	80LP - XS	80LP - S	80LP - M	80LP - L	80LP - XL
90LP30 (9.0g)	90LP - XS	90LP - S	90LP - M	90LP - L	90LP - XL



*this product contains natural rubber which may cause allergic reaction in some individuals. Discontinue use if encountered such problems and consult your physician.



Contact us for ordering or more information



KGM GLOVES SDN. BHD.

LOT 18893 & 18894,
Jalan Perusahaan 9,
Kawasan Perusahaan Kamunting,
34600 Kamunting, Perak,
Malaysia.
Tel: +605-891 3612
Website: www.kgmgloves.com
Email: contact@kunng.com.my