

Toxman

TOOLS CATELOGUE



DRILL BITS | HAND TOOLS | CUTTING DISC | HOLE SAW
ANNULAR CUTTER | CARBIDE BURR | MEASURING TOOLS

Toxman

BEST PERFORMANCE

SDS PLUS DRILL BITS

ريشة دريل هيلتي




PART NO	SIZE	Ø DIA	TOTAL LENGTH	WORKING LENGTH
T1 -1501	4X110 MM	4	110 MM	50 MM
T1 -1502	5X110 MM	5	110 MM	50 MM
T1 -1503	6X110 MM	6	110 MM	50 MM
T1 -1570	7X110 MM	7	110 MM	50 MM
T1 -1504	8X110 MM	8	110 MM	50 MM
T1 -1505	10X110 MM	10	110 MM	50 MM
T1 -1571	12X110 MM	12	110 MM	50 MM
T1 -1572	5X160 MM	5	160 MM	100 MM
T1 -1506	6X160 MM	6	160 MM	100 MM
T1 -1507	7X160 MM	7	160 MM	100 MM
T1 -1508	8X160 MM	8	160 MM	100 MM
T1 -1509	10X160 MM	10	160 MM	100 MM
T1 -1510	12X160 MM	12	160 MM	100 MM
T1 -1511	14X160 MM	14	160 MM	100 MM
T1 -1512	16X160 MM	16	160 MM	100 MM
T1 -1513	6X210 MM	6	210 MM	150 MM
T1 -1514	7X210 MM	7	210 MM	150 MM
T1 -1515	8X210 MM	8	210 MM	150 MM
T1 -1516	10X210 MM	10	210 MM	150 MM
T1 -1517	12X210 MM	12	210 MM	150 MM
T1 -1518	14X210 MM	14	210 MM	150 MM
T1 -1519	16X210 MM	16	210 MM	150 MM
T1 -1520	18X210 MM	18	210 MM	150 MM
T1 -1521	20X210 MM	20	210 MM	150 MM
T1 -1522	22X210 MM	22	210 MM	150 MM
T1 -1523	24X210 MM	24	210 MM	150 MM
T1 -1524	25X210 MM	25	210MM	150 MM
T1 -1573	6X260 MM	6	260 MM	200 MM
T1 -1525	8X260 MM	8	260 MM	200 MM
T1 -1526	10X260 MM	10	260 MM	200 MM
T1 -1527	12X260 MM	12	260 MM	200 MM
T1 -1528	14X260 MM	14	260 MM	200 MM
T1 -1529	16X260 MM	16	260 MM	200 MM

PART NO	SIZE	Ø DIA	TOTAL LENGTH	WORKING LENGTH
T1 -1530	18X260 MM	18	260 MM	200 MM
T1 -1531	20X260 MM	20	260 MM	200 MM
T1 -1532	22X260 MM	22	260 MM	200 MM
T1 -1533	25X260 MM	25	260 MM	200 MM
T1 -1540	8X310 MM	8	310 MM	250 MM
T1 -1541	10X310 MM	10	310 MM	250 MM
T1 -1542	12X310 MM	12	310 MM	250 MM
T1 -1543	14X310 MM	14	310 MM	250 MM
T1 -1544	16X310 MM	16	310 MM	250 MM
T1 -1545	18X310 MM	18	310 MM	250 MM
T1 -1546	20X310 MM	20	310 MM	250 MM
T1 -1547	22X310 MM	22	310 MM	250 MM
T1 -1574	24X310 MM	24	310 MM	250 MM
T1 -1548	25X310 MM	25	310 MM	250 MM
T1 -1575	26X310 MM	26	310 MM	250 MM
T1 -1576	28X310 MM	28	310 MM	250 MM
T1 -1549	30X310 MM	30	310 MM	250 MM
T1 -1550	32X310 MM	32	310 MM	250 MM
T1 -1555	8X410 MM	8	410 MM	350 MM
T1 -1556	10X410 MM	10	410 MM	350 MM
T1 -1557	12X410 MM	12	410 MM	350 MM
T1 -1558	14X410 MM	14	410 MM	350 MM
T1 -1559	16X410 MM	16	410 MM	350 MM
T1 -1560	18X410 MM	18	410 MM	350 MM
T1 -1561	20X410 MM	20	410 MM	350 MM
T1 -1562	22X410 MM	22	410 MM	350 MM
T1 -1577	24X410 MM	24	410 MM	350 MM
T1 -1563	25X410 MM	25	410 MM	350 MM
T1 -1578	26X410 MM	26	410 MM	350 MM
T1 -1579	28X410 MM	28	410 MM	350 MM
T1 -1566	30X410 MM	30	410 MM	350 MM
T1 -1567	32X410 MM	32	410 MM	350 MM
T1 -1569	35X410 MM	35	410 MM	350 MM

SDS PLUS CHISEL BITS


ازمیل تکسیر



PART NO	SIZE	Ø SHANK DIA	TOTAL LENGTH	TYPE	END WIDTH
T1 -1675	14X25X250MM	14 MM	250 MM	FLAT	20
T1 -1678	14X250MM	14 MM	250 MM	POINT	

SDS MAX CHISEL DRILL BITS

ازمیل تکسیر ماکس



3 open drive slots and 2 closed retention slot



PART NO	SIZE	Ø SHANK DIA	TOTAL LENGTH	TYPE	END WIDTH
T1 -1750	18X25X280 MM	18 MM	280 MM(11")	FLAT	25
T1 -1760	18X280 MM	18 MM	280 MM(11 ")	POINT	
T1 -1752	18X25X450 MM	18 MM	450 MM(16")	FLAT	25
T1 -1762	18X450 MM	18 MM	450 MM(16")	POINT	
T1 -1754	18X25X600 MM	18 MM	600 MM(24")	FLAT	25
T1 -1764	18X600 MM	18 MM	600 MM(24")	POINT	

SDS MAX DRILL BITS


ريشة إس دي إس ماكس



PART NO	SIZE	DIA	TOTAL LENGTH	WORKING LENGTH
T1-1701	10-340 MM	10 MM	340 MM	200 MM
T1-1702	12-340 MM	12 MM	340 MM	200 MM
T1-1703	14-340 MM	14 MM	340 MM	200 MM
T1-1704	16-340 MM	16 MM	340 MM	200 MM
T1-1705	18-340 MM	18 MM	340 MM	200 MM
T1-1706	20-340 MM	20 MM	340 MM	200 MM
T1-1707	22-340 MM	22 MM	340 MM	200 MM
T1-1708	24-340 MM	24 MM	340 MM	200 MM
T1-1709	25-340 MM	25 MM	340 MM	200 MM
T1-1710	26-340 MM	26 MM	340 MM	200 MM
T1-1711	28-340 MM	28 MM	340 MM	200 MM
T1-1712	30-340 MM	30 MM	340 MM	200 MM
T1-1713	32-340 MM	32 MM	340 MM	200 MM
T1-1725	10-540 MM	10 MM	540 MM	400 MM
T1-1726	12-540 MM	12 MM	540 MM	400 MM
T1-1727	14-540 MM	14 MM	540 MM	400 MM
T1-1728	16-540 MM	16 MM	540 MM	400 MM
T1-1729	18-540 MM	18 MM	540 MM	400 MM
T1-1730	20-540 MM	20 MM	540 MM	400 MM
T1-1731	22-540 MM	22 MM	540 MM	400 MM
T1-1732	24-540 MM	24 MM	540 MM	400 MM
T1-1733	25-540 MM	25 MM	540 MM	400 MM
T1-1734	26-540 MM	26 MM	540 MM	400 MM
T1-1735	28-540 MM	28 MM	540 MM	400 MM
T1-1736	30-540 MM	30 MM	540 MM	400 MM
T1-1737	32-540 MM	32 MM	540 MM	400 MM
T1-1738	34-540 MM	34 MM	540 MM	400 MM
T1-1739	35-540 MM	35 MM	540 MM	400 MM
T1-1742	38-540 MM	38 MM	540 MM	400 MM
T1-1744	40-540 MM	40 MM	540 MM	400 MM

HEX SHANK COLD CHISEL

ریشه ازمیل هیکس HP 65



PART NO	SIZE	Ø SHANK DIA	TOTAL LENGTH	TYPE	END WIDTH
T1 -1690	30X400 MM	30 MM	400 MM	POINT	
T1 -1692	30X35x400 MM	30 MM	400 MM	FLAT	35

HEX SHANK CHISEL

ریشه ازمیل هیکس



PART NO	SIZE	Ø SHANK DIA	TOTAL LENGTH	TYPE	END WIDTH
T1 -1680	17X25X280 MM	17 MM	280 MM(11")	FLAT	25
T1 -1685	17X280 MM	17 MM	280 MM(11")	POINT	
T1 -1682	17X25X450 MM	17 MM	450 MM(16")	FLAT	25
T1 -1687	17X450 MM	17 MM	450 MM(16")	POINT	

SDS AUGER DRILL BITS

ريشة خشب هيلتي



	SELF FEEDING SCREW
	HIGH CARBON STEEL STACK



PART NO	SIZE	Ø DIA	TOTAL LENGTH	WORKING LENGTH
T1-1601	8X230 MM	8	230 MM	200 MM
T1-1602	10 X230 MM	10	230 MM	200 MM
T1-1603	12X230 MM	12	230 MM	200 MM
T1-1604	14X230 MM	14	230 MM	200 MM
T1-1605	16X230 MM	16	230 MM	200 MM
T1-1606	18X230 MM	18	230 MM	200 MM
T1-1607	20X230 MM	20	230 MM	200 MM
T1-1608	22X230 MM	22	230 MM	200 MM
T1-1609	25X230 MM	25	230 MM	200 MM
T1-1620	10 X460 MM	10	460 MM	400 MM
T1-1621	12X460 MM	12	460 MM	400 MM
T1-1622	14X460 MM	14	460 MM	400 MM
T1-1623	16X460 MM	16	460 MM	400 MM
T1-1624	18X460 MM	18	460 MM	400 MM
T1-1625	20X460 MM	20	460 MM	400 MM
T1-1626	22X460 MM	22	460 MM	400 MM
T1-1644	24X460 MM	24	460 MM	400 MM
T1-1627	25X460 MM	25	460 MM	400 MM
T1-1628	26X460 MM	26	460 MM	400 MM
T1-1629	28X460 MM	28	460 MM	400 MM
T1-1630	30X460 MM	30	460 MM	400 MM
T1-1631	32X460 MM	32	460 MM	400 MM
T1-1632	35X460 MM	35	460 MM	400 MM
T1-1640	16X600 MM	16	600 MM	540 MM
T1-1641	18X600 MM	18	600 MM	540 MM
T1-1642	20X600 MM	20	600 MM	540 MM
T1-1643	25X600 MM	25	600 MM	540 MM

JOBBER DRILL BITS

ريشة دريل استانلس استيل

Bright Finish
118° Split Point
Drill Bit



PART NO	SIZE
T1-1301	1 MM
T1-1302	1.5 MM
T1-1303	2 MM
T1-1304	2.5 MM
T1-1305	3 MM
T1-1307	3.5 MM
T1-1308	4 MM
T1-1309	4.5 MM
T1-1310	5 MM
T1-1311	5.5 MM
T1-1312	6 MM
T1-1313	6.5 MM
T1-1314	7 MM

PART NO	SIZE
T1-1316	8 MM
T1-1318	9 MM
T1-1320	10 MM
T1-1322	11 MM
T1-1324	12 MM
T1-1326	13 MM
T1-1328	14 MM
T1-1330	15 MM
T1-1332	16 MM
T1-1334	18 MM
T1-1336	20 MM
T1-1340	22 MM
T1-1346	25 MM

JOBBER DRILL BIT SET

ريشة استانلس استيل ابيض
توكسمان طقم


PART NO	ITEMS	SIZE
T1-1376	19 PCS SET	1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10
T1-1377	25 PCS SET	1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10,10.5,11,11.5,12,12.5,13



COBALT DRILL BITS (Co 8%)

ريشة دريل استانلس استيل

STRAIGHT SHANK	
PART NO	SIZE
T1-1201	1 MM
T1-1202	1.5 MM
T1-1203	2 MM
T1-1204	2.5 MM
T1-1205	3 MM
T1-1207	3.5 MM
T1-1208	4 MM
T1-1209	4.5 MM
T1-1210	5 MM
T1-1211	5.5 MM
T1-1212	6 MM
T1-1213	6.5 MM
T1-1214	7 MM
T1-1216	8 MM
T1-1217	8.5 MM
T1-1218	9 MM
T1-1220	10 MM
T1-1221	10.5 MM
T1-1222	11 MM
T1-1224	12 MM
T1-1226	13 MM



REDUCED SHANK	
PART NO	SIZE
T1-1228	14 MM
T1-1230	16 MM
T1-1232	18 MM
T1-1234	20 MM

COBALT DRILL BIT SET

ريشة استانلس استيل ابيض توکسمان طقم

PART NO	ITEMS	SIZE
T1-1260	19 PCS SETS	1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10



HSS TWIST DRILL BITS

ريشة دريل مثقاب لولبية

STRAIGHT SHANK	
PART NO	SIZE
T1-1401	1 MM
T1-1402	1.5 MM
T1-1403	2 MM
T1-1404	2.5 MM
T1-1405	3 MM
T1-1406	3.5 MM
T1-1407	4 MM
T1-1408	4.5 MM
T1-1419	5 MM
T1-1410	5.5 MM
T1-1411	6 MM
T1-1412	6.5 MM
T1-1413	7 MM
T1-1415	8 MM
T1-1417	9 MM
T1-1419	10 MM
T1-1421	11 MM
T1-1423	12 MM
T1-1425	13 MM

REDUCED SHANK	
PART NO	SIZE
T1-1828	14 MM
T1-1830	15 MM
T1-1832	16 MM
T1-1834	17 MM
T1-1836	18 MM
T1-1838	19 MM
T1-1840	20 MM
T1-1844	22 MM
T1-1848	24 MM
T1-1850	25 MM




HSS TWIST DRILL BIT SET

ريشة دريل مثقاب لولبية توكسمان طقم

PART NO	ITEMS	SIZE
T1-1475	13 PCS SETS	1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5
T1-1476	19 PCS SETS	1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10
T1-1478	25 PCS SETS	1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10,10.5,11,11.5,12,12.5,13



CARBIDE ROTARY BURR



AX CYLINDER			CX CYLINDER + RADIUS			FX FLAM + POINT			GX TREE + POINT		
HX FLAM + RADIUS			LX TREE + RADIUS			MX CONE + POINT			DOUBLE CUT / MX		

PART NO	MODEL		SIZE
T1-1975	CX	CARBIDE ROTARY BURR CYLINDER RADIUS END	1225
T1-1976	AX	CARBIDE ROTARY BURR CYLINDER END CUT	1225
T1-1977	LX	CARBIDE ROTARY BURR TREE TAPER RADIUS END	1228
T1-1978	MX	CARBIDE ROTARY BURR CONE POINTED END	1225
T1-1979	FX	CARBIDE ROTARY BURR FLAM	1225
T1-1980	HX	CARBIDE ROTARY BURR FLAME SHAPE	1232
T1-1981	GX	CARBIDE ROTARY BURR TREE POINT END	1225

TCH HOLE SAW CUTTER

ريشة هولسو استانلاس استيل



PART NO	SIZE	DIA
T3 -2102	16 MM	10 MM
T3 -2104	18 MM	10 MM
T3 -2105	19 MM	10 MM
T3 -2106	20 MM	10 MM
T3 -2108	22 MM	10 MM
T3 -2110	25 MM	10 MM
T3 -2112	27 MM	10 MM
T3 -2113	28 MM	10 MM
T3 -2115	30 MM	10 MM
T3 -2117	32 MM	10 MM
T3 -2119	35 MM	10 MM
T3 -2121	38 MM	10 MM

PAR T NO	SIZE	DIA
T3 -2123	41 MM	10 MM
T3 -2124	42 MM	10 MM
T3 -2125	44 MM	10 MM
T3 -2126	45 MM	10 MM
T3 -2129	48 MM	10 MM
T3 -2130	50 MM	10 MM
T3 -2131	51 MM	10 MM
T3 -2134	54 MM	10 MM
T3 -2135	55 MM	10 MM
T3 -2140	60 MM	10 MM
T3 -2142	62 MM	10 MM
T3 -2144	64 MM	10 MM


PART NO	SIZE	DIA
T3 -2145	65 MM	10 MM
T3 -2150	70 MM	10 MM
T3 -2156	76 MM	10 MM
T3 -2160	80 MM	10 MM
T3 -2170	90 MM	10 MM
T3 -2173	95 MM	10 MM
T3 -2175	102 MM	10 MM
T3 -2180	115 MM	10 MM
T3 -2182	120 MM	10 MM

TCT PILOT DRILL BIT



6 MM


VACUUM BRAZED DIAMOND HOLE SAW



PART NO	SIZE	THICKNESS
T3 -2006	6 MM	10 MM
T3 -2008	8 MM	10 MM
T3 -2010	10 MM	10 MM
T3 -2012	12 MM	10 MM
T3 -2016	16 MM	10 MM
T3 -2019	19 MM	10 MM
T3 -2020	20 MM	10 MM
T3 -2022	22 MM	10 MM
T3 -2025	25 MM	10 MM
T3 -2027	27 MM	10 MM
T3 -2030	30 MM	10 MM
T3 -2032	32 MM	10 MM
T3 -2012	35 MM	10 MM
T3 -2016	38 MM	10 MM


PART NO	SIZE	THICKNESS
T3 -2019	40 MM	10 MM
T3 -2020	45 MM	10 MM
T3 -2050	50 MM	10 MM
T3 -2051	51 MM	10 MM
T3 -2055	55 MM	10 MM
T3 -2060	60 MM	10 MM
T3 -2065	65 MM	10 MM
T3 -2070	70 MM	10 MM
T3 -2075	75 MM	10 MM
T3 -2080	80 MM	10 MM
T3 -2083	90 MM	10 MM
T3 -2086	102 MM	10 MM
T3 -2088	115 MM	10 MM
T3 -2089	120 MM	10 MM
T3 -2090	125 MM	10 MM

HSS ANNULAR CUTTER



1. **Stage hardening:** Combines maximum hardness at the teeth with superior strength at the cutter body, reducing breakage to a minimum.
2. **Inner ground cutting teeth:** Helps stable "setting" of the cutter, reduces friction during drilling, and aids slug ejection.
3. **Optimized wall thickness:** Matched to the diameter of the cutter, combining the best cutting time with strength.
4. **Tapered inside fitment:** Prevents the cutter from getting stuck. Guarantees slug ejection with the correct pilot pin.
5. **Precise shank fitment:** Ensures maximum interchangeability and close-tolerance drilling without run-out.
6. **Precise pilot pin fitment:** Provides perfect centering, easy pin retraction, and controlled lubricant flow.

7. **Altering "continuous pre-cut" teeth geometry:** Generates faster and more stable drilling performance and results in clear cuts of the highest precision and smooth, burr-free finishes.
8. **Optimized spiral flute angles:** Provide ideal **chip removal**.
9. **Specially designed blades:** Ensure optimum stability and heat reduction.
10. **Flutes and teeth matched to diameter:** Deliver the best tooth load and superior cutting speeds.
11. **Precision ground shanks:** Guarantee perfect fitment of both cutter and pilot pin, increasing safety, stability, and hole accuracy.



PART NO.	SIZE
T3 - 2210	10X30
T3 - 2212	12X30
T3 - 2214	14X30
T3 - 2216	16X30
T3 - 2218	18X30
T3 - 2220	20X30
T3 - 2222	22X30
T3 - 2224	24X30


PART NO.	SIZE
T3 - 2260	10X50
T3 - 2262	12X50
T3 - 2264	14X50
T3 - 2266	16X50
T3 - 2268	18X50
T3 - 2270	20X50
T3 - 2272	22X50
T3 - 2274	24X460

STAINLESS STEEL CUTTING DISC



PART NO	DIAMETER	THICKNESS	BORE	
T2 -1101	100 MM	1 MM	16 MM	4 INCH
T2 -1105	115 MM	1 MM	22.23 MM	4.5 INCH
T2 -1110	125 MM	1 MM	22.23 MM	5 INCH
T2 -1115	180 MM	1.6 MM	22,23 MM	7 INCH
T2 -1120	230 MM	1.9 MM	22.23 MM	9 INCH

METAL CUTTING DISC




PART NO	DIAMETER	THICKNESS	BORE	
T2 -1125	100 MM	3 MM	16 MM	4 INCH
T2 -1126	115 MM	3 MM	22.23 MM	4.5 INCH
T2 -1129	180 MM	3 MM	22,23 MM	7 INCH
T2 -1130	230 MM	3 MM	22.23 MM	9 INCH
T2 -1132	350 MM	3 MM	25.4 MM	14 INCH

METAL GRINDING DISC



PART NO	DIAMETER	THICKNESS	BORE	
T2 -1141	115 MM	6 MM	22.23 MM	4.5 INCH
T2 -1145	180 MM	6 MM	22,23 MM	7 INCH
T2 -1148	230 MM	6 MM	22.23 MM	9 INCH

FLAP DISC STAINLESS STEEL (INOX)



PART NO	DIAMETER	GRIT	BORE	
T2 -1181	115 MM	60	22.23 MM	4.5 INCH
T2 -1182	115 MM	80	22.23 MM	4.5 INCH

FLAP DISC METAL



PART NO	DIAMETER	GRIT	BORE	
T2 -1171	115 MM	60	22.23 MM	4.5 INCH
T2 -1122	115 MM	80	22.23 MM	4.5 INCH
T2 -1177	180 MM	60	22.23 MM	7 INCH
T2 -1178	180 MM	80	22.23 MM	7 INCH

DIAMOND CUTTING DISC TURBO



PART NO	DIAMETER	THICKNES	BORE	
T2 -1201	100 MM	10	20 MM	4.5 INCH
T2 -1202	115 MM	10	22.23 MM	4.5 INCH
T2 -1205	180 MM	10	22.23 MM	7 INCH
T2 -1207	230 MM	10	22.23 MM	7 INCH

DIAMOND CUTTING DISC SEGMENTED



PART NO	DIAMETER	THICKNES	BORE	
T2 -1201	100 MM	10	20 MM	4.5 INCH
T2 -1202	115 MM	10	22.23 MM	4.5 INCH
T2 -1205	180 MM	10	22.23 MM	7 INCH
T2 -1207	230 MM	10	22.23 MM	7 INCH

TILE CUTTING DISC SEGMENTED



PART NO	TYPE	DIAMETER	THICKNESS	BORE	
T2 -1225	X TYPE	115 MM	1.2	22.23 MM	4.5 INCH
T2 -1228	X TYPE	180 MM	1.6	22.23 MM	7 INCH
T2 -1235	LASER TYPE	115 MM	1.2	22.23 MM	4.5 INCH
T2 -1237	LASER TYPE	180 MM	1.6	22.23 MM	7 INCH

CUP DIAMOND WHEEL SEGMENTED



PART NO	DIAMETER	BORE	
T2 -1251	115 MM	22.23 MM	4.5 INCH
T2 -1254	180 MM	22.23 MM	7 INCH

CUP DIAMOND WHEEL TURBO




PART NO	DIAMETER	BORE	
T2 -1261	115 MM	22.23 MM	4.5 INCH
T2 -1264	180 MM	22.23 MM	7 INCH

TCT SAW BLADE



PART NO	SIZE	TEETH	BORE	
T2 -1301	115 MM	40	22.23 MM	4.5 INCH
T2 -1305	180 MM	40	22.23 MM	7 INCH
T2 -1306	180 MM	60	22.23 MM	7 INCH
T2 -1310	230 MM	40	25.40 MM	9 INCH
T2 -1311	230 MM	60	25.40 MM	9 INCH
T2 -1318	300 MM	72	32.00 MM	12 INCH
T2 -1320	300 MM	84	32.00 MM	12 INCH
T2 -1325	350 MM	72	32.00 MM	14 INCH
T2 -1327	350 MM	84	32.00 MM	14 INCH


ALLEN KEY SINGLE PIECES



PART NO	SIZE
T3 -1701	1.5 MM
T3 -1702	2 MM
T3 -1703	2.5 MM
T3 -1704	3 MM
T3 -1705	3.5 MM
T3 -1706	4 MM
T3 -1707	4.5 MM
T3 -1708	5 MM
T3 -1709	5.5 MM
T3 -1710	6 MM
T3 -1712	7 MM

PART NO	SIZE
T3 -1714	8 MM
T3 -1716	9 MM
T3 -1718	10 MM
T3 -1720	12 MM
T3 -1722	13 MM
T3 -1724	14 MM
T3 -1726	16 MM
T3 -1728	17 MM
T3 -1730	19 MM
T3 -1732	22 MM

ALLEN KEY SETS



PART NO	TYPE	SIZE	PCS	AVAILABLE PCS
T3 -1740	MM SHORT	1.5MM - 10MM	9PCS	1.5MM, 2 MM, 2.5MM, 3MM, 4MM, 5MM, 6MM, 8MM, 10MM
T3 -1744	MM LONG	1.5MM - 10MM	9PCS	1.5MM, 2 MM, 2.5MM, 3MM, 4MM, 5MM, 6MM, 8MM, 10MM
T3 -1750	STAR LONG	T 10 - T 50	9PCS	T10, T15, T20, T25, T27, T30, T40, T50
T3 -1754	STAR SHORT	T 10 - T 50	9PCS	T10, T15, T20, T25, T27, T30, T40, T50
T3 -1760	INCH	1/16" - 3/8"	9PCS	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8
T3 -1765	BALL POINT	1.5MM - 10MM	9PCS	1.5MM, 2 MM, 2.5MM, 3MM, 4MM, 5MM, 6MM, 8MM, 10MM

SCREW DRILL BIT SET



PART NO	TYPE	SIZE	PCS
T3 -2560	STAR	25 L	20 PCS
T3 -2564	STAR - STAR	65 L	10 PCS
T3 -2566	STAR - FLAT	65 L	10 PCS
T3 -2568	STAR - STAR	100 L	10 PCS
T3 -2570	STAR - STAR	150 L	10 PCS



MAGNETIC NUTSETTER



PART NO	LENGTH	SIZE
T3 -2601	65 MM	1/4
T3 -2603	65 MM	5/16
T3 -2605	65 MM	3/8
T3 -2608	65 MM	8
T3 -2610	65 MM	10
T3 -2612	65 MM	12
T3 -2613	65 MM	13
T3 -2614	65 MM	14
T3 -2617	65 MM	17