



Adult Immunization Schedule

Adults who meet age requirement	Adults with an additional risk factor or another indication	Based on shared clinical decision making	No recommendation/not applicable
---------------------------------	---	--	----------------------------------

Vaccine	19-26 years	27-49 years	50-64 years	≥65 years
Influenza inactivated (IIV4) or Influenza recombinant (RIV4)	1 dose annually			
Influenza live attenuated (LAIV4)	1 dose annually			
Tetanus, diphtheria, pertussis (Tdap or Td)	1 dose Tdap each pregnancy; 1 dose Td/Tdap for wound management 1 dose Tdap, then Td or Tdap booster every 10 years			
Measles, mumps, rubella (MMR)	1 or 2 doses depending on indication (if born in 1957 or later)			
Varicella(VAR)	2 doses (if born in 1980 or later)		2 doses	
Zoster recombinant (RZV)	2 doses for immunocompromising conditions		2 doses	
Human papillomavirus(HPV)	2 or 3 doses depending on age at initial vaccination or condition	27 through 45 years		
Pneumococcal (PCV15, PCV20, PPSV23)	1 dose PCV15 followed by PPSV23 OR 1 dose PCV20			1 dose PCV15 followed by PPSV23 OR 1 dose PCV20
Hepatitis A (hepa)	2 or 3 doses depending on vaccine			
Hepatitis B (hepb)	2, 3, or 4 doses depending on vaccine or condition			
Meningococcal A, C, W, Y (menacwy)	1 or 2 doses depending on indication			
Meningococcal B (menb)	2 or 3 doses depending on vaccine and indication 19 through 23 years			
Hemophilus influenzae type B (Hib)	1 or 3 doses depending on indication			