



**Please Read and understand the rules and if you have any questions please contact a Committee Member for further discussion.**

**All Competitors must have an assigned number plate that is readable from 10ft (min), no number plate you will not be scored!! Number Plates need to be forward facing, with a minimum number height of 5in and in a contrasting color so it can read.**

**The SRA Reserves the right to refuse/disqualify/remove any racer who does not follow the rules/track conduct for any reason they feel necessary.**

**No Refunds will be granted or given due to your equipment not being race worthy and or disqualification.**

**Engine Specs By Class:**

**Spindle Quad:**

- \*30cc Max.
- \*No Reeds Allowed
- \*Veteran & 225lb+ 34cc Max (No Reeds)

**Chain Drive Quad (Weight Classes):**

- \*47cc Max
- \*No Italian Pocket Bike Style Engines Allowed
- \*No Italian Pocket Bike Internal Components Allowed

**Ultimate Quad:**

- \*Any Engine Allowed
- \*65cc Max Displacement
- \*No Dual Engines

**Sport/Small Bore Air Tire:**

- \*34cc Max
- \*Veteran & 225lb+ 47cc Max
- (No Pocket Bike Engines/Internal Components)

**BigBore Air Tire:**

- \*47cc Max
- \*Veteran & 225lb+ 64cc Max
- (No Pocket Bike Engines/Internal Components)

**Spindle Class: Spindle Quad Only 30cc Max (34cc Max Veteran/225lbs over)**

- \* Must use Factory Spindle Quad Frame (no aftermarket frames)
- \* Must use 6in solid rubber tire (aftermarket allowed)
- \* Must use hand control (spring allowed, lockout allowed)
- \* Front Axle must remain stock ie. location, width, angle (if replaced must use factory parts when allowed)
- \* Rear Axle must remain stock (no live axle mod, if repaired must be as close to factory as possible)
- \* No Casereed or Reed Engines allowed
- \* Aftermarket seat allowed must have 4 mount points
- \* Bumpers are allowed not to exceed 36in (rear) 30in (front)
- \* Overall Length 55in
- \* Front Max Width 29in
- \* Rear Max Width 32in
- \* Must retain hand controls
- \* Must have throttle return spring in place
- \* Must Have Forward Facing Number Plate

**Chain Drive Jr. Class Ages 7-14 (47cc Max~No Italian/Pocketbike Engines)**

**All Chain Drive Weight Classes: 47cc Max~No Italian/Pocketbike Engines)  
(64cc Max Veteran/225lbs over)**

- \* Factory Go-Ped® Frame must be utilized. (no aftermarket frames)
- \* Must use 6in solid rubber tire (aftermarket allowed)
- \* Engine Must Be Scooter Based (used on production scooter/quad, aftermarket components may be used)
- \* Rear Axle may be changed to aftermarket and or factory (spindle conversion)
- \* Front axle must remain stock ie. location, width, angle (if replaced must use factory parts when allowed)
- \* Front spindles may be aftermarket (must remain as close to factory spec as possible)
- \* Steering hoop may be welded
- \* Gas tank location may be changed
- \* You may add up to 2 inches in the front and rear "box" area to allow for leg room, aftermarket axles (2in in front of the front axle, 2in in the rear section of frame)
- \* Aftermarket Seats may be used must have a min 4 mounting points
- \* Aftermarket Steering wheels/mounts may be used
- \* Bumpers are allowed but must not exceed 36in (rear) 30in (front)
- \* Overall Length 55in
- \* Front Max Width 29in
- \* Rear Max Width 32in

- \* Nerf Bars (stock style) may be modified for strength, axle kits
- \* Crash Bars (aftermarket/removable style) may be used
  - \* 3/4in (.750) Diameter
  - \* 5in (Front)
  - \* 8.5in (rear)
  - \* Must be Single Tube (no upright/vertical pod type)
  - \* Cannot Extend Beyond The Rear Wheels
- \* You may add supports and gussets for strength
- \* Must retain hand controls
- \* Must have throttle return spring in place
- \* Must Have Forward Facing Number Plate

**Ultimate Quad:**

- \*All the above rules for chain drive classes
- \* Any Engine Manufacture permitted in Ultimate Quad (64cc Max) (No Dual Engines)
- \*<176 Racers will start in the front with >175 racers will start in back
- \* Will allow up to 65cc to all competitors (engines over weight class cc limit will start in the back, i.e. if you change engines/quad for this race you will get sent to the back of the pack)

**Go-Ped® Sport & Novice Sport:**

- \* Must use 6in solid rubber tire (aftermarket allowed)
- \* Engine displacement limited to 34cc (47cc 225lb and over)
- \* Can be Chain or Spindle Drive
- \* Must have throttle return spring in place
- \* Must Have Forward Facing Number Plate

**Go-Ped® Small Bore Air Tire & Novice Air Tire:**

- \* 34cc Max Engine size
- \* Any tire may be used
- \* Must have throttle return spring in place
- \* Must Have Forward Facing Number Plate

**Go-Ped® BigBore Air Tire & Novice Air Tire:**

- \* 47cc Max Engine Size
- \* 64cc 225lb and over, scooter based engine
- \* No Itialian/Pocketbike Engines/Components Allowed
- \* Any Tire may Be used
- \* Must have throttle return spring in place
- \* Must Have Forward Facing Number Plate

\*All Rules Subject To Change At Race Directors Discretion\*

