# ELK CREEK TOWNSHIP Small Project Stormwater Management Application

Per Elk Creek Township's Act 167 Stormwater Management Ordinance, a stormwater management plan is required whenever more than 2,500 square feet of impervious surface are proposed. Impervious surfaces are areas that prevent the infiltration of water into the ground and shall include, but not be limited to, roofs, patios, garages, storage sheds and similar structures, and any new streets or sidewalks.

To Calc	culate Impervious	Surfaces	Please Comple	ete This	Table
Surface Type	Length (feet)	x	Width (feet)	=	Proposed Impervious Area
Building		х		=	
(area per downspout)		х	<u> </u>	=	
		х		=	
		x		=	
Driveway ,		x		=	
		х		=	
		x		=	
Parking Areas		x		=	
		х		=	
		X.		=	
Patios/Walks		х		=	
		х			
		х		=	V.
		х		=	
Other		х		=	
		x		=	
		x		=	
Total Impervious S	ourface Area to b	e manage	ed (sum of all a	reas)	

If the Total Impervious Surface Area is LESS THAN 2,500 Square Feet, please read, acknowledge and sign below.

If the Total Impervious Surface Area EXCEEDS 2,500 Square Feet, complete the remainder of the Application.

Based Upon the information you have provided a **Stormwater Management Plan IS NOT required** for this regulated activity. Elk Creek Township may request additional information and/or SWM for any reason.

Property Owner Acknowledges that submission of inaccurate information may result in a stop work order or permit revocation. Acknowledgement of such is by signature below. I declare that I am the owner or owner's legal representative. I further acknowledge that the information provided is accurate and employees of Elk Creek Township are granted access to the above described property for review and inspection as may be required.

	Owner	Date:	
CREDITS		· · · · · · · · · · · · · · · · · · ·	,

### Credit 1: DISCONNECTION OF IMPERVIOUS AREA

When runoff from impervious areas is directed to a pervious area that allows for infiltration, filtration, and increased time of concentration, all or parts of the impervious areas may qualify as Disconnected Impervious Area (DIA). Using the criteria below, determine the portion of the impervious area that can be excluded from the calculation of total impervious area.

**Criteria:** An impervious area is considered to be completely or partially disconnected if it meets the requirements listed below

- rooftop area draining to a downspout is ≤500 sf
- paved area draining to a discharge is ≤1,000 sf
- flow path of paved impervious area is not more than 75'
- soil at discharge is not designated as hydrologic soil group "D"
- flow path at discharge area has a positive slope of ≤5%
- gravel strip or other spreading device is required at paved discharges.

Length of Pervious Flow Path from discharge point *  (ft)	DIA Credit Factor
0 – 14	1.0
15 – 29	0.8
30 – 44	0.6
45 – 59	0.4
60 – 74	0.2
75 or more	0

<sup>\*</sup> Flow path cannot include impervious surfaces and must be at least 15 feet from any impervious surfaces.

	Calculate DIA Credit & Required Capture Volume								
Surface Type	Proposed Impervious Area (from previous sheet)	х	DIA Credit Factor	=	Impervious Area to be managed	-		=	Required Capture Volume (ft³)
Building		Х		=		÷	6	=	
(area per downspout)		Х		=		÷	6	=	
downspoor		х		=		÷	6	=	
		х		=		÷	6	=	
Driveway		Х		=		÷	6	=	
		Х		=		÷	6	=	
		х		=		÷	6	=	
Parking Areas		х		=		÷	6	=	
		х		=		÷	6	=	
		х		=		÷	6	=	
Patios/Walks		х		=	1. 3. 3. dil - 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	÷	6	=	
		х		=		÷	6	=	
		х		=		÷	6	=	
		Х		=		÷	6	=	
Other		х		=		÷	6	=	

x	=	÷	6	=	
X	=	÷	6	=	

Total Req'd Capture Volume

#### Credit 2: TREE PLANTING

Perhaps the best BMP is a tree as they intercept rainfall, increase evapotranspiration and increase time of concentration. A portion of the required capture volume can be reduced provided the criteria are met.

#### **CREDITS**

Deciduous Trees	Evergreen Trees
6 ft³ per tree planted	10 ft³ per tree planted


#### Criteria

To receive credit for planting trees, the following must be met:

- Trees must be native species (see below), minimum 1" caliper tree and 3 feet tall shrub (min).
- Trees shall be adequately protected during construction.
- Trees shall be maintained until redevelopment occurs.
- No more than 25% of the required capture volume can be mitigated through the use of trees.
- Dead trees shall be replaced within 12 months.
- Non-native species are not applicable.

	Req'd Capture Volume (ft³)
_	 Tree Planting Credit (ft³)
	Capture Volume to be managed (ft³)

## Sizing of BMP



Enter the volumes into the Small Project SWM Plan Worksheet on the next sheet.

Native	Snecies	Trees	(Common	Name!
1141114	30000	11003		1101110

- Blackgum
- Cucumber magnolia
- Hophornbeam
- Maple, (sugar, red or silver)
- Pine, (pitch or eastern white)
- Ironwood
- Hickory, sweet pignut or shag-bark
- Sycamore, American
- Cotton-wood, eastern
- Aspen, big-tooth or quaking
- Cherry, black

- Oak, (white, swamp white, scarlet, pin, red, black)
- Dogwood (silky or red osier)
- Tuliptree
- Willow, black
- Chokeberry (red or black)
- Basswood, American
- Serviceberry, (downy or shadbush)
- Elderberry
- Witch hazel
- Mountain laurel

## Small Project SWM Plan Worksheet

Based upon the information you have provided a **Stormwater Plan IS Required** for this development activity. The Stormwater Management Ordinance developed through the *Erie County Act 167 Stormwater Management Plan* regulates compliance requirements for Stormwater Management in this jurisdiction. A complete copy of the Plan can be found on the Erie County Planning Department website (http://www.eriecountyplanning.org) which contains the Model Ordinance.

Regulated activities shall be conducted only after Elk Creek Township approves a stormwater management plan. The Erie County Act 167 Stormwater Management Plan will assist you in preparing the necessary information and plans for Elk Creek Township to review and approve. This document will constitute an approved plan if all of the relevant details are to be installed in their entirety AND no part of the stormwater system adversely affects any other property, nor adversely affect any septic systems or drinking water wells on this, or any other, parcel. Alternative system proposed require a plan will need to be submitted to Elk Creek Township for approval. A design by a qualified professional may be required for more complex sites.

entirety AND th	etails from Erie County Act 167 Stormw ne system will be located as not to a ing water wells on this, or any other, po	ıdver	sely affect oth	
To meet this rec	uirement, the following will be installed	d anc	l maintained:	
Capture Volume	e to be managed (ff³)		Conversion	Surface Area of BMPs (ff²)
	<b>By Rain Garden</b> 6" ponding; 2' soil depth	х	1.20	
	Dry Well or Infiltration Trench 2½' aggregate depth	x	1.25	
	Total		Total	`
the system will	ng the above, an alternative and/or p be located as not to adversely affec his, or any other, parcel.			
Site Sketch Plan  Property lines	with dimensions P		ed septic system ed well site, if ap	

**Condition on approval -** The stormwater management plan must be fully implemented prior to a request for final inspection of the building or zoning permit.

Acknowledgement - By executing below, the Owner acknowledges the following:

- I declare that I am the owner of the property.
- The information provided is accurate.
- I further acknowledge that municipal representatives are granted access to the above described

	Owner	Date:	
	<del></del>		
	ΛΡΡ	ENDIX E – RELEASE RAT	TE MAA
	AII	LNDIX L - KLILASL KAI	F 1417
k Township Stormwater Ordinance		Page-57	