

Please contact us for different qualities and sizes.


HOT SHEET

Thickness	1,2-25 mm
Width	1000-1200-1250-1500-2000 mm
Length	500-15000 mm
Length	S235JR, S275JR, S355JR, S355J2+N, DD11, S355MC, S420MC, S460MC, S500MC, S550MC, S600MC, P265GH, P265NH, P355GH, P355NB, 30MnB5 (5630)




DYED SHEET

Thickness	0,3-0,7 mm
Width	1000-1200-1250 mm
Length	600 - 12000 mm
Length	DX51
Colour	RAL 9002 - RAL 3009 - RAL 3004 - RAL 6020 - RAL 5017 vb.



PLATE


Thickness	8-100 mm
Width	1500-2000-2500 mm
Length	6000-8000-12000 mm
Length	S235JR, S275JR, S355JR, S355J2, S355J2+N, P355GH



Please contact us for different qualities and sizes.

GALVANIZED SHEET

Thickness	0,3-4 mm
Width	1000-1200-1250-1500 mm
Length	300 - 6200 mm
Length	DX51, DX52, DX54, S GRADE
Covering	100-275-300 gr




COLD SHEET

Thickness	0,4-2,5 mm
Width	1000-1200-1250-1500 mm
Length	300 - 6200 mm
Length	DC01, DC04, DC01EK, DC04EK



ACIDIZED SHEET

Thickness	1,5-20 mm
Width	1000-1200-1250-1500 mm
Length	500-15000 mm
Length	DD11, DD13, S235JR, S355JR, S355MC



Please contact us for different qualities and sizes.


PATTERNED SHEET

Thickness	3/4-6/7 mm
-----------	------------

Width	1000-1200-1250-1500 mm
-------	------------------------

Length	500-15000 mm
--------	--------------

Length	S235JR
--------	--------



TRAPEZE SHEET

Thickness	0,35 - 1 mm
-----------	-------------

Width	1000-1250 mm
-------	--------------

Length	600-12000 mm
--------	--------------

Length	DX51, DX52, S GRADE (GALVANIZED SHEET - DYED SHEET)
--------	---

