

Please contact us for different qualities and sizes.

| W Profile Sizes    |                       |           |         |         |         |          |          |
|--------------------|-----------------------|-----------|---------|---------|---------|----------|----------|
| Imperial<br>(inch) | Size<br>(mm)          | G<br>kg/m | A<br>mm | b<br>mm | h<br>mm | tw<br>mm | tf<br>mm |
| W 6x4x7            | W<br>150x100x1<br>0.4 | 10.4      | 7.6     | 99.2    | 147.1   | 3.4      | 4.1      |
| W 6x4x7,75         | W<br>150x100x1<br>1.5 | 11.5      | 12.3    | 99.6    | 147.8   | 3.8      | 4.5      |
| W 6x4x8,5          | W<br>150x100x1<br>2.6 | 12.6      | 15.9    | 100.1   | 148.1   | 4.3      | 5        |
| W 6x4x9            | W<br>150x100x1<br>3.4 | 13.4      | 17.3    | 100.1   | 150     | 4.3      | 5.5      |
| W 6x4x10,4         | W<br>150x100x1<br>5.5 | 15.5      | 19.6    | 100.8   | 151.4   | 5.1      | 6.3      |
| W 6x4x12           | W<br>150x100x1<br>7.9 | 17.9      | 22.9    | 101.6   | 153.2   | 5.8      | 7.1      |
| W 6x4x16           | W<br>150x100x2<br>3.8 | 23.8      | 30.6    | 102.4   | 159.5   | 6.6      | 10.3     |
| W 8x4x10           | W<br>200x100x1<br>4.9 | 14.9      | 19.1    | 100     | 200     | 4.3      | 5.2      |
| W 8x4x13           | W<br>200x100x1<br>9.3 | 19.3      | 24.8    | 102     | 203     | 5.8      | 6.5      |
| W 8x4x15           | W<br>200x100x2<br>2.5 | 22.5      | 28.6    | 102     | 206     | 6.2      | 8        |
| W<br>8x5,25x14     | W<br>200x130x2<br>1.4 | 21.4      | 27.2    | 134     | 203     | 5        | 6.4      |
| W<br>8x5,25x18     | W<br>200x130x2<br>6.6 | 26.6      | 33.9    | 133     | 207     | 5.8      | 8.4      |
| W<br>8x5,25x21     | W<br>210x130x3<br>1.3 | 31.3      | 40      | 134     | 210     | 6.4      | 10.2     |

Length: Produced from 4 m to 18 m.

Dimensions: ASTM A6 /A 6M - 07

Tolerances: ASTM A 6/A 6M - 07



