

Please contact us for different qualities and sizes.

Round Bar Sizes (mm/inch)

	G kg/m	A cm²
10	0.617	0.785
12	0.888	1.13
13	1.04	1.33
14	1.21	1.54
15	1.39	1.77
16	1.58	2.01
18	2	2.54
19	2.23	2.84
20	2.47	3.14
22	2.98	3.8
24	3.55	4.52
25	3.85	4.91
26	4.17	5.31
28	4.83	6.16
30	5.55	7.07
32	6.31	8.04
35	7.55	9.62
36	7.99	10.2
38	8.9	11.3
40	9.86	12.6
42	10.9	13.9
45	12.5	15.9
48	14.2	18.1
50	15.4	19.6
52	16.67	21.24
54	17.98	22.9
55	18.65	23.76
56	19.33	24.63
58	20.74	26.42
60	22.2	28.27
5/16	0.388	0.495
3/8	0.559	0.712
7/16	0.759	0.967
1/2	0.994	1.266
9/16	1.258	1.978
5/8	1.553	1.978
3/4	2.236	2.849
7/8	3.044	3.878
1	3.976	5.065
1 1/8	5.032	6.41
1 1/4	6.212	7.913
1 1/2	8.945	11.395

Length: It is produced from 4 m to 18 m.
 Dimensions: EN 10060 ASTM A6 / A 6M
 Tolerances: EN 10060 ASTM A6 / A 6M

1 3/4	12.175	15.51
2	15.903	20.258



